

Table of Contents

Chapter 1	Using Logic	
1.1	Conventions of this Manual	1-1
1.2	Dialog Language and Look	1-2
1.3	The Mouse	1-2
	Basic Functions	1-2
	Mouse Input	1-3
	Checkboxes	1-3
	Pull-down Menus	1-3
	Mouse as Slider	1-4
	Using the Mouse for In/Decrementing	1-4
	Numerical Input	1-4
	Text Input	1-5
	Tools and the Toolbox	1-5
	Effective Range of the Tools	1-6
	Hiding/Showing the Toolbox	1-7
	Selecting Tools	1-7
	Info Line	1-8
	The Tools	1-8
1.4	Window Functions	1-11
	Working with Windows	1-12
	Opening Windows	1-12
	Closing Windows	1-12
	Moving up One Level in the Display Hierarchy	1-12
	Setting Window Size	1-12
	Selecting the Working Area	1-13
	X/Y Element	1-13
	Page Scrolling	1-13
	Zooming	1-14
	Zooming Selectively.	1-15
	Window Elements	1-15
	Menus	1-16
	Hierarchical Menus	1-16
	Permanent Drop-down Menus	1-17
	Menu Options with "..." in their Title	1-17
	Dialog Boxes	1-17
	Window Types	1-17
	Normal Windows	1-17
	Float Windows	1-18
	Relationships between Windows	1-18
	Catch	1-18
	Link, Show Contents, and Contents Catch	1-19

Table of Contents

	Contents Link	1-20
	Contents Catch	1-20
	Screensets	1-20
	Storing Screensets	1-21
	Switching Screensets	1-21
	Protecting Screensets	1-21
	Copying Screensets	1-21
	Reverting to a Stored Screenset	1-22
	Sequencer-controlled Switching	1-22
	Other Functions	1-22
1.5	Selection Techniques	1-23
	Selecting Individual Objects	1-23
	Selecting Several Objects	1-24
	Selecting All Objects	1-26
	Deselecting All Objects	1-26
1.6	Edit Operations	1-27
	Undo	1-27
	The Clipboard	1-27
	cut	1-27
	copy	1-27
	Paste..	1-28
	Clear	1-28
	Paste at Original Position.	1-28
	Paste Replace	1-28
1.7	General Functions of the Editors	1-29
	Opening Editors	1-29
	Control Output via MIDI	1-29
	Automatic Scroll Functions	1-30
	Contents Link	1-30
	Alternative Play Function	1-31
	Selection Commands & Editing Functions	1-31
	Selecting Events with same MIDI channel	1-31
	Select Equal Subpositions	1-31
	Splitting Chords	1-32
	Setting Locators by Objects	1-33
	Edit Functions	1-33
	Transform Functions	1-33
	Altering Note Lengths	1-33
	Repeating or Copying Events	1-36
	Deleting Events	1-36
	Locking Events to SMPTE Times	1-37

Table of Contents

	Moving Events	1-37
	Step-time Recording	1-38
	Keyboard Control	1-39
	Goto Selection	1-39
	Editing via MIDI input	1-40
	Event Quantization	1-40
	Quantizing Events	1-40
	Note Quantization	1-41
	Display Functions	1-42
	Changing Display Levels	1-42
	Matrix and Hyper Editors	1-42
1.8	Key Commands and Remote Control via MIDI	1-44
	Special Keys	1-45
	Key Commands Window	1-45
	Assigning a Function to a Key	1-46
	Assigning a Function to a MIDI Message	1-47
	Deleting Assignments	1-48
	Switching MIDI Remote on/off	1-48
	Checking the Function of a Key,	1-48
	Making the Display Clearer	1-49
	Finding Key Commands	1-49
	Printing a Key Command List	1-50
	Storing Key Command Assignments	1-50
	Importing Key Commands	1-50
	Initializing Key or MIDI event assignments	1-51
	Online Help	1-51
1.9	Song Administration	1-52
	New Song	1-52
	Autoload Song	1-52
	Creating a New Song	1-52
	Opening Default Song	1-53
	Stationary Pad	1-53
	Loading a Song	1-53
	Direct Access to Your Current Songs	1-54
	Different songs open at the same time	1-54
	Song and MIDI File Import by Drag and Drop	1-54
	Special Functions	1-54
	Importing settings from other songs	1-54
	Checking/Repairing Songs	1-55
	Saving Songs	1-55
	Automatic Backup Files	1-56

Table of Contents

	Reverting to the Saved Version	1-56
	Closing a Song	1-57
	Quitting the Program	1-57
Chapter 2	Transport Functions	
2.1	The Transport Window	2-1
	Opening the Transport Window	2-1
	The Transport Bar in Other Windows	2-2
	Altering the Display	2-3
	Sections in the Transport Window	2-4
	Parameter Fields and Displays	2-5
	Position Display (2 & 3)	2-5
	Locators (4 & 10)	2-7
	Tempo (area 5)	2-8
	Free Memory (area 5)	2-8
	Time Signature and Divisions (6)	2-8
	MIDI Monitor and Panic Function (7)	2-11
	Song Title	2-11
	Song End (11)	2-11
	Keys and Buttons	2-12
	Transport (1)	2-12
	Mode	2-13
2.2	Bar Ruler	2-15
	Bar Ruler Color	2-16
	Display	2-16
	Start and End Markers	2-16
	Song Position Line	2-17
	Direct Placement	2-17
	Placement at a Marker	2-18
	Scrubbing	2-18
2.3	Cycle Mode	2-18
	Switching on Cycle Mode	2-19
	How Logic Behaves in Cycle Mode	2-19
	Defining the Cycle Region	2-20
	Graphically Using the Bar Ruler	2-20
	Numerical Entry.	2-20
	By Objects	2-21
	By Markers	2-21
	Skip Cycle	2-22
	Setting up Skip Cycle	2-22

Table of Contents

	Features of Skip Cycle Mode	2-22
2.4	Recording	2-22
	Selecting a Track	2-22
	Count-in	2-23
	Record Options	2-24
	Replace Mode	2-24
	Destructive MIDI Recording	2-25
	Recording in Cycle Mode	2-25
	Cycle and Replace	2-25
	Autodrop..	2-25
	Defining the Autodrop Region	2-26
	Setting Autodrop Numerically	2-26
	Recording in Autodrop Mode	2-26
	Combining Cycle and Autodrop	2-27
	Recording with Skip Cycle	2-27
2.5	Chase Events	2-27
Chapter 3	Arrange Window	
3.1	Overview	3-1
3.2	MIDI Tracks	3-2
	Selecting a Track	3-3
	Changing tracks while keeping selection	3-3
	Sorting Tracks	3-3
	Creating Tracks	3-4
	Copying a Track	3-4
	Special Methods for Creating Tracks	3-5
	Deleting Tracks	3-6
	Deleting Unused Tracks	3-6
	Naming Tracks	3-6
	Deleting Track Names	3-7
	Muting Tracks	3-7
	Muting All Tracks	3-8
	Mute Instrument	3-8
	Selecting an Instrument	3-8
	Special Types of Instrument	3-9
	Zooming Individual Tracks	3-9
	Zooming on a Track.	3-9
	Zooming all MIDI/Audio Tracks	3-10
	Restoring Individual Zoom Settings	3-10
	Key Commands for Zoom Settings	3-10

Table of Contents

3.3	Multi Track MIDI Recording	3-10
	Layer and Split Mode	3-11
	Selecting Layer/Split	3-11
	Switching MIDI Thru off	3-12
3.4	Instruments	3-12
	Making an Instrument Visible	3-12
	Creating a New Instrument	3-13
	The Instrument Parameters	3-13
	Opening/Closing Instrument Parameter Box	3-13
	Name	3-13
	Track Object Type	3-13
	Selecting an Icon	3-14
	Hiding an Instrument	3-14
	MIDI Channel, Port (MIDI Output) and Connection	3-14
	Setting the MIDI Channel: Multi Instruments	3-15
	Adjusting the Sound of a Track	3-16
	Open a Sound Editor for a Given Instrument	3-17
3.5	Sequences	3-17
	Creating a Sequence	3-18
	Capture Recording	3-18
	Creating an Empty Sequence	3-18
	Deleting Sequences	3-18
	Deleting Muted Sequences	3-18
	Retrieving Deleted Sequences	3-19
	Moving Sequences	3-19
	Tying Sequences or Regions by Length Change	3-20
	Removing Gaps between Sequences or Regions	3-20
	Tie Sequences within Locators	3-20
	Moving Sequences to the Current Song Position	3-20
	Editing the Start Position Numerically	3-21
	Copying Sequences	3-21
	Making Multiple Copies of Sequences	3-21
	Altering the Length of Sequences ...	3-22
	...of Multiple Selection..	3-22
	...Adjusting the Start	3-23
	... Rounded to Whole Bars	3-23
	... by Time-Compressing or -Expanding	3-23
	... to Adjust It to Fit Its Contents	3-23
	... to Adjust It to Fit Other Sequences	3-24
	...Using a Finer Grid	3-24
	Dividing Sequences...	3-24

Table of Contents

	...Multiple Division with the Scissors	3-25
	...at the Locator Positions	3-26
	Cut at the Song Position	3-26
	Merging Sequences	3-27
	Demixing Sequences	3-27
	Muting Sequences or Regions	3-28
	Soloing Sequences or Regions	3-28
	Naming a Sequence or Region	3-29
	Multiple Naming	3-29
	Transferring Track Names to Sequences	3-30
	Special Functions	3-30
	Inserting Events	3-30
	Deleting Events	3-30
3.6	Sequence Playback Parameters	3-31
	Default Sequence Parameters	3-31
	Editing Several Sequences Simultaneously	3-32
	Opening and Closing	3-32
	The Sequence Parameters	3-33
	Name	3-33
	Qua	3-33
	Loop	3-33
	Transpose	3-34
	Velocity	3-35
	Dynamics	3-35
	Gate Time	3-35
	Delay	3-36
	Fixing/Neutralizing Sequence Parameters	3-37
	Extended Sequence Parameter Box	3-39
	Special Functions for Sequences	3-40
	Adding Prg, Vol and Pan as Events	3-40
	Adding Variable Program Changes	3-40
3.7	Quantization	3-41
	How It Works	3-41
	Which Events Can Be Quantized	3-41
	Additional Quantization Parameters	3-43
	Linear Quantize ("Q-Range")	3-45
	Fixing the Quantization	3-46
3.8	Groove	3-46
	Your Own Quantization Grid (Groove Template)	3-47
	Creating Your Own Quantization Template (Groove)	3-47
	Deleting a Quantization Template	3-48

Table of Contents

	Importing Quantization Templates	3-48
3.9	Hyper Draw in the Arrange Window	3-49
	Activating Hyper Draw	3-50
	Display	3-51
	Defining other data types in Hyper Draw	3-52
	Deactivating Hyper Draw.	3-52
	Key Commands for Hyper Draw	3-52
	Hyper Draw-Functions	3-52
	Making Practical Use of Hyper Draw	3-54
3.10	All about Folders	3-56
	The “Folder” as a Track Instrument	3-57
	Creating Folders	3-57
	Changing Display Levels	3-57
	Going into a Folder	3-57
	Exiting a Folder	3-58
	Moving Objects into Folders	3-58
	Unpacking Individual Objects	3-58
	Unpacking Folders	3-59
	Folder Editing: Like Sequences or Regions	3-59
3.11	Aliases	3-59
	Creating an Alias	3-60
	Playback Parameters	3-60
	Reassigning an Alias.	3-60
	Search Functions for an Original or Alias	3-61
	Finding the Original of an Alias	3-61
	Finding the Alias of an Original	3-61
	“Orphan” Aliases.	3-61
	Selecting All Orphan Aliases	3-61
	Deleting Orphan Aliases	3-62
	Turning the Alias into a Real Object	3-62
	Editing the Events in an Alias	3-62
	Merging Two or More Objects	3-62
3.12	Markers	3-62
	Creating Markers	3-63
	Deleting Markers	3-64
	Marker Names	3-64
	Editing Marker Names and Text	3-65
	The Marker Text Window	3-65
	Colors	3-67
	Markers without a Name	3-67
	Marker List Window.	3-68

Table of Contents

	Tools in the Marker List Window	3-68
	Buttons in Both Marker Windows	3-69
	Marker Position and Length	3-70
	Moving Markers in the Bar Ruler	3-70
	Moving Markers in the Marker List Window	3-70
	Adjusting a Marker to Fit a Cycle	3-71
	Using Markers to Set Song Position and Locators	3-71
	Locking Markers to SMPTE Positions	3-72
	Summary of Marker Actions Using the Mouse in the Bar Ruler	3-72
	Marker Meta Events	3-74
3.13	Arrange Window Techniques	3-74
	Adjusting Locators to Fit Selected Objects	3-75
	Adding or Removing Passages	3-75
	Inserting a Gap across All Tracks	3-75
	Removing a Section	3-76
	Inserting a Section	3-76
	Deleting Events Selectively	3-76
	Copying Events Selectively	3-77
3.14	Altering the Display	3-79
	Display Options for the Track List	3-79
	Track Numbers/Level Meters	3-79
	Mute Switch	3-79
	Record Audio Switch	3-79
	Instrument Icon	3-79
	Instrument Name and Track Name	3-80
	Object Display	3-81
	Making Sequence Parameters Visible	3-81
	Contents Visible in the Object	3-81
	Object Colors	3-82
	Altering the Background of the Arrange	3-82
3.15	Reset Functions	3-82
	For Hanging Notes-Panic Function	3-83
	Unwanted Modulation-Controller Reset	3-83
	If Some Sounds Are Suddenly Too Quiet-Volume Reset	3-83
	If You Suddenly Hear the Wrong Sounds-Send Instrument Settings	3-83
Chapter 4	Using Audio in the Arrange Window	
4.1	Regions in the Arrange Window	4-1
	Creating Regions	4-1

Table of Contents

	Inserting Audio Files using the Pencil tool	4-2
	Dividing Regions	4-2
	Erasing Regions	4-3
	Copying Regions	4-3
	Creating New Regions	4-3
	Using an Existing Region More than Once (Alias)	4-4
	Making Cloned Regions Independent	4-4
	Converting several Regions into Audio Files	4-4
	Making Multiple Copies of Regions	4-4
	Moving Regions	4-5
	Moving Regions in the Event List	4-6
	Moving Sequences Back to Record Position	4-7
	Changing Start and End Points.	4-7
	Adjusting the Grid to Zero Crossings	4-8
	Region Parameter Box	4-8
	Name	4-8
	Loop	4-9
	Delay	4-9
	The Region Anchor	4-9
	MIDI Sequences and Regions Compared	4-11
4.2	Audio Recording	4-13
	Creating Audio Tracks	4-13
	“Arming” Tracks	4-13
	Recording Modes	4-14
	Standard Recording with Count-in	4-14
	Punch-in Recording	4-15
	Pre-programmed Drop-Record	4-17
	Record and Pause Mode	4-18
	Audio Cycle Recording	4-18
	Auto Input Monitoring	4-19
	Stereo Recordings	4-20
4.3	Functions	4-21
	Automatic Tempo Matching	4-21
	Audio and MIDI Scrubbing	4-23
	Let’s get Scrubbing!	4-23
	Digital Mixdown	4-24
	Audio Crossfades	4-25
	HyperDraw for Regions	4-26
	Non-destructive Fades	4-27
	Enter Fades using Mouse and Fade Tool	4-28
	Fade curve shapes (Curve)	4-29

Table of Contents

	Crossfades	4-29
Chapter 5	The Environment	
	The Situation	5-1
	The Idea	5-1
	The Concept of the Environment,	5-2
5.1	Environment Overview	5-3
	Opening the Environment Window	5-3
	Layers	5-4
	Switching Layers	5-4
	Naming Layers	5-4
	Deleting Layers	5-5
	Specialized Layers	5-5
	Objects	5-7
	Adjusting the Size of Objects.	5-7
	Moving Objects	5-8
	Aligning Objects.. ..	5-8
	Moving Objects between Layers	5-9
	Replacing Objects	5-10
	Assigning an Object to the Selected Track	5-10
	Special Selection Commands.	5-10
5.2	The MIDI Signal Path	5-11
	Direct Output Assignment	5-12
	Breaking the Direct Output Assignment	5-13
	Cabling	5-13
	Multiple Cabling	5-14
	Cabling Serially	5-15
	Cabling in Parallel	5-16
	Deleting Cables.	5-16
	Cable color	5-16
5.3	Environment Objects	5-17
	Object Overview	5-17
	Standard Instrument	5-17
	Multi-Instrument	5-17
	Mapped Instrument	5-18
	Faders	5-18
	GM Mixer	5-18
	Keyboard	5-19
	Monitor	5-19
	Channel Splitter	5-19

Table of Contents

	Transformer	5-19
	Voice Limiter	5-19
	Chord Memorizer	5-20
	Arpeggiator	5-20
	Delay Line	5-20
	Touch Tracks	5-20
	Physical Input	5-21
	Sequencer Input	5-21
	MIDI Metronome Click	5-21
	Internal Objects	5-21
	Modem/Printer Port	5-21
	Audio Objects	5-22
	Ornament Objects	5-22
	Macro Objects	5-22
	Aliases	5-22
	Object Parameters	5-23
	Common Parameters	5-23
5.4	Object Reference	5-24
	Standard Instrument	5-24
	Multi-Instruments	5-27
	Multi-Instrument Window	5-29
	Defining Your Own Bank Select Commands	5-32
	Mapped Instruments	5-34
	Mapped Instrument Window	5-37
	Faders	5-39
	GM Mixer	5-39
	Keyboard	5-40
	Monitor	5-41
	Channel Splitter	5-41
	Transformer	5-42
	Transformer Dialog Box	5-42
	Arpeggiator	5-47
	Delay Line	5-50
	Voice Limiter	5-51
	Chord Memorizer	5-51
	Chord Memorizer Window	5-53
	Touch Tracks	5-54
	Physical Input/Sequencer Input	5-58
	Physical Input	5-58
	Sequencer Input	5-59
	MIDI Metronome Click	5-59

Table of Contents

Internal	5-60
Digidesign SampleCell	5-60
Apple QuickTime	5-61
Morning Star MacWavemaker	5-61
Retro AS-I, Unity DS-1	5-62
Autolink Object	5-62
Modem/Printer Port	5-62
Aliases	5-63
Alias Parameters	5-64
Copying Aliases.	5-65
Ornaments.	5-65
Macros	5-65
Macro Input and Output	5-66
Macro parameters	5-66
Special Macro Features	5-67
5.5 Faders	5-68
Operation	5-69
Working with Object Groups	5-70
Special Functions for Faders	5-71
Recording Fader Movements	5-72
Playing Back Fader Movements	5-72
Mixer Automation	5-73
Setting the Automation Mode	5-74
Correcting the Automation	5-74
Fader Styles	5-74
Vertical/Mute	5-74
Numericals	5-75
Buttons..	5-75
Text	5-75
Vector-Style Faders	5-77
Fader Functions	5-78
MIDI Events	5-78
Range	5-80
Val as	5-80
Filter	5-81
Feedback	5-82
Switchers, Alias Assigners & Meta Faders	5-82
Cable Switchers	5-83
Meta Event Faders	5-84
Sysex Fader	5-86
Creating a Sysex message	5-87

Table of Contents

	Setting the Sysex Data format	5-89
	Transforming Sysex messages	5-91
	Meta Events for Faders	5-91
5.6	Environment Exchange	5-92
	Importing Single-purpose Environments	5-92
	Replacing an Older Environment with a Current One	5-94
	Swapping Environments	5-94
	Replacement by Assignment	5-94
	Import Options	5-96
	Automatic Assignment Functions	5-96
5.7	The Environment and OMS	5-97
	What is OMS?	5-97
	When Should You Use OMS?	5-98
	Logic under OMS	5-99
	Assigning OMS nodes to Logic's inputs	5-99
	Assigning Instruments to OMS nodes	5-100
	OMS Output Maps	5-100
	Creating an OMS Setup for Logic	5-101
	Logic as an OMS node	5-102
	Points to Note when Working Under OMS	5-102
	Initializing OMS settings	5-103
	Updating Logic to Your OMS Setup	5-103
5.8	Tips and Comments	5-105
	Working with Notes	5-105
	How to Avoid Hanging Notes	5-106
	What's in a Note	5-106
	Where to Insert Environment Processes	5-107
	Creating Control Panels	5-109
Chapter 6	Mixers, Effects and Audio Objects	
6.1	The Basics	6-1
	Different Mixers	6-2
	Users of Former Versions	6-3
6.2	Track Mixer	6-4
	Display	6-5
	Setting Knobs to their Defaults	6-6
	Folders and the Track Mixer	6-7
	Options	6-7
6.3	Inserts, Sends for Plug-ins	6-7
	Memory Allocation	6-8

Table of Contents

	Introduction	6-8
	Insert Effects	6-8
	Bus Effects	6-9
	Equalizer (EQ) and Filter	6-10
	Parametric Equalizers	6-11
	Filter	6-13
	Inserts	6-14
	Sends (Aux Sends)	6-15
6.4	Plug-ins	6-17
	Plug-in Window	6-17
	Inserting Mono/Stereo Plug-ins	6-18
	Functions of the Plug-in Window	6-18
	Plug-ins from Other Manufacturers	6-19
6.5	Logic's Native Effects	6-21
	General Attributes	6-21
	Rotary Controls	6-21
	General Parameters	6-22
	Introduced with Version 4.0	6-22
	The Effect Algorithms	6-23
	Fat EQ	6-24
	Noise Gate	6-25
	Compressor	6-28
	Expander	6-31
	Enveloper	6-32
	Volume	6-34
	Direction Mixer (DirMixer)	6-35
	Dither	6-37
	Distortion Effects	6-38
	Distortion	6-38
	Overdrive	6-39
	BitCrusher	6-39
	Tone Generation, Ring Modulation	6-41
	Oscillator	6-41
	Delay and Pitch	6-42
	Tape Delay	6-42
	Stereo Delay	6-44
	Modulation Delay	6-45
	Phaser	6-46
	Pitch Shifter	6-48
	Ensemble	6-49
	Gainer	6-50

Table of Contents

	Sample Delay	6-50
	Flanger	6-51
	Chorus	6-51
	Reverberation	6-52
	SilverVerb	6-53
	Averb	6-54
	GoldVerb	6-55
	PlatinVerb	6-58
	EnVerb	6-60
	Special Effects	6-62
	AutoFilter	6-62
	Spectral Gate	6-65
6.6	Faders and Level Adjustment	6-66
	Level Meter	6-66
	Pre Fader Metering	6-67
	Adjusting the Level	6-67
6.7	Routing	6-68
	Input Selection	6-68
	Sub Groups (Busses) and Output Routing	6-68
	Pan/Balance	6-70
	Track Arming	6-71
	Solo	6-71
	Mute Control	6-73
	Stereo Objects and Channel Strips	6-73
	Creating Stereo Objects	6-73
	Songs on Different Kinds of Hardware	6-74
6.8	MIDI Channel Strips	6-75
	Switching the Instruments Voice Program	6-76
	Bank	6-76
	Program	6-76
	Volume	6-76
	Mute	6-77
	Pan	6-77
	Other Controllers	6-77
	Summary of the MIDI Mixer Functions	6-78
	Saving the Mixer Settings	6-80
	Extended GM, GS and XG Functions	6-80
	Reset Button	6-80
6.9	Automation	6-81
	Logic's Various Automation Concepts	6-81
	Theory of Audio Automation	6-82

Table of Contents

	Signal Flow	6-83
	Signal Path and External Fader Objects	6-84
	Which Controller Numbers?	6-84
	Controllers for the Insert Effects	6-85
	Automation of the Plug-in Parameters	6-86
	Dynamic Controller Allocation	6-87
	Snapshot Record	6-88
	Real-time Record	6-88
	Mixer Automation Parameters	6-89
	Erasing Recorded Fader Movements	6-90
	Graphic Control Changes with Hyper Draw	6-91
6.10	Bouncing	6-92
	Options in the Bounce Dialog Window	6-93
6.11	Audio Configuration	6-94
	Labeling the Inputs and Outputs (I/O Labels)	6-95
	Copy Entire Mixer Setup	6-97
6.12	Mixers in the Environment	6-98
	Audio Mixer	6-98
	GM Mixer	6-100
	Creating Your Own Mixers	6-102
	Parameters of the Audio Objects	6-102
	Creating Audio Objects	6-103
	Display	6-103
	Erasing Audio Objects	6-104
	The Object Parameter Box	6-104
	Dev	6-104
	Cha	6-105
	Val as	6-107
	Functions	6-108
	Icon Representation	6-108
	Scaling Objects	6-108
	Color	6-108
Chapter 7	The Audio Window	
	Opening the Audio Window	7-2
7.1	Layout	7-3
	Zoom Functions	7-4
	The Mode Buttons	7-4
	Link	7-4
	Monitoring	7-5

Table of Contents

	Region Cycle	7-5
	Selecting the Audio Output for Monitoring	7-6
7.2	Display	7-6
	The Audio List	7-6
	Hiding and Showing Regions.	7-6
	Displaying the Lengths of the Regions	7-7
	Displaying Information about Audio Files	7-8
	Sorting Audio Files	7-9
	Sorting Regions	7-9
	The Waveform Display outside the Region	7-10
	Overview Calculation	7-11
	Controlling the Overview Calculation	7-12
7.3	Operation	7-12
	Selection Techniques	7-12
	Audio Files	7-13
	Audio Files and Regions	7-13
	Edit Commands	7-13
	Regions	7-15
	Creating a Region	7-15
	Deleting a Region	7-15
	Altering the Boundaries of a Region	7-15
	Moving the Anchor	7-16
	Snapping to Zero Crossings	7-17
	Fine Movement	7-17
	Protecting the Region Parameters	7-17
	Renaming Audio Files and Regions	7-18
	Adding a Region to the Arrangement	7-19
7.4	Strip Silence	7-19
	Functional Principle	7-20
	Calling up the Strip Silence Function	7-20
	The Strip Silence Window	7-20
	Strip Silence Parameters	7-21
	Replacing a Region in the Arrange	7-24
	Multiple Editing Using Strip Silence	7-25
	Reassigning Audio Sequences Using Strip Silence	7-26
	Automatic Positioning of the Anchors	7-26
	Uses for Strip Silence	7-27
7.5	File Administration	7-28
	Record File	7-28
	Defining the Record Path	7-28
	When You Choose the Path remember	7-32

Table of Contents

	When You Enter the Recording Time Remember	7-32
	Adding Audio Files	7-33
	Audio File Selector	7-33
	Drag & Drop using Audio Files	7-34
	Add Audio Files from CD	7-35
	Importing Tracks from an Audio CD	7-35
	Removing Audio Files	7-37
	Creating Audio Files	7-37
	Saving a Region as an Audio File	7-37
	Deleting Audio Files	7-37
	Optimizing Audio Files	7-38
	Making Backups	7-39
	Copying Audio Files	7-40
	Moving Audio Files	7-40
	Split and Interleaved Stereo Formats	7-41
	Automatic Conversion of Stereo Files	7-42
	Special Features of “Split” Stereo Files	7-42
	Converting Different Split Stereo Formats	7-43
	Convert All	7-43
	Disconnect Stereo Files	7-43
	Manual Stereo Conversion	7-44
	Convert to AIFF Stereo	7-44
	Dealing with SDII Files	7-45
	Audio File Format Conversion	7-45
	Exchanging Audio Files between Mac and PC	7-46
	Other Functions involving Audio Files	7-47
	Reassigning Audio Files (Update File Information)	7-47
	What to Do if Logic Cannot Find an Audio File	7-47
	Fragmentation Analysis	7-49
7.6	Other Functions	7-49
	Audio Record	7-49
	Calibration	7-49
	Setting the Sample Rate	7-49
	Reconfiguring Your Audio Hardware	7-50

Chapter 8 **Audio Driver**

8.1	Why Audio Drivers?	8-1
	Available Drivers	8-2
8.2	Audio Engine	8-5
	Common Parameters	8-6

Table of Contents

8.3	DAE	8-9
	Starting Logic Audio without DAE	8-9
	Digidesign Hardware	8-9
	Opening the Setup Window	8-10
	Select Card Type	8-10
	Cards to Use	8-10
	Interface Options	8-10
	Swapping Digidesign Hardware	8-12
	Setting a Level for Recording	8-12
	Session 8 / ProTools Project	8-13
	Plug-in Start Window	8-13
	Session 8 Routing	8-13
	Audio Objects with Session 8 in Internal Mix Mode	8-14
	Session 8: Points to Note	8-14
8.4	CBX	8-15
	CBX-D3	8-15
	Using a CBX-D3 and -D5 together	8-16
	Restrictions	8-16
8.5	DR 8/16	8-17
	Arrange:	8-18
	View:	8-18
	Audio window:	8-19
	Environment:	8-19
	Sample Edit:	8-19
8.6	1212 I/O	8-20
	System Requirements	8-20
	Features	8-20
	De/Reactivating Drivers	8-21
	Special Functions	8-21
	Input Gain	8-21
	Synchronization	8-21
	Audio Objects	8-21
	Input Routing	8-21
	Output Routing	8-22
8.7	TDM Hardware	8-22
	What is TDM?	8-22
	System Requirements	8-23
	Turning Your Extensions On and Off	8-23
	Switching the Driver Back On	8-24
	Object Parameters of TDM Audio Objects	8-25
	Editing Plug-ins	8-26

Table of Contents

	Plug-in Key Commands	8-26
	Plug-in Setups (Settings, Effect Programs)	8-26
	DAE Plug-in Folders	8-27
	Support of TDM Plug-in Sidechains	8-28
	Automation	8-28
	Dynamic Controller Assignment	8-28
	Automation Process	8-29
	Functions, Special Features	8-30
	Deleting Objects	8-30
	Special Features of ProTools III with 32 or 48 Tracks	8-31
	Special Features of ProTools 24	8-32
	TDM Mixer Plug-in	8-32
	Changing Global Bit Depth	8-33
	Sample Editor	8-34
	Simultaneous Operation of Different Hardware	8-34
	Generate Audio Mixer	8-34
	Control Playback	8-35
	Total Number of Audio Tracks	8-36
	Digidesign Adat Bridge Interface	8-36
8.8	Direct I/O	8-38
8.9	Sonus StudI/O	8-40
	Operating Modes	8-40
8.10	ASIO	8-40
	System Memory Requirement	8-42
8.11	Yamaha DSP Factory	8-43
	Feature Set	8-43
	Mixer	8-44
	Input/Output Routing	8-45
	DS2416 Routing	8-47
	Clock Source	8-47
Chapter 9	The Sample Edit Window	
	Opening the Sample Edit Window	9-1
9.1	Layout	9-2
9.2	Display	9-3
	Overview	9-3
	Functions in the Overview	9-4
	Window Functions	9-4
	Catch Mode	9-4
	Link Mode	9-5

Table of Contents

	The Detailed Waveform Display	9-5
	Display Scale	9-5
	X- and Y-Axes Scales	9-6
	Absolute and Relative Time	9-6
	Display Waveform as Sample Bits	9-7
9.3	The Sample Edit Window in Use	9-8
	Monitoring Sample Playback	9-8
	Selecting the Audio Output	9-8
	Playback from the Overview	9-9
	Playing the Whole Audio File	9-9
	Playing the Current Selection	9-9
	Playback from a Certain Position	9-9
	Checking the Position of the Anchor	9-10
	Cycle Playback Mode	9-10
	Playing Regions	9-10
	Scrubbing	9-10
	Automatic Scrolling	9-11
	Making Selections	9-11
	Selecting the Whole Audio File	9-11
	Manual Selection	9-11
	To Change the Boundaries of a Selection	9-11
	Moving a Selection	9-12
	The Selection Parameter Box	9-12
	The Relationship between Selections and Regions	9-12
	Selecting the Region	9-13
	Turning a Selection into a Region	9-13
	Creating New Regions	9-13
	Editing Regions in the Sample Editor	9-13
	Search Zero Crossings	9-15
	Drawing Waveforms with the Pencil	9-15
	Editing Commands	9-15
	Cut	9-16
	Copy	9-16
	Paste	9-16
	Clear	9-16
	Undo	9-16
9.4	File Management	9-17
	Backup Copies	9-17
	Automatic Backups	9-17
	Manual Backups	9-18
9.5	Functions	9-18

Table of Contents

	Normalize	9-19
	Change Gain	9-21
	Fade In	9-21
	Fade Out	9-22
	Silence	9-23
	Invert	9-23
	Reverse	9-24
	Trim	9-24
	Remove DC Offset	9-25
	Search Peak	9-25
	Search Silence	9-25
9.6	The Digital Factory™	9-25
	Overview	9-26
	Operation	9-27
	Options	9-28
9.7	Machines	9-28
	Time & Pitch Machine	9-29
	Opening the Time & Pitch Machine	9-29
	Parameters	9-31
	Free Transposition	9-31
	Classic (Correlated) Transposition	9-31
	Harmonic Correction	9-31
	Harmonic Shift	9-31
	Using the Graphic Display	9-32
	About Harmonic Correction	9-33
	The Technology of the Time Machine	9-35
	Groove Machine	9-36
	Opening the Groove Machine	9-36
	Parameters	9-36
	Audio Energizer	9-37
	Opening the Audio Energizer	9-38
	Parameters	9-38
	Silencer	9-39
	Opening the Silencer	9-39
	Noise Reduction	9-39
	Spike Reduction	9-41
	Sample Rate Converter	9-41
	Opening the Sample Rate Converter	9-42
	Parameters	9-42
9.8	Functions	9-43
	Audio to MIDI Groove Template	9-43

Table of Contents

	Parameters	9-43
	Audio to Score Streamer	9-46
	Opening the Audio to Score Streamer	9-47
	Quantize Engine	9-49
	Opening the Quantize Engine	9-49
Chapter 10	The Event List	
	Usage	10-1
	Opening the Event List	10-1
	Structure	10-2
10.1	Display	10-3
10.2	Operation	10-4
	Scrolling	10-4
	Selection Techniques	10-4
	Special Selection Functions	10-5
	Event Editing	10-5
	Adding Events	10-5
	Duplicating Events	10-5
	Moving Events	10-6
	Altering Values	10-6
	Altering the Values of Several Events	10-6
	Numerical Value Input	10-7
10.3	Event List Structure	10-8
	Status	10-8
	Cha	10-9
	Num, Val	10-9
	Length/Info	10-9
	List Structure on the Arrange Level	10-10
	Position	10-10
	Name	10-11
	Track	10-11
	Length	10-11
10.4	Event Type Structure	10-11
	Note Events	10-11
	Program Change Events	10-12
	Pitch Bend Events	10-13
	Control Change Events	10-14
	Aftertouch Events	10-15
	Poly Pressure Events	10-15
	SysEx Events	10-15

Table of Contents

	Meta Events	10-17
10.5	Event Float Window	10-18
	#	
Chapter 11	The Hyper Editor	
	Usage	11-1
	Opening the Hyper Editor	11-1
	Structure	11-1
11.1	Hyper Sets	11-2
	Selecting a Hyper Set	11-2
	Creating a Hyper Set	11-2
	Create GM Drum Set	11-3
	Naming the Hyper Set	11-3
	Clearing a Hyper Set	11-3
11.2	Event Definitions	11-3
	Deleting an Event Definition	11-5
	Hyper Sets: Copying Event Definitions	11-5
	Converting Event Definitions	11-5
	Sorting Event Definitions	11-6
	Event Definition Parameter Box	11-6
	Making Different Definitions Simultaneously	11-10
	Hi-Hat Mode	11-10
11.3	Operation	11-11
	Selection Techniques	11-11
	Moving and Copying Events	11-12
	Altering Event Values	11-12
	Altering Several Events	11-12
	Setting up a Manual Series	11-13
	Setting up a Linear Series	11-13
	Linear Series in Sections	11-14
	Adding Individual Events	11-15
	Fix Value	11-15
Chapter 12	The Matrix Editor	
	Opening the Matrix Editor	12-1
12.1	Display	12-2
	Pitch/Note Names	12-2
	Position	12-2
	Velocity	12-2

Table of Contents

	Sequence Colors	12-3
	Background	12-3
	Other Display Options	12-3
12.2	Editing Notes	12-3
	Creating Notes.	12-4
	Duplicating Notes	12-4
	Moving Notes	12-4
	Setting a Finer Grid	12-5
	Copying Notes	12-5
	Altering Lengths	12-6
	Altering the Lengths of Several Notes Simultaneously	12-6
	Making Notes End Simultaneously	12-6
	Making Notes the Same Length	12-6
	Altering the Velocity	12-7
12.3	Folders	12-7
	Changing Presentation Layers	12-8
12.4	HyperDraw in the Matrix Editor	12-9
	Hyper Draw-Functions	12-10
	Deleting	12-11
	Selection Techniques	12-11
	Quick Opening of Event or Score Editor	12-11
12.5	Functions	12-11
Chapter 13	The Score Edit Window	
	Preface	13-1
	How this Chapter is Organized	13-2
	Opening the Score Edit Window	13-3
13.1	Elements of the Score Edit Window	13-3
13.2	Logic's Notation Concept	13-5
	Basics	13-5
	Staff Display in Relation to Position and Length of Sequences in the Arrange Window	13-6
	Logic's Basic Elements for Score Display	13-7
	Instrument Sets	13-7
	Score Styles	13-8
	Text Styles	13-8
	Display Parameter Box	13-9
	Song Settings	13-9
	Note Attributes	13-9
13.3	Adapting MIDI Sequences for Score Printout	13-10

Table of Contents

13.4	General Appearance of the Score Edit Window	13-13
	View Menu	13-13
	Adjusting the Borders between the Different Areas	13-16
	Parameter Boxes	13-16
	The Main Working Area	13-17
13.5	Input Methods in the Score Edit Window	13-17
13.6	Score Display Options-a Survey	13-18
13.7	Printout	13-20
	Sonata Font for Display and Printout of Notes and Symbols	13-21
13.8	Graphic Export	13-21
	Postscript Export (EPS files):	13-21
	PICT Export Using the Camera Tool	13-21
13.9	Real-time MIDI Recording in the Score Window	13-22
13.10	MIDI Step Input in the Score Window	13-24
	Key Commands for Step Input	13-25
13.11	Mouse Input	13-26
	Input..	13-27
	MIDI Channel and Velocity of Inserted Objects	13-28
	Insert Quantization	13-28
	Simultaneous Input of Objects into Several	
	Sequences (Insert Multi)	13-29
	Exact Graphic Position of Symbols.	13-30
	Hyper Draw in the Score Edit Window	13-31
13.12	The Partbox	13-32
	Selecting and Inserting Partbox Objects	13-32
	Object Selection by Key Commands	13-34
	Display Size of Inserted Objects	13-35
	Notes	13-35
	Ties	13-35
	Changing the Way Notes with Ties Are Displayed	13-36
	Allowing Diatonic Input only	13-36
	N-Tuplets	13-37
	Definition of Previously Recorded Notes as N-Tuplets	13-37
	N-Tuplet Input with the Mouse	13-38
	Changing or Deleting Existing Tuplets	13-39
	Fast Input of Several Identical N-Tuplets	13-39
	Editing Automatically Displayed Triplets	13-40
	“Artificial” N-Tuplets to Bypass Display Quantization	13-40
	Grace Notes, Independent Notes	13-41
	Sustain Pedal Symbols	13-42
	Clefs	13-42

Table of Contents

Dynamic Symbols	13-43
Note Heads	13-43
Invisible Note Heads	13-44
Symbols Attached to Notes	13-44
MIDI Meaning	13-44
Quick Assignment with Key Commands	13-45
Jazz Symbols	13-46
Slurs, Crescendi, Lines, Arrows	13-46
Key Signatures and Key Signature Changes	13-49
Deleting a Key Signature Change	13-50
Moving and Copying Key Signature Changes	13-50
Time Signatures and Time Signature Changes	13-51
Compound Time Signatures	13-52
Invisible Time Signatures	13-52
Editing Time Signatures	13-53
Moving and Copying Time Signature Changes	13-53
Repeat Signs and Bar Lines	13-53
Trills, Tremolo, Arpeggio etc.	13-55
Rests, Bar Repeat Signs	13-55
Automatic Rest Display	13-56
Manually Inserted Rests	13-56
Multi Bar Rests	13-57
Bar Repeat Signs	13-58
Text Objects, Chord Symbols	13-58
D.S., D.C., Segno, Coda Signs	13-58
Tempo and Swing Symbols	13-58
13.13 Move, Copy and Paste in the Score Edit Window	13-59
Available Methods	13-59
Moving/Copying with the Mouse	13-59
Move/Copy with Cut, Copy & Paste via the Clipboard	13-61
Repeat Objects	13-62
Copy MIDI Events	13-62
Nudge Key Commands	13-63
13.14 Editing or Deleting Notes and Symbols	13-63
Editing Using Tools	13-63
Velocity Tool	13-63
Quantize Tool	13-64
Layout Tool	13-64
Sizing Tool	13-64
Changes in the Event Parameter Box	13-65
Notes:	13-65

Table of Contents

	Symbols:	13-65
	Changing Several Selected Objects Simultaneously in the Event Parameter Box	113-67
	Deleting Objects in the Score Window	113-68
13.15	The Display Parameter Box	113-68
	Different Settings within the Same Staff	113-68
	Default Settings for New Sequences	113-69
	Changing the Settings for Several Sequences Simultaneously	13-69
	Rhythmic Interpretation of Sequences	13-70
	The Parameters in the Display Parameter Box	13-71
	Title Line: Name of the Sequence	13-71
	Style	13-71
	Qua (Display Quantization)	13-71
	Interpretation	13-73
	Syncopation	13-74
	No Overlap	13-75
	Max. Dots	13-76
	Special Parameter: Score Off	13-77
13.16	Score Styles	13-77
	The Concept of Score Styles	13-77
	Assigning Score Styles	13-79
	Working with Existing Score Styles	13-79
	Assigning Score Styles to Sequences	13-79
	Automatic Score Style Assignment for New Sequences	13-80
	The Score Style Window	13-80
	List View	13-82
	Copying Score Styles between Songs	13-82
	Deleting Score Styles	13-83
	Creating New Score Styles	13-84
	Editing Score Styles	13-85
	Simple One-Staff Score Styles	13-85
	Simple Two-Staff Score Styles	13-89
	Number of Staves	13-89
	Brackets and Bar Line Connections	13-90
	Voice Separation Methods	13-90
	Single-Staff Polyphonic Score Styles	13-93
	Input and Recording of Polyphonic Voices	13-95
	Single-Staff Score Style with Optional Polyphony	13-96
	Multi-Staff Polyphonic Score Styles	13-98
	Copying Voices or Staves into other Score Styles	13-98

Table of Contents

Deleting Voices in a Score Style	13-99
Combination of Split Point and MIDI Channel Assignment for Voice Separation	13-99
Drum Notation with Mapped Score Styles	13-99
The Basics of Drum Notation with Logic	13-100
Different Drum Maps within the same Song	13-101
Mapped Score Styles	13-102
Creating and Editing Your Own Mapped Score Styles	13-104
13.17 Note Attributes	13-105
Special Note Heads	13-106
Altering Note Size	13-106
Horizontal Position Change	13-106
Accidental Distance from the Note	13-106
Display of Accidentals	13-106
Stem Direction	13-107
Beaming of Notes	13-107
Tie Direction	13-108
Syncopation	13-108
Interpretation	13-108
Independent: Display as Independent Note or Single Grace Note	13-109
13.18 Instrument Sets and Score Display Levels	13-109
Display Levels	13-109
Explode Folders	13-110
Changing between Single Sequence and Full Score Display	13-110
Special Cases Concerning Score Display	13-111
Instrument Sets	13-111
The Instrument Set Window.	13-112
Importing Instrument Sets from Other Songs	13-116
Additional Information on Instrument Sets	13-116
Full Score and Part Layout	13-117
Part Extraction (“Instrument Filter”)	13-118
Scaling Parameter for Instrument Sets	13-118
Separate Layout Options for Parts and Score	13-119
Line Breaks	13-121
Local Margins	13-122
Deleting all Line Breaks and Local Margins	13-122
13.19 Song Settings for Score Display	13-123
Importing All Score Settings	13-123
Global Format	13-123
Numbers & Names	13-128

Table of Contents

	Page Numbers	13- 129
	Bar Numbers	13- 131
	Instrument Names	13- 132
	Clefs & Signatures	13- 133
	Extended Layout Parameters	13- 135
	Guitar Tablature	13- 137
	MIDI Meaning	13- 141
13.20	Score Preferences	13- 143
13.21	Text: Input and Display	13- 146
	Text Styles	13- 146
	The System Text Styles	13- 147
	Creating Additional Text Styles	13- 148
	Changing the Same Font in Several Text Styles Simultaneously	13- 148
	Font References	13- 149
	Music Fonts as Fonts for Text Styles	13- 149
	Text Input	13- 149
	Editing Text	13- 151
	Deleting Text Objects	13- 151
	Copying Text Objects	13- 151
	Simultaneous Text Input into Several Staves	13- 152
	Global Text	13- 152
	Input of Global Text	13- 152
	Positioning of Global Text	13- 153
	Automatic Text Objects	13- 153
	Lyrics	13- 154
	Some Hints for Working with Lyrics	13- 155
13.22	Chord Symbols	13- 156
	Fast Input of Several Chord Symbols in One Process	13- 158
	Enharmonic Change of Chord Symbols	13- 158
	Transposition of Chord Symbols	13- 158
	German Chord Symbols: “H” instead of “B”	13- 159
	Copying Chord Symbols	13- 159
	Precise Graphical Position of Chord Symbols	13- 159

Chapter 14 **The Transform Window**

	Usage	14- 1
	Opening the Transform Window	14-1
	Effective Range	14-2
	Purpose of the Transform Window	14-3

Table of Contents

	Actions	14-3
	Display	14-4
14.1	Transformation	14-4
	Mode	14-4
	Event Parameters	14-6
	Conditions	14-6
	Exchanging Parameter Values	14-8
	Operations	14-8
14.2	Transform Parameter Sets	14-12
	Presets	14-12
	Your Own Sets	14-13
	Calling up Presets and your own Sets	14-13
Chapter 15	Tempo	
	Tempo Display	15-1
	Tempo Track	15-1
	Overview	15-2
	Information on Changing Song Tempo	15-2
15.1	Tempo List Editor	15-3
	Creating Tempo Changes	15-3
	Deleting Tempo Changes	15-4
	Copying the Tempo Changes from a Passage	15-4
	Alternative Tempo Lists	15-4
	Other Functions	15-5
15.2	The Graphic Tempo Editor	15-5
	Creating Continuous Tempo Changes	15-6
	Other Functions	15-7
15.3	Tempo Operations	15-7
	Opening the Tempo Operations Window	15-7
	Create Tempo Curve	15-8
	Creating a Constant Tempo	15-9
	Scale Existing Tempo Changes	15-9
	Stretch Existing Tempo Changes	15-9
	Thin Out Existing Tempo Changes	15-10
	Randomize Tempo	15-10
15.4	Tempo Interpreter	15-11
	Switching to Manual Sync	15-11
	Opening the Tempo Interpreter	15-12
15.5	The Real-time Tempo Fader	15-14
	The Effect on Recording	15-14

Table of Contents

	The Effect on Playback	15- 15
	The Effect on External Sync	15- 15
15.6	Tempo Functions	15- 15
	Recording Tempo Changes	15- 15
	Adjusting the Tempo to Fit Regions	15- 15
	Setting the Tempo after Recording (Reclock Song)	15- 16
	Guide Sequence	15- 18
15.7	Tips and Suggestions	15- 19
	Polyrhythms	15- 19
	Count-in for a Tempo Change	15- 20
	Scene-orientated Film Music	15- 21
Chapter 16	Synchronization	
16.1	Synchronization Window	16-1
	General	16-1
	Sync Mode	16-2
	Auto Enable external Sync	16-2
	External Stop ends Record Mode	16-3
	MTC Pickup Delay [frames]	16-3
	Frame Rate	16-3
	Auto Detect Format of MTC	16-4
	SMPTE Offset	16-4
	SMPTE View Offset	16-4
	Audio	16-5
	Nominal Sample Rate	16-5
	MTC (Hz)	16-5
	Sample Rate	16-6
	Deviation	16-6
	Sync Mode	16-6
	MIDI	16-8
	Transmit MIDI Clock	16-8
	Allow Song Position Pointer while playing	16-9
	Transmit MTC (MIDI Time Code)	16-10
	Transmit MTC Delay	16-10
	Send MMC (MIDI Machine Control)	16-10
	Unitor	16-11
	SMPTE Mode	16-11
	SMPTE Type	16-11
	TV Format	16-11
	Refresh	16-12

Table of Contents

	LTC Freewheel, VITC Freewheel	16- 12
	VITC Line 1, VITC Line 2	16- 12
	Visible Time Code Display on Video	16- 13
16.2	Special Functions	16- 13
	Switching on External Sync	16- 13
	Recording with External Synchronization	16- 13
	Incoming MIDI Time Code Display	16- 13
	MTC Interpretation	16- 14
	Receiving MIDI Clock/SPP	16- 14
	MIDI Machine Control (MMC)	16- 15
	Switching on MMC	16- 15
	Bar Ruler-Time Ruler	16- 18
	Positioning Objects to Frames (Pickup Clock)	16- 19
	Fixing Objects to Frames	16-19
	Moving the SPL by Frame	16-20
	Positioning Bars to Frames	16-20
16.3	Synchronizing Film Files	16-20
	Synchronizing QuickTime™ Movies	16-20
	Opening a Movie	16-21
	Working with Movies	16-21
	Optimal Image Size	16-22
	Options	16-22
	Synchronization Methods	16-23
16.4	The Basics	16-24
	Summary	16-24
	Time Code and Clock Synchronization	16-24
	Bar-Referenced Synchronization	16-25
	Time-referenced Synchronization	16-27
	Synchronizers	16-30
	Synchronization Procedure	16-30
	Audio Synchronization	16-33
	Sync Problems and Solutions	16-33
Chapter 17	Song Settings and Preferences	
17.1	Song Settings	17- 1
	Recording Options	17- 2
	Click	17- 4
	MIDI Options	17-5
	Synchronization	17-7
	Chase Events	17-7

Table of Contents

	Message Type Switches	17-8
	Notes	17-8
	Program Change	17-8
	Pitch Bend Events	17-8
	Controller Events	17-8
	Aftertouch or Channel Pressure Events	17-9
	Polyphonic Key Pressure Events	17-9
	System Exclusive Events	17-9
	Score: Global Format	17-10
17.2	Preferences	17-11
	Opening the Preferences	17-11
	Initializing the Preferences..	17-11
	MIDI Interface Communication	17-11
	Global	17-16
	Display	17-19
	Score..	17-22
	Reset Messages	17-22
	When Are Reset Messages Transmitted?	17-22
	OMS Preferences	17-24
	Compatibility	17-24
	Audio	17-27
	Audio Drivers	17-30
Chapter 18	File Transfer	
18.1	Logic Songs to Other Platforms.	18-1
	Disk Formats	18-1
	Transfer	18-2
	Special Features of the Atari ST	18-2
	Special Features of the Macintosh	18-2
	Different Program Versions	18-2
18.2	Files from Other Programs	18-3
	MicroLogic Songs.	18-4
	Notator SL Songs	18-4
	Transfer	18-4
18.3	MIDI Files	18-5
	Loading Standard MIDI Files	18-5
	Saving Standard MIDI Files	18-6
	Preparing the Song	18-6
	Saving a Song as a Standard MIDI File	18-7

Table of Contents

Glossary

Index