MIDI Reference Manual

for Vision and Studio Vision Pro

Version 4.5

Opcode Systems, Inc. 365 East Middlefield Road Mountain View, CA 94043

Opcode Part Number: 110-0204-07

Copyright ©1999 Opcode Systems, Inc. All rights reserved. This document may not, in whole or part, be copied, photocopied, reproduced, translated or converted to any electronic or machine readable form without prior consent of Opcode Systems, Inc.

OPCODE DISCLAIMER

OPCODE SYSTEMS, INC. ("OPCODE") MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITA-TION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. REGARDING THE OPCODE SOFTWARE. OPCODE DOES NOT WARRANT, GUARANTEE OR MAKE ANY REPRESENTATIONS REGARDING THE USE OR THE RESULTS OF THE USE OF THE OPCODE SOFTWARE IN TERMS OF ITS CORRECTNESS, ACCURACY, RELIABIL-ITY, CURRENTNESS OR OTHERWISE. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THE OPCODE SOFT-WARE IS ASSUMED BY YOU. THE **EXCLUSION OF IMPLIED WARRANTIES IS** NOT PERMITTED BY SOME STATES. THE ABOVE EXCLUSION MAY NOT APPLY TO YOU.

IN NO EVENT WILL OPCODE, ITS DIREC-TORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE TO YOU FOR ANY CONSEQUENTIAL, INCIDENTAL OR INDI-RECT DAMAGES (INCLUDING DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSI-NESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, AND THE LIKE) ARISING OUT OF THE USE OR INABILITY TO USE THE OPCODE SOFTWARE EVEN IF OPCODE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIA-BILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIM-ITATIONS MAY NOT APPLY TO YOU.

ACKNOWLEDGMENTS

Program by

Dave Oppenheim Ray Spears Dan Timis Aron Nelson David Willenbrink Andy Wolpert Doug Wyatt Daniel Steinberg Dave Scoggin Larry Gerndt Tom Padula Harvey Thornburg

Special thanks to Muscle Fish

Quality Assurance

Mike Rogers James Livingston Darin Marshall

Product Management

Jonnie Gillham

Documentation

Greg Thomas Gregory A. Simpson Jon Drukman Rob Wenig Boris Popkoff Angela Hill

Manual Design

Gregory A. Simpson

Technical Editing

Dave Oppenheim Tim Self

TABLE OF CONTENTS

PART ONE: Introduction 1

CHAPTER 1:	Introduction to the MIDI Reference Manual	
	Welcome to Vision	4
CHAPTER 2:	About MIDI	7
	What is MIDI?	8
CHAPTER 3:	Vision Basics	11
	The Open Music System (OMS)	11
	Tracks	
	Sequences	13
	The Control Bar	
	The Edit Windows	
	The Strip Chart Vision On-Screen Help	
CHAPTER 4:	Navigating in Vision	19
	Navigating Windows, Sequences, and Tracks	10
	Selector Dots and Move Cursor	
	Moving and Resizing Columns	
	Zooming, Scrolling, and Scrubbing	
	Using Window Menus	26
	Editing Different Field Types	

PART TWO: Recording 29

CHAPTER 5:	Real-Time Recording	31
	Record Setup	31
	Recording a Track	
	Punch Recording	34
	Loop Recording	35
CHAPTER 6:	Inserting and Step Recording Notes	37
	The Pencil Tool	37
	The Magic Drumstick Tool	
	Step Recording	
CHAPTER 7:	Advanced Recording Techniques	45
	Drum Machine Style Loop Recording	45
	Multi-Channel Recording	
PART THREE	: Playback & Editing 51	
CHAPTER 8:	Sequence and Track Controls	53
		33
	Sequence Controls	
	Sequence Controls Track Controls	53
CHAPTER 9:		53
CHAPTER 9:	Track Controls	53 54
CHAPTER 9:	Track Controls Basic Editing Procedures	5354 57 57
CHAPTER 9:	Track Controls Basic Editing Procedures Cursor Tools	5354 57 57
CHAPTER 9:	Track Controls Basic Editing Procedures Cursor Tools The Ruler	535457596062

	Edit Points—Defining the Current Selection Loop Editing	
CHAPTER 10:	Quantize, Shift, and Nudge	69
	About QuantizeApplying Quantize	
	Record Quantize	
	Permanently Shifting Track Data	
CHAPTER 11:	Transpose	79
	Transposing in the Graphic, Notation, and List Windows	
	Transposing with Nudge	
	The Transpose Command	
	Transposing with Vision Instruments	03
CHAPTER 12:	Arranging & Mixing	85
	Arranging Sections of Music	
	Saving Patch Selections	
	Saving Volume and Pan Settings	
PART FOUR:	Advanced Concepts 91	
CHAPTER 13: Sequence Event	Segments, Loops, and	
	Segments	96 98 103

CHAPTER 14:	Generated Sequences	107
	Generated Sequences	
CHAPTER 15:	Players and Input Effect	113
	Players & Queue WindowInput Effect Window	
CHAPTER 16:	Select & Modify	119
	Select & Modify Window	120
	Select Attributes	
	Modify Types	
	Select & Modify Menu	
	Modifying Note Properties and Automation Values	
	Set Density	
	Reassign	
	Trim Start Time	
	Quantize Parameters Transpose Types	
CHAPTER 17:	Tempo, Time Scale, and Reclock	137
	Virtual Conducting—Recording Tempo Changes	137
	Change Tempo	
	Scale Time	
	Reclock	142
CHAPTER 18:	Synchronization	147
	Syncing to Beat Clock	147
	Syncing to Time Code	
	Recording with External Synchronization	149
	Automatically Changing Sync Modes	
	SMPTE Time Code Rates	
	Slaving External Devices to Vision	151

PART FIVE: Customizing Vision 153

CHAPTER 19:	What's Saved Where	155
	Vision Files	156
	Vision Setup	157
	Vision 4.5 Prefs	158
CHAPTER 20:	Templates	161
	Sequence Templates	161
	Editing Templates	
	Creating Your Own Grooves	
CHAPTER 21:	Commands and MIDIKeys	169
	The Commands Window	169
	The MIDIKeys Window	171
	Saving MIDIKeys and Commands	175
CHAPTER 22:	Custom Instruments	177
	Creating a Layered Instrument with Octaves	177
	Creating a Split Instrument	
	Creating Voice-Allocated Instruments	
PART SIX: W	indows 181	
CHAPTER 23:	The Control Bar	183
	Record Mode	183
	Current Sequence	
	Current Track	
	Thru Instrument	184

Current Patch	186
Transport Controls	187
Locators	189
Sync Pop-up	189
Tempo Display	192
Window Buttons	196
The Sequences Window	197
Selecting, Moving, and Copying Sequences	198
The Tracks Window	203
Two Windows in One	203
The Pulse Window	221
Pulse Window	991
Pulse Window Menu	
	Selecting, Moving, and Copying Sequences Sequences Window Columns Sequences Window Menu The Tracks Window Two Windows in One Track Columns Meter and Tempo Tracks Sequence Information Track Overview—Viewing and Editing Blocks Tracks Window Menu The Pulse Window Pulse Window Drum Tracks Note Grid Multiple Pulse Windows

CHAPTER 27:	The Graphic Window	233
	Selecting Notes in the Graphic Window	234
	Modifying Notes in the Graphic Window	
	Moving Notes	
	Transposing Notes	236
	Changing a Note's Duration	
	Graphic Window Menu	237
CHAPTER 28:	The Strip Chart	241
	What is the Strip Chart?	241
	Strip Chart Contents	
	The Strip Chart Tools	
	Non-Continuous Events in the Strip Chart	
	Using the Strip Chart	249
	Multiple Tracks and Channels in the Strip Chart	
	Resizing and Zooming the Strip Chart	258
CHAPTER 29:	The List Window	261
	Opts Menu	262
	Inserting Events	
	List Window Menu	
	Editing Events in the List Window	273
CHAPTER 30:	The Notation Window	275
	Selecting Notes in the Notation Window	275
	Modifying Notes in the Notation Window	
	Changing Key and Meter	
	Changing Appearance without Changing Data	
	Notation Window Menu	281
CHAPTER 31:	The Print Preview Window	285
	The Print Preview Window	285
	Page Setup	

	A Brief Discussion of Notation Terms	288
	Tips for Good-Looking Scores	289
CHAPTER 32:	The Instruments Window	293
	Instruments Window	293
	Available Instruments	299
	Instruments Window Menu	299
	Global Instrument Solo Indicator	302
CHAPTER 33:	The Names Window	305
	Terminology	305
	Names Window	307
	Names Menu	
	Patch Name Editing	
	Selecting Names	
	Opening Files With Different Name Setups	323
CHAPTER 34:	The Input Map Window	325
	Input Map Display	325
	Trigger and Transpose Modes	326
	Input Map Window Menu	327
	When to Use an Input Map	328
CHAPTER 35:	The Settings Window	331
	Insert Note	331
	Strip Chart & Nudge	332
	Editing	333
	Real-Time	
	Controllers	336
	Appearance	336

CHAPTER 36:	The Step Window	337
	Spacing	337
	Duration	
	Velocity	341
CHAPTER 37:	The Faders Window	343
CHAPIER 31.		
	About Faders	
	The Faders Window	
	Fader Functions	
	Copying Fader Settings	
	Changes in the way Vision Handles Faders	347
CHAPTER 38:	The Console Windows	351
	About Consoles	351
	Opening a Console Window	
	Basic Console Window Anatomy	
	Creating a Console "Snapshot"	355
	The Console Window Menu	
	Fader Grouping	367
	Moving Faders as a Group	
	Rearranging Console Strips	
	Dragging Strips Horizontally	
	Dragging Plug-Ins Vertically (Acadia only)	372
CHAPTER 39:	The MMC Window	375
	Setting up Your MMC Devices	375
	Anatomy of the MMC Window	
	Real-World Example—Tascam DA-88	
CHAPTER 40:	The QuickTime Movie Window	385
	Referencing a QuickTime Movie	185
	Opening the QuickTime Movie Window	
	QuickTime Movie Window Anatomy	
	~	

	Setting SMPTE Frame Rates for Multimedia Movies	391
	Working with SMPTE Offsets	
	Using the Movie Player Window	
	· ·	
PART SEVEN	: Menus 395	
CHAPTER 41:	The File Menu	397
	New	
	Open (Command-O)	
	Close Window (Command-W)	
	Close All (Command-Option-W)	
	Save (Command-S)	
	Save As	
	Save a Copy As	
	Save as Setup	
	Revert	
	Export as MIDI File (Option-X)	
	Export to Clipboard	
	Export as QuickTime Movie	
	Import Audio (Option-H)	403
	Import Audio Using QuickTime	403
	Export Audio Mix	403
	Export Audio Events	
	Page Setup	
	Print Preview	
	Print (Command-P)	
	Quit (Command-Q)	404
CHAPTER 42:	The Edit Menu	405
	Undo (Command-Z)	405
	Cut (Command-X)	
	Copy (Command-C)	

	Copy Faders	407
	Paste (Command-V)	407
	Clear (Command-B)	408
	Merge (Command-M)	409
	Insert Clipboard (Command-N)	409
	Repeat Paste (Option-;)	410
	Clone (Command-=)	411
	Get Times from Clipboard (Command-')	411
	Insert (Command-H)	411
	Delete (Command-D)	412
	Move Events (Command-,)	413
	Combine/Separate Tracks (Command-U)	413
	Capture Sequence (Command-K)	414
	Make Segment/Loop (Option-U)	415
	New Record Track	
NIADTED 40-	The De Many	44.7
CHAPTER 43:	The Do Menu	417
	Window Submenu	417
	Transpose (Command-T)	418
	Quantize (Option-G)	418
	Modify (Command-Y)	418
	Reassign	418
	Set Instrument (Command-I)	418
	Substitute	419
	Select/Modify Templates	421
	Quantize (Command-G)	421
	Select & Modify (Command-R)	421
	Copy Patches (Option-C)	421
	Reverse Time	422
	Scale Time	422
	Change Tempo (Option-')	422
	Reclock	
	Insert Bar Marker (Command-')	
	Insert SMPTE Marker (Command-;)	
	Play from Selection (Command-Space)	
	Play Selection (Option-Space)	
	The Select Submenu	

	Select by Rule (Command-E)	423
	Select All (Command-A)	
	Split Notes (Command-\)	
	Select Duplicates	
	Nudge Submenu	
	Mute Submenu	
CHAPTER 44:	The Setups Menu	427
	Keyboard Thru	427
	Thru in Background	
	Input Effect Enabled	
	Input Map Enabled	
	MIDIKeys Enabled	
	Fader Remotes Enabled	
	Record Quantize Enabled	
	Record Filter	
	Enable Input Devices	
	OMS Studio Setup	
	OMS MIDI Setup	
	Undefined Channels	
	Auto Remappings	432
	Commands	
	Colors	
CHAPTER 45:	The Options Menu	433
	Sync Options	433
	Send Sync Enabled (Command -)	
	Click in Record (Option-[)	437
	Click in Play (Option-])	437
	Click in Countoff Only	437
	Metronome Sound (Option-\)	
	Countoff in Play	438
	Stop at Punch Out	
	Real Time Capture	
	Local Sequence Times	

CHAPTER 46:	The Windows Menu	441
	Sequences Window (Option-Q)	441
	Tracks Window (Option-S)	441
	List Window (Option-L)	441
	Pulse Window (Option-D)	442
	Graphic Window (Option-E)	442
	Notation Window (Option-N)	442
	Instruments Window (Option-I)	442
	Audio Instruments (Option-J)	
	Select & Modify Window (Option-Y)	443
	Names Window (Option-P)	443
	Input Map Window (Option-M)	
	MIDIKeys Window (Option-K)	443
	Faders Window (Option-F)	
	Console Windows	
	Control Bar (Option-A)	
	Counter	
	Record Monitor (Option-W)	
	Input Effect	
	Players & Queue	
	Settings	
	MMC	
	QuickTime Movie	445
CHAPTER 47:	The Help Menu	447
	About Online Help (Command-/)	447
	MIDI Data Flow	
	Vision Files	447
	Generated Sequences	447
	Sequences and Segments	447
	Pop-up Help	448
	All Notes Off (!)	448

PART EIGHT: Index 449

Table of Contents

Introduction 1

PART 1: Introduction

CHAPTER 1: Introduction to the MIDI Reference Manual

WELCOME TO VISION

Congratulations on your purchase of Opcode's Vision—a powerful and intuitive sequencer for both MIDI and digital audio. With it, you can record and arrange music using your computer, MIDI instruments, and digital audio hardware.

Vision offers a wide range of capabilities for editing and mixing your music. You can even preview and print songs using standard music notation.

This MIDI Reference Manual should be your starting point for learning about how to use Vision. In addition, it contains tutorial and reference material for all of Vision's MIDI features.

Digital audio topics, on the other hand, are covered in the *Audio Reference Manual*, which should be read after reading this manual.

IMPORTANT: The MIDI and Audio Reference Manuals are identical for both Vision and Studio Vision Pro. For the sake of consistency, however, both manuals refer to the discussed application as "Vision" (except, of course, when referring to topics and features specific to Studio Vision).

Installation and System Requirements

The *Vision Quick Start* card is your guide to configuring your computer for Vision. If you haven't already, please read it. It contains:

- Detailed system requirements;
- Installation and configuration steps for Vision and OMS:
- Answers to frequently asked questions.

Registering your Software

If you are a new user, please complete and return your registration card right away. Doing so will enable Opcode to deliver the best possible support to you; it also ensures you'll receive important update/upgrade notices.

IMPORTANT: Please write down your Vision serial number here. The serial number is located on your original Master Key disk.

S/N	
D 1 D .	
Purchase Date	

Contacting Opcode

Opcode provides a variety of phone, fax, and online support options. Consult your *Technical Support Information* booklet on how best to contact Opcode.

HOW TO USE THIS MANUAL

If you are reading this manual, we have assumed the following:

- You have a basic understanding of the Macintosh and its operating system;
- Your music hardware is properly connected and configured;
- You have already successfully installed Vision and the Open Music System (OMS);
 - Consult the *Vision Quick Start* card for installation details.
- You have created an OMS Studio Setup with the OMS Setup application;
 - Vision uses OMS to communicate with MIDI devices. Those unfamiliar with OMS should read the *OMS Manual*.

Manual Organization

This book is divided into the following seven parts:

- Part 1: Introduction is what you're reading right now. It details the layout of the manual, MIDI fundamentals, and some Vision basics.
- Part 2: Recording has chapters on recording in real time, step time, and also inserting notes with the pencil and magic drumstick.
- Part 3: Playback & Editing covers basic track and sequence controls, transposing and quantizing, and mixing and arranging.
- Part 4: Advanced Concepts contains chapters on some of the more exciting features in Vision like segments, generated sequences, and the Players & Queue Window.
- Part 5: Customizing Vision explains how to save configuration settings, store and recall various templates, create custom Instruments, and customize key commands and MIDIKeys.
- Part 6: Windows is a reference section that details every button, command and option in each of Vision's windows.
- Part 7: Menus is a reference section that details all of Vision's menu commands.

NOTE: Although digital audio features may be mentioned from time to time in this manual, they are not covered in depth. For complete information about digital audio, consult the Audio Reference Manual.

MANUAL CONVENTIONS

The Vision manuals use a number of conventions that make it easier to discuss and understand the program.

Mouse Actions

The following terms are used to describe various mouse actions:

- Click: When the manual instructs you to *click*, position the mouse where you're told and press once on the mouse button, then immediately release it.
- Double-click: When the manual instructs you to double-click, position the mouse where you're told and rapidly press and release the mouse button twice.
- Press and hold: When the manual instructs you to press and hold, position the mouse where you're told, press the mouse button and hold it down until instructed to release it.
- Release: When the manual instructs you to release, let up on the mouse button (which you were probably holding down because of an earlier press and hold instruction).
- Drag: When the manual instructs you to drag, position the mouse where you're told, then press the mouse button and hold it down as you move the mouse.
- Move: When the manual instructs you to move the mouse, simply move it to another location on the screen without pressing its button.

Choose vs. Select

The words "choose" and "select" are often interchangeable in conversational english. In this manual, however, there is a distinction between the two terms.

- **Select**: When the manual tells you to *select* something, it stays selected. This is the case with menu options that turn something on/off.
- **Choose**: When the manual tells you to *choose* something, a one-time action is performed. This is the case with most commands; they perform their chosen action only once.

Menu Items

This manual uses a shorthand technique to invoke various menu items. For instance, this manual might say:

"Select Audio>Waveform Display>Fast."

What this means in plain English is "select the **Fast** option from the **Audio** menu's **Waveform Display** submenu." Although the shorthand technique results in sub-standard grammar, it's easier to read and decipher than a complete sentence because it displays the menu's hierarchical structure plainly and simply.




Figure 1.1: Shorthand Invocation of Menu Items

PART 1: Introduction

CHAPTER 2: About MIDI

Before we start talking about Vision and its capabilities, we will first touch briefly on some MIDI fundamentals. Those already familiar with these topics can skip ahead to *Chapter 3: Vision Basics*.

In addition to MIDI, Vision can of course record digital audio. For a discussion of digital audio basics, see your *Audio Reference Manual*.

WHAT IS MIDI?

MIDI (an acronym for Musical Instrument Digital Interface) is a communication protocol for musical instruments. This industry standard enables connections between a variety of devices from different manufactures. MIDI compatible equipment includes synthesizers, sound modules, drum machines, patch bays, effects processors, MIDI interfaces, and sequencers.

MIDI devices are equipped with 5-pin DIN connectors, labeled as either IN, OUT, or THRU.



Figure 2.1: MIDI connectors

The MIDI OUT port transmits messages; the MIDI IN port receives messages; and, MIDI THRU echoes whatever is received from the IN port. MIDI devices are connected via "MIDI cables," readily available at most music stores.




Figure 2.2: MIDI signal flow

NOTE: Not all devices will have all three MIDI ports (IN, OUT and THRU).

A single MIDI cable can transmit a separate set of messages for each of 16 channels. These 16 channels correspond to separate MIDI devices or to multiple channels within a single device (if the device is *multi-timbral*). Fundamentally, each channel represents a discreet instrument sound; for instance, bass on channel 1, piano on channel 2 and drums on channel 10. Similar to a multitrack tape recorder, a MIDI sequencer can therefore record complex arrangements—even using a single multi-timbral keyboard.

MIDI Terminology

Basic MIDI terminology is used throughout this manual. If necessary, take a moment to familiarize yourself with the following terms:

- MIDI Interface: Hardware that allows computers to connect to and communicate with MIDI devices.
- MIDI Device: Any keyboard, sound module, effects device or other equipment that can send or receive MIDI information.
- MIDI Controller: Any MIDI device that transmits MIDI performance data. These include keyboards, MIDI guitar controllers, MIDI wind instruments, and others. Controllers transmit MIDI via their MIDI OUT ports.
- MIDI Sound Source: Any MIDI instrument that plays back in your arrangements. Sound sources receive MIDI from their MIDI IN ports.
- Multi-timbral: The capability of playing several different instrument sounds (i.e. piano, bass, and drums) simultaneously on separate channels. This makes it possible for a single MIDI sound source to play back entire arrangements.
- MIDI Channel: Up to 16 channels of MIDI performance data can be transmitted on a single MIDI cable. The channel number separates the different messages so your sound sources can receive the right ones.

- Program Change Event: A MIDI command that tells a sound source which sound patch to use. The MIDI protocol lets you choose from a range of 128 patches.
- Bank Select Message: A MIDI command that specifies the bank of patches from which to choose. Many devices have more than 128 patches and Bank Select messages provide a means of accessing them.
- Local Control: A controller setting found on most MIDI keyboards that allows it to play its own sound source. Disabling "local control" ensures that a device's internal sound source is only played via external MIDI messages.
 - When using Vision, "local control" should be disabled. When "local control" is off, your keyboard still transmits data to its MIDI OUT port.
- Continuous Controller Events:
 MIDI instructions that allow real-time
 changes to notes that are currently
 sounding. These include pitch bend,
 modulation, volume, pan, and many
 others.
- System Exclusive Data: MIDI data commonly used for sending and retrieving patch parameter information for storage purposes.

Common Misconceptions about MIDI

It is important to understand that MIDI is not audio. The messages that travel down a MIDI cable are only numbers that translate to specific instructions. For instance, when you strike a key on your MIDI keyboard it sends a message to its MIDI OUT port telling another device (if connected and set to the same MIDI channel) to play that particular note.




Figure 2.3: Signal paths for MIDI instruments

However, in order to actually hear that second device (sound source) you'll need to connect its audio outputs to a sound system. Your MIDI instruments therefore have two signal paths, one for audio and another for MIDI.

Another point to note is that MIDI does not allow you to use your devices beyond their capabilities; instruments have their own sound generation, polyphony, and multi-timbral limitations.

PART 1: Introduction

CHAPTER 3: Vision Basics

THE OPEN MUSIC SYSTEM (OMS)

To use Vision you must first install and configure the Open Music System (OMS). OMS, which is included with your Vision package, has the following capabilities:

- OMS keeps track of which MIDI devices you are using, how they are connected, and which patches (sounds) they are using;
- OMS makes it easy for music software to communicate with your MIDI hardware;
- OMS provides timing services and inter-application communication.

OMS stores a description of your MIDI studio in *Studio Setup* documents, which are created and edited in the OMS Setup application. Once OMS is configured, using Vision is quite seamless. Any devices contained in your Studio Setup are automatically available as Vision *Instruments*. If at some point you make changes in your current Studio Setup, Vision, and any other OMS applications, are updated.

It's very important that you have a clear understanding of OMS before attempting to use Vision. If you are new to Vision, and OMS, please read the *OMS Manual* included with your Vision package.


TRACKS

The most basic building block in Vision is a *track*. In addition to digital audio, tracks can record and play back a variety of MIDI data such as notes, aftertouch, pitch bend, modulation wheel, continuous controller events, patch changes, and system exclusive information.

Each of Vision's 99 tracks (per sequence) has its own track length and may be independently looped. Track's are viewed and edited in Vision's five edit windows: Tracks, Pulse, Graphic, Notation and List (see page 14).

Drum Tracks

Drum tracks are specially defined Vision tracks that are edited in the Pulse Window. A drum track is comprised of individual note lines that correspond to particular notes or drum sounds (i.e. bass drum, snare, hihat).



Instruments

Tracks are assigned to and play back via MIDI and Audio Instruments. Vision's MIDI Instruments are automatically created from the current OMS Studio Setup. Audio Instruments, on the other hand, are based on your digital audio hardware.

NOTE: Tracks can contain data assigned to more than one Instrument. These tracks are referred to as "Multi" tracks.

NOTE: For drum tracks, each of its note lines can be assigned to a different MIDI Instrument.

Patch Names

An Instrument's current patch determines the type of sound it plays. Using OMS Name Manager, Instruments can be subscribed to Patch Name documents; this lets you view and select patches, notes, and controllers by name instead of number.

You can get names from the Factory Names files included with OMS, Galaxy Bundles, or you can create your own custom (typed-in) Patch Name documents (see *Chapter 33: The Names Window*).

SEQUENCES

Vision records tracks into sequences, each of which can be thought of as a song, song section, or music layer. A Vision file can contain hundreds of sequences (limited only by the amount of RAM you have). Each sequence has its own name, length, meter, key, and tempo. Sequences can be triggered in real time from your computer keyboard or from a MIDI controller.

Arranging Sequences

Sequences can be chained together and layered to create song structures. Sequences are called from other (parent) sequences with *sequence events*. Sequence events describe how to play the referenced sequence from the parent sequence.

Segments and Loops

Tracks or portions of tracks can be made into *segments*, which are very similar to sequences. Segments provide a great way to turn existing track material into modular components that can be played from other sequences.

With segments you can loop any region of a track, and these regions can loop independently of the track's loop setting—thereby creating a "nested loop."

THE CONTROL BAR



Figure 3.1: Control Bar

Vision's Control Bar acts as the control center for a host of commonly used functions. This section will briefly acquaint you with some of the more important Control Bar items.

For a complete and thorough explanation of the Control Bar, see *Chapter 23: The Control Bar*.

The Control Bar has traditional transport controls for play, stop, record, pause, fast-forward and rewind. In addition, there are 8 locator buttons for storing frequently accessed Counter locations.




Figure 3.2: Transport Controls

The Counter provides feedback for the measure and SMPTE location of the current sequence. You can click in the Counter and type in a precise location to automatically locate there.



Figure 3.3: Counter in Control Bar

The left portion of the Control Bar (see Figure 3.4) contains a number of pop-ups related to where and how information is recorded. The Record Mode specifies whether Vision replaces or overdubs material, and whether recording is done in real time or step time. The Current Sequence and Current Track pop-ups determine where the data is recorded; and the Thru Instrument and Current Patch indicate the assigned Instrument and patch.




Figure 3.4: Control Bar pop-ups

In addition to acting as graphic labels, the buttons located to the left of the pop-ups in Figure 3.4 open an appropriate window when clicked. These buttons open the Record Monitor (), Tracks Window (), Graphic Window (), Instruments Window (), and Names Window ().

The Punch and Loop controls in Figure 3.5 determine the range of measures used when either punch or loop recording.




Figure 3.5: Punch and Loop controls in Control Bar

Click on the Control Bar's window buttons to open or activate the corresponding window.




Figure 3.6: Window Buttons in Control Bar

THE EDIT WINDOWS

Vision has five edit windows, each of which has special capabilities suited for certain tasks. This section briefly touches on each of these windows.

For a complete and thorough description of Vision's edit windows, consult the chapters in *Part 6: Windows*.

The **Tracks Window** lists all tracks in a given sequence. In addition to having a variety of sequence and track controls, the Tracks Window also contains a "Track Overview" area for displaying individual track data.




Figure 3.7: Tracks Window

The Track Overview offers good visual feedback on the overall shape of music contained in a sequence. Use this edit area to easily move around blocks of measures and phrases.

The **Pulse Window** has a rhythmic-based "Note Grid" display for viewing and editing a sequence's drum tracks.




Figure 3.8: Pulse Window

In the Pulse Window, drum patterns are constructed by inserting and deleting notes with the *Magic Drumstick* tool.

The **Graphic Window** shows notes from a single track using a "Piano Roll" style of display.




Figure 3.9: Tracks Window

Notes are inserted in the Graphic Window with the *Pencil* tool. Notes can also be dragged to a new pitch or location, and even made longer or shorter.

The **List Window** displays all data contained in a single track using text and numbers. This window is great for precise editing over each MIDI event. The List Window displays every event contained within a track.




Figure 3.10: List Window

List Windows are also used to display and edit Meter and Tempo tracks.

The **Notation Window** displays and edits multiple tracks with standard musical notation. From this window you can open the Print Preview Window, where tracks are prepared for printout.




Figure 3.11: Notation Window

The Strip Chart

Each of the graphic based edit windows (Tracks, Pulse, Graphic and Notation) has an option called the *Strip Chart*. The Strip Chart, which is very similar to a "bar graph" display, works with data that is in most cases not related to notes.




Figure 3.12: Strip Chart

Use the Strip Chart to insert and edit the following data types:

- Continuous events such as controllers, pitch bend, after touch, and tempo;
- System exclusive information;
- Patch change events;
- Note velocities and durations (edit only);
- Various forms of text.

VISION ON-SCREEN HELP

A useful tool for quickly learning about a feature in Vision is its online, context sensitive help. Just hold down the Command, Shift and Option keys and click on any field, button, icon or menu item for pop-up help on that item.

NOTE: Additional help items are available from Vision's Help menu.

For instance, to get help on Vision's Begin Record toggle:

(1) Hold down the Command, Shift and Option keys.


The help cursor appears

7

② Position the cursor over the Begin Record toggle and press and hold.



A pop-up help screen for the Begin Record toggle appears.



PART 1: Introduction

CHAPTER 4: Navigating in Vision

This chapter discusses user-interface capabilities unique to Vision. Like most Macintosh applications, Vision's windows contain scroll bars to navigate through data, and fields into which you can type new values. However, Vision also offers a number of flexible ways to navigate its various windows, select and organize data types (like sequences, tracks, and Instruments), and enter new values into edit fields.

Since these user-interface techniques are referred to frequently throughout this manual, you should familiarize yourself with them now.

NAVIGATING WINDOWS, SEOUENCES. AND TRACKS

Sequence and Track Select Pop-ups

When using Vision, you'll often want to switch to working with another sequence or track. Rather than opening a new edit window each time, you can use the Sequence and Track Select pop-ups to easily switch the current sequence or track. These pop-ups are accessed by Option-clicking on the title bar of the desired edit window.

Switching the Current Sequence


To switch the current sequence from the Tracks or Pulse Window:

1 Hold down the Option key and click in the title bar of the Tracks Window.

The Sequence Select pop-up appears.



② Highlight the desired sequence and release the mouse.



A Tracks Window for the selected sequence replaces the previous one.

NOTE: When switching the current sequence with the Sequence Select pop-up, the newly opened Tracks or Pulse Window uses the display properties (window size, location, zoom value, etc.) stored with that sequence.

Switching the Current Track

The Track Select pop-up in the Graphic and List Windows works in similar fashion as the Sequence Select pop-up—only it switches the current track, rather than the current sequence.

NOTE: Unlike the Sequence Select pop-up, the Graphic and List Windows retain their display properties when selecting a track from the Track Select pop-up.




Figure 4.1: Option-click the title bar of the Graphic and List Windows to switch the current track

To add a new track from the Graphic and List Windows, choose **New Track** from the Track Select pop-up.




Figure 4.2: Specifying a "New Track" from the Track Select pop-up in the Graphic Window

In the List Window, you can also use this pop-up to switch to the Meter or Tempo tracks.




Figure 4.3: Using the Track Select pop-up to switch to the Tempo track in the List Window

Showing and Hiding Tracks in the Notation Window

The Track Select pop-up works a little differently in the Notation Window. Although it's invoked in the same way, it instead adds or hides tracks to the display—as opposed to merely changing the current track.



Figure 4.4: Option-click the title bar of the Notation Window to show and hide tracks

Currently displayed tracks are shown as checked in the Track Select pop-up. To hide a displayed track, select it from the pop-up. When just one track is displayed, it appears as grayed out—you cannot have a Notation Window with no tracks.

To change the order of tracks in the Notation Window, rearrange them in the Tracks Window (see *The Move Cursor (pg. 22)*).

Open Windows Pop-up

The Open Windows pop-up lists all currently open windows. Choose any window title from this pop-up to bring that window to the front. The Open Windows pop-up is available at any time, anywhere in Vision:

1 Hold down the Command and Option keys and click in any Vision Window.

The Open Windows pop-up appears.



② Highlight the desired window title and release the mouse.

The specified window becomes activated and moves to the front.

SELECTOR DOTS AND MOVE CURSOR

Items in the Sequences, Tracks, Pulse, and Instruments Windows are highlighted with *selector dots*, and moved with the *move cursor*.

Selector Dots

When you need to select a sequence, track, drum note line, or Instrument, click on its selector dot in the left column of the window. A selected dot changes into a triangle and the item becomes highlighted.




Figure 4.5: Selected tracks in Tracks Window

- To select multiple items, Command or Shift-click each selector dot—or drag over multiple selector dots.
- To de-select a selected item, either select a different item, or Command or Shift-click the selected triangle.
- Double-click a selector dot in the Sequences Window to open a Tracks Window for that Sequence.
 Double-click a selector dot in the Tracks Window to open an edit

window for that track.

The Move Cursor

When placed to the left of the selector dots, the cursor changes to a move cursor (‡). When the move cursor appears, click and drag up or down to move the item to a new location.




Figure 4.6: Dragging a sequence in the Sequences Window

Repositioning items does not change your MIDI information—it only changes the position of your tracks, sequences or Instruments in their respective windows.

NOTE: Changing the position of tracks in the Tracks Window also changes their relative positions in the Notation and Print Preview Windows.

If more than one item is selected, you can drag them all to the new location while keeping their relative order.




Figure 4.7: Dragging multiple Instruments

MOVING AND RESIZING COLUMNS

Columns in the Sequences, Tracks, and Pulse Windows can be re-ordered and resized. This allows you to rearrange these columns as desired, using window and screen space more efficiently.

For instance, to resize the Instrument column in the Tracks Window:

 Place the cursor in the column head near the line separating Instrument and Patch.

The cursor turns into the resize cursor.



(2) Click the mouse and drag to the left.

An outline of the Instrument column's right side appears and moves left with the cursor.

‡ •	R	н	s	Track	:	Len	 ø	Instrument		Patch	Comments
Þ	R			Track 1	Г	32		Soundvas-1	-+	*	
		800									
		0									

Figure 4.8: Resizing the Instrument column

(3) When the Instrument column reaches the desired size, release the mouse.

The Instrument column is resized to the new size and the columns to its right are adjusted accordingly.

			: 1	.en	: ර	Instrument	Patch	Cos
Þ	R	Track 1		32	Т	Sound Canvas-1		

Figure 4.9: Instrument column, resized

To move the Key column in the Sequences Window:

 In the Sequences Window, Optionclick at the top of the Key column and drag to the left.

An outline of the Key column appears and moves to the left with the cursor.




Figure 4.10: Dragging a column in the Sequences Window

When the space to the right of the MIDI column becomes highlighted, release the button.

‡ •	Name	Key	HIDI	Rees
▼Se	quences			j
• :	Sequence A	Α	(none)	V .
•	Sequence B	В	(none)	l .
D Se	gments			
▶ Те	mplates			

The Key column moves to the new location and the MIDI column moves to the left to accommodate it.




Figure 4.11: Key column moved to a new position in Sequences Window

ZOOMING, SCROLLING, AND SCRUBBING

Zooming


"Zooming" lets you view your music in different sizes. At small sizes, you can fit more music in an edit window. At large sizes, you can view your data in greater detail.

Depending on the particular zoom tool, you can zoom horizontally, vertically, or a combination of the two. Zooming out horizontally lets you see more bars; zooming out vertically lets you see more of the MIDI pitch range.

Zoom tools in Vision include the horizontal and vertical Zoom Buttons, located near the window scroll bars, and the Zoom to Fit button, located in the top of each edit window. You can also Optionclick with the mouse for various zooming functions. Each of these is explained in the following sections.

NOTE: In addition to the zoom tools, the edit window menus have commands for **Zoom Back** (which recalls the previous zoom level) and **Zoom to Fit** (which views the entire contents of the edit window).

Zoom Buttons



- Click the **Zoom In** buttons (horizontal or vertical) to zoom in incrementally. Use Option-click to zoom all the way in, Shift-click to fit the current selection.
- Click the **Zoom Out** buttons (horizontal or vertical) to zoom out incrementally. Use Option-click to view the window's entire contents, Shift-click to fit the current selection.

Zoom to Fit Button




Figure 4.12: Zooming to fit in Tacks Window

• Click the **Zoom to Fit** button to fit the current selection in the active edit window. Option-click this button to view the entire track's contents (or, in the case of the Tracks or Pulse Window, the entire sequence).

Zooming with the Mouse




Figure 4.13: Option-dragging a selection

 Q. Option-click with the mouse to zoom out incrementally, or Optiondrag around a selection to view it in more detail.

Option-click in the **ruler** to zoom out horizontally, or Option-drag a section of the ruler to zoom into a range of measures.




Figure 4.14: Zooming in the ruler and margin

Option-click in the **left-margin** to zoom out vertically, or Option-drag a section in the left margin to zoom a range of notes.

Hand Scrolling

In the Graphic and Notation windows, you can change which part of the window is displayed by Shift-Option-dragging. This is helpful when you want to center a selection for better viewing.

To scroll with the hand cursor:

 In the Graphic or Notation Window, position the cursor over the desired display area and hold down the Shift and Option keys.

The hand cursor appears.



② Click and drag the window's contents to the desired position, then release the mouse.




Figure 4.15: Scrolling with the hand cursor

Auditioning with the Scrub Command

In the Tracks, Pulse, Graphic, and Notation Windows, you can Command-drag over a selection to audition it. This is commonly referred to as "scrubbing."

To scrub a range of music:

 Position the cursor in the edit area of one of the edit windows and hold down the Command key.

The scrub cursor appears.



Click and drag the mouse (forward or backward) over the desired music.

A vertical line appears, indicating which notes are auditioned.




Figure 4.16: Scrubbing with the mouse

Vision plays the data as the mouse "scrubs" over the notes. To play more slowly or quickly, vary the speed of the mouse movements.

USING WINDOW MENUS

In addition to the menus accessed in the menu bar at the top of the screen, Vision also uses specialized window based menus. These menus are accessed by clicking the small triangle located in the left side of the title bar (see Figure 4.17).




Figure 4.17: Menu in Sequences Window

The first item in the **Do** menu always lets you access the window menu for the active window. For example, when the Sequences Window is active, choose **Do>Sequences Window>** for a submenu of the commands located in the Sequences Window menu.



Figure 4.18: Sequence Window commands accessed from the Do menu

For more information on the Do menu, see *Chapter 43: The Do Menu*.

EDITING DIFFERENT FIELD TYPES

There are a number of different field types in Vision, each of which is edited differently. The track fields in the Tracks Window (see Figure 4.19) are a good example of this.




Figure 4.19: Track fields in Tracks Window

The track name column is a **text** field. To edit text fields, simply click in them and type.



Figure 4.20: Track name column in Tracks Window

The track length field is an example of a **numerical** field. Like a text field, it too can be edited by typing a new value. But numerical fields can also be changed by clicking and dragging up or down with the mouse; or to increment the value in single steps, you can click just once when the cursor changes to an up or down arrow; the "+" and "-" keys also work to increment and decrement the value.



Figure 4.21: Track Length column in Tracks Window

The track Instrument field is changed by choosing from a **pop-up menu** of choices. Click in the field and hold down the mouse for the menu to appear, then highlight the desired item and release the mouse. You can also use the "+" and "-" keys to scroll through choices in the pop-up menu, or you can type a number corresponding to a particular Instrument.




Figure 4.22: Instrument column in Tracks Window

NOTE: A shortcut for using the pop-up menu in the Patch column is to click in the field and then type the first few letters of the actual patch name (followed by Enter).

Changing Values with a MIDI Controller

In some cases you can highlight a MIDI value (such as a MIDI note or velocity values) and use your MIDI keyboard to enter a new value. This works well, for instance, for editing values in the List Window, defining MIDI events in the MIDIKeys Window, or when configuring the notes for the Metronome Sound.



Figure 4.23: Metronome Sound settings

To adjust the Velocity setting for the Metronome Sound, simply click in the field with the mouse and play a note on your MIDI controller. The field is automatically updated with the velocity played.

Editing Fields for Bar/Beat/Unit and SMPTE

Some fields in Vision require that you specify a location in either bar/beat/unit or SMPTE values. You can automatically enter a value in these fields based on a marker location.

NOTE: Markers, which reside in a sequence's Meter track, are stored locations that can be recalled by name.

The following example shows how to define the Out Point using a marker location:

1) Option-click the Out Point field.



A pop-up menu of marker locations appears.




 Select the desired marker and release the mouse.



The location for the selected marker is automatically entered into the Out Point field.

Typing into the Time Fields

Depending on the configuration in the Settings Window (see *Clear Beat/Unit when Entering Bar (pg. 333)*), typing into a field for bar, beat, hours, minutes, or seconds clears all fields to the right. See Figure 4.24.



Typing a new value into this field...




Figure 4.24: Typing a new value in a time field on the left, clears all fields to the right

To avoid this, uncheck the option for **Clear Beat/Unit when Entering Bar** in the Settings Window. You can then type into any of the time fields and the others to the right remain unaffected.

Recording 2

PART 2: Recording

CHAPTER 5: Real-Time Recording

Although this chapter focuses primarily on recording MIDI data in real time, it also covers basic recording topics relevant to recording in step time. Therefore, please read this chapter completely before moving on to *Chapter 6: Inserting and Step Recording Notes*.

RECORD SETUP

The following sections discuss a number of Vision record options you should be familiar with before attempting to record your tracks.

Record Mode

Vision's Record Mode determines how track material is recorded.




Figure 5.1: Record Mode pop-up

The four available record modes, chosen from the Record Mode pop-up in the Control Bar, include:

- Replace: Records in real time, replacing existing track data.
- **Overdub**: Records in real time, adding to existing track data.
- **Step Replace**: Records in step time, replacing existing track data.
- **Step Overdub**: Records in step time, adding to existing track data.

KEY EQUIVALENTS: Type Shift-Tab to toggle between Real-time and Step recording; use Shift-5 to switch between Replace and Overdub.

NOTE: Step recording is a process where MIDI events are recorded individually, one step at a time. For details, see Chapter 6: Inserting and Step Recording Notes.

With Replace or Overdub, you can use loop recording (see page 35) or punch recording (see page 34). You can also use punch recording when step recording.

Begin Record Toggle

The Begin Record toggle, located in the Control Bar, specifies how Vision starts recording. It's two options are:

 Wait for Note: Recording begins when the first MIDI note is received. This method ensures that you begin recording when you're ready to play, and that the first note is recorded at the precise beginning of the section.



Figure 5.2: Wait for Note

 Countoff: Recording begins after the Counter counts the number of bars specified in the Countoff field.



Figure 5.3: Countoff with a setting of 2 bars

Metronome Sound and Setup

In order to stay in time with the sequence's tempo setting, you must listen to the metronome while recording. This ensures that recorded material aligns with the bar and beat lines in Vision, which is very important for display and editing purposes.

To configure the metronome sound, choose **Options>Metronome Sound**. In the Metronome Sound dialog, set the metronome to either "Internal Click" or "MIDI Note." When using MIDI Note, you can have independent Note, Velocity and Duration settings for the accented and unaccented beats.




Figure 5.4: Metronome Sound dialog

Enable the **Click in Record** option so the click is heard while recording.

Meter and Tempo in Sequence

Although this may seem obvious, you'd be surprised how often this detail is overlooked. Before attempting to record you should make sure the sequence's meter and tempo are set appropriately. For information on settings these fields, see *Chapter 25: The Tracks Window*.



Figure 5.5: Meter and tempo tracks

If the meter does not match the music you're recording, the accented clicks of the metronome won't line up with what you're playing. In addition, the recorded material won't align with the bars and beats in Vision's edit windows.

And, to achieve good track recordings (with the right feel), it's always wise to record at or around the tempo that will eventually be used for the sequence.

More Miscellaneous Record Setup Details

Before moving on to the first recording example, there are just a few more details worth mentioning:

- **Keyboard Thru**: Make sure Setups>Keyboard Thru is enabled. It routes data from your MIDI controller to the current Thru Instrument, thereby allowing you to monitor what's being recorded. See *Keyboard Thru* (pg. 427).
- Input Map Enabled: Unless you're recording or routing multiple MIDI channels, make sure Setups>Input Map Enabled is not checked. See Chapter 34: The Input Map Window.
- Record Quantize Enabled: Uncheck this item in the Setups menu, unless you want your tracks quantized automatically when recorded. See Record Quantize Enabled (pg. 428).
- **Record Filter**: If you don't want certain types of MIDI events recorded, choose Setups>Record Filter to open this dialog—it specifies which MIDI events are recorded and which are ignored. See *Record Filter (pg. 429)*.
- Enable Input Devices: Choose Setups>Enable Input Devices to open this dialog. Make sure to enable (check) any devices from which you will record MIDI data. See Enable Input Devices (pg. 429).

RECORDING A TRACK

This section explains how to record a track in real time with Replace mode. In this example, the track will be recorded from the beginning of the sequence without looping. Loop and punch recording are discussed later in this chapter, see *Punch Recording (pg. 34)* and *Loop Recording (pg. 35)*.

To record a track in real time with Replace mode:

1 In the Control Bar, select **Replace** from the Record Mode pop-up.



Use **Replace** to record over existing track material (replacing it), or use **Overdub** to add new material without replacing existing track contents.

② For this example, disable the Punch and Loop toggles in the Control Bar.



Figure 5.6: Punch and Loop toggles off

③ In the Control Bar, set the Begin Record toggle to Wait for Note.



This ensures you'll begin recording precisely on bar 1, beat 1.

4 Configure the Metronome Sound and set it to Click in Record.

See Metronome Sound and Setup (pg. 32) for details.

(5) Record-enable a track from the Tracks Window.

To do this, click in the Record column for the desired track.



- Make sure Setups>Keyboard Thru is checked.
- (7) In the Control Bar's Thru Instrument pop-up, select the desired Instrument



Play a few notes on your MIDI controller to verify data is routed to the selected Instrument.

8 Click the **Record** button in the Control Bar, or type the Tab key.



The metronome starts to click and the Record button flashes. If necessary, adjust the Sequence's Tempo setting.

Play some notes on your MIDI controller.

Vision enters record mode and the counter advances. When done, click the Control Bar's **Stop** button, or hit Return.

The record track is automatically named and assigned to the Thru Instrument.

Any recorded data appears in the Track Overview section of the Tracks Window.

PUNCH RECORDING

Like on a tape deck, punch recording allows you to record only during a specified time range. Punch recording, often called "punching," can fix an otherwise good performance by replacing only the bad material.

To enable punching, click the Punch toggle in the Control Bar. The punched region is defined by the In Point and Out Point.




Figure 5.7: Punch enabled

The following example shows how to punch in and replace the material in measure 5:

1) In the Control Bar, set the Record Mode pop-up to **Replace.**

This ensures that the previously recorded material in measure 5 is replaced.

NOTE: Punch recording does function in Overdub mode. Use it to overdub material in the middle of a track.

② Enable the **Punch** toggle in the Control Bar.



3 Set the In Point to 5•1•0 and the Out Point to 6•1•0.



To set the In/Out Points, click in each field and type in the desired location.

4 Make sure the Begin Record toggle is set to **Countoff**.



Using Countoff lets you hear the measures leading up to the In Point, thereby allowing for a smooth transition into recording the punch.

- (5) Record-enable a track and set the Current Thru Instrument.
- 6 Click the **Record** button to begin recording.

The sequence begins playing from the Countoff. The Record button flashes until the In Point is reached.

When the sequence nears the In Point, begin playing.

It is often helpful to play along during the Countoff period. Don't worry though, material played before the In Point is not recorded.

(8) Click the **Stop** button when you are finished recording.

If you want Vision to automatically stop playing at the Out Point, select (check)

Options>Stop at Punch Out.

LOOP RECORDING

When loop is enabled, Vision plays continuously from the In Point to the Out Point. To enable looping, click the Loop toggle in the Control Bar.



Figure 5.8: Loop enabled for bars 3-4

You can record with loop enabled, building track data by adding more and more layers. The Thru Instrument and record track can even be changed "on the fly" while recording. While recording, material is saved by typing the Enter key, or discarded by typing the Delete key.

The following example shows how to configure Vision to loop record bars 1-2:

 In the Control Bar, set the Record Mode pop-up to either Replace or Overdub.

In Replace mode, any data contained in the track before recording is erased. Anything recorded is not replaced when the sequence "loops around."

② Enable loop mode by clicking the **Loop** toggle in the Control Bar.



3 Set the In Point to 1•1•0 and the Out Point to 3•1•0.



To set the In/Out Points, click in each field and type in the desired location.

- 4 Record-enable a track and set the Current Thru Instrument.
- (5) Click the **Record** button or type the Tab key to begin recording.
- 6 Begin playing when ready, you can jump in at anytime.

Each time the sequence loops, the previously recorded material plays.

When the sequence "loops" you will hear what you just recorded.

When satisfied with your performance, type the Enter key on your computer keyboard to keep the material.

Vision continues loop recording.

To discard recorded material, type the Delete key.

Vision erases everything recorded since the last time the Enter key was typed.

To change the record track, select from the Current Track pop-up in the Control Bar.

You can also type Command-Shift-↑ to enable recording on the previous track, or Command-Shift-↓ to enable recording on the next track.

- To change Instruments, select from the Thru Instrument pop-up in the Control Bar.
- Repeat the above steps until you have recorded the desired performance.
 When finished recording, click the Stop button in the Control Bar.

CHAPTER 6: Inserting and Step Recording Notes

In addition to recording in real time, Vision offers a few other ways of getting notes into tracks. This chapter discusses some of these other methods, which include inserting notes with the Pencil in the Graphic and Notation Windows, inserting notes with the Magic Drumstick in the Pulse Window, and step recording.

Before moving on to some tutorials, you should first become acquainted with **Cursor Quantize** and **Cursor Display**—toolbar items found in the graphic based edit windows.


THE PENCIL TOOL



Use the **Pencil** tool to insert notes in the Graphic and Notation Windows. This allows note entry without a MIDI controller.

The duration and velocity of inserted notes is specified in the Insert Notes section of the Settings Window (see page 331). You can automatically go to these settings by double-clicking the Pencil tool from the Graphic and Notation Windows.

In the Graphic Window, notes can be "drawn" with variable durations by Shiftdragging in the edit area.



Cursor Quantize restricts cursor movement to a specific rhythmic value. This allows for precise data selection, edit operations, and placement of inserted notes. To turn on Cursor Quantize, simply click on its icon—to turn it off, click it again. Choose from the Cursor Quantize pop-up to specify the rhythmic value.

The *Cursor Display* provides feedback for the current cursor position. When the cursor is moved into an edit area, the Cursor Display shows both pitch and location. Location can be displayed in bar/beat/unit or SMPTE (specified in the edit window's menu), or click on the display toggle ([=]) to show both time formats.

Inserting Notes in the Notation Window

Following is an example of entering a simple arpeggio of notes in the Notation Window:

 Select a track in the Tracks Window and choose Windows>Notation.

The Notation Window opens.

② Double-click the Pencil tool to open the Insert Note section of the Settings Window.



Set the Duration pop-up to **Independent** with a value of **8th** notes (240 units). Set the Velocity value to **64**.

- **③** Close the Settings Window.
- 4 In the Notation Window, turn on Cursor Quantize with a value of 8th notes.



(5) Click on the Pencil icon to select it.

The cursor changes to a note with a length corresponding to the Duration value in the Settings Window.



6 Enter a note of **C3** on beat 1 of bar 1.

If you're unsure about the placement, watch the Cursor Display. When it reads as in Figure 6.1, click the mouse (you can drag the note into the correct position before releasing the mouse).



Figure 6.1: Cursor Display

The note is entered as in Figure 6.2. The remaining portion of the measure is automatically filled with rests.




Figure 6.2: Entered Note

Next enter a note of E3 by clicking directly on the rest next to the first note—this will ensure it's correct placement.

With each new note entered, move the cursor to the right so the note is placed on the next 8th beat.



Figure 6.3: Entered notes

Continue entering each note until your measure looks like Figure 6.3.

Painting Notes in the Graphic Window

Notes can also be inserted with the Pencil in the Graphic Window. One advantage of using this window is that you can Shiftclick and drag to "paint" in notes of any duration:

 Select a track in the Tracks Window and choose Windows>Graphic.

The Graphic Window opens.

(2) Click the Pencil icon to select it.

The cursor changes to a note with a length corresponding to the Duration value in the Settings Window.

③ Position the note cursor in the edit area at the desired pitch and location.

If necessary, use the Cursor Display to verify the desired note placement.

4 Hold down the Shift key and click and drag to the right. Release the mouse when the note is the desired duration.




Figure 6.4: Shift-dragging note durations

When entering notes in this fashion, the parameters in the Insert Note section of the Settings Window are almost completely irrelevant, since the duration is determined "on the fly." The only Insert Note parameter that is used is the **Velocity** setting.


NOTE: The placement and duration of Shift-clicked notes is also affected if Cursor Quantize is enabled. The entered notes will snap to the location and duration as specified by the Cursor Quantize value pop-up.

Click-Dragging to the Correct Pitch and Location

When using the Pencil tool, you can drag a note to the correct location and pitch even after you've clicked (so long as the mouse button has not been released). This is very useful because you can actually see the note's placement within the Graphic or Notation Windows:

- From either the Graphic or Notation Window, select the Pencil tool and move the cursor over the edit area.
- ② Click and hold the mouse button while dragging vertically and/or horizontally.

Release the mouse button once the desired pitch and location are found.




If necessary, use Cursor Feedback to verify the precise placement of the note.

THE MAGIC DRUMSTICK TOOL



Vision's Pulse Window provides an intuitive environment for creating and editing drum tracks (see *Chapter 26: The Pulse Window*). The **Magic Drumstick** tool is used to insert and delete notes in the *Note Grid* area of the Pulse Window.

The Magic Drumstick works as a toggle for inserting and deleting notes. Notes are entered by clicking in an empty grid space. To remove an existing note, simply click on it with the Drumstick.



The Drumstick points in a different direction depending on its mode of operation (inserting or deleting).

A series of notes can be entered, or removed, by clicking and dragging with the Drumstick. The spacing, duration and velocity for the entered notes is taken from the Insert Note settings in the Settings Window (see page 331).



Figure 6.5: Drag-entering with Magic Drumstick

Building a Drum Track

Following is a short example of how to build a drum track using the Magic Drumstick:

- Choose Windows>Pulse.
 The Pulse Window opens.
- ② Choose **New Drum Track** from the menu in the Pulse Window.


A new drum track, containing just one note line, is added to the sequence and is displayed in the Pulse Window.

③ Use the Note and Instrument pop-ups to specify the note line's drum sound. For this note line, use a bass drum sound.



You can view and select notes by name if you're subscribed to a Patch Names document that contains note names.

4 Click the Add button to add another note line to the drum track.



Use the Note and Instrument pop-ups to assign a snare sound to the new note line.


+ :	•	Note	Instrument	
+	٠	Bass 1	LinnDrum	
	٠	Noise/Q Snr	MicroWave-8	

Set the Pulse Window's Display Mode pop-up to Matrix with a value of 16ths.



This specifies the number of grid lines and spaces displayed per measure.

6 Double-click the Drumstick tool to open the Insert Note settings.



Set the Duration pop-up to **Percent of Spacing** with a value of **100**. Set the Velocity value to **64**.

Choose a value of 16ths from the pop-up next to the Drumstick.



This pop-up corresponds to the Spacing parameter in the Insert Note section of the Settings Window,

Select the Magic Drumstick tool and click in notes on beats 1

and 3 for the "bass drum" line; then add notes on beats 2 and 4 for the "snare" line. See Figure 6.6.





Figure 6.6: Drum and snare notes

 Click the Play button in the Control Bar to audition the track

If desired, set the drum track to loop for 1 bar so it plays continuously as you work.



- ① Click the Add button to add another note line to the track. Assign this note line to a closed hihat sound.
- (i) For these notes we will want some control over the velocities. Click the Velocity toggle for the "hihat" note line.



The grid display expands for displaying velocities on that note line.

Click in the first grid space with the Drumstick and drag to the right, moving up and down as necessary to vary the velocities.



Release the mouse button when each of the spaces in the first measure is filled with a note.

- Click the Velocity toggle to hide the velocities for the "hihat" line.
- To add even more variety to the hihat notes you could assign some of them to a different note line (one set to playback with an open hihat sound).

Select the Pencil tool, place your cursor over the note, drag down, and release the mouse button.



Figure 6.7: Dragging a note to a different note line

STEP RECORDING

Step recording uses a MIDI controller to enter notes individually, one step at a time (while ignoring tempo). This allows precise control over note duration, placement, and velocity. Properties and spacing for step entered notes are specified in the Step Window.

Using a MIDI controller to step record notes has several advantages over inserting notes with the Pencil or Magic Drumstick:

- The insertion point automatically advances after each note is entered;
- Velocity can be entered "As Played," allowing the dynamics to occur more naturally;
- Chords can be entered as easily as single notes by simply playing a chord on the MIDI controller.

Following is an example of step recording a simple C major scale:

 In the Control Bar, set the Record Mode pop-up to Step Replace.



② Record-enable a track and press the **Record** button in the Control Bar.

The Step Window opens.



Figure 6.8: Step Window

③ Set the Step Spacing to 8th notes (240 units).

This value determines how far the Counter advances each time a note is entered.

- 4 Configure the Step Duration pop-up to Percent of Spacing with a value of 100, and set the Step Velocity to As Played.
- ⑤ Play a C major scale on your MIDI controller, starting at C3 (middle-C) and ending at C4.
 - Each time you play a note, it is recorded into the track and the Counter advances.
- When done, press the Stop button in the Control Bar, or type the Return key.

Step recording also stops when you're in Punch mode and the Out Point is reached, or if you close the Step Window.

You can step record most types of MIDI data—notes, chords, patch changes, and even sequence events. Music appears in the edit windows as it is step recorded.

You cannot use step recording to record pitch bends, aftertouch, or controller information. In addition, you will not hear other tracks play when step recording.

For a complete explanation of each component in the Step Window, see *Chapter 36: The Step Window.*

Step Recording Tips

• Entering Chords: Step record chords by playing the desired notes simultaneously; or hold down your MIDI controller's sustain pedal and enter the chord's notes one at a time. The Counter doesn't advance while the sustain pedal is held down.

- Sustaining Individual Notes: To record notes that are longer than the Duration value in the Step Window, simply hold down the notes and advance the Counter (by either pressing the Spacebar or by playing another note). The length of the recorded notes is equal to the number of steps advanced while holding down the note.
- Deleting Notes: Type the Delete key on your Macintosh keyboard to erase previously entered notes. Each time you press this key, the last step is erased and the Counter moves backward.
- Entering Rests: Type the Spacebar to advance the Counter without entering any data. This will effectively enter a rest.
- Entering Patch Events: You can send a program change from your MIDI controller and Vision will record a patch change event. Alternately, you could choose from the Patch pop-up in the Control Bar to record the patch change event. See Current Patch (pg. 186) for details. NOTE: The Counter does not advance when patch change events are recorded.
- Sequence Events: Type a sequence's key equivalent to step record a sequence event for that sequence. In this case, the Counter advances the length of the referenced sequence, not the Spacing Size. See Chapter 13: Segments, Loops, and Sequence Events for more information on sequence events.

• Changing Spacing Size: The Step Spacing is easily changed by typing the corresponding key equivalent on your Macintosh keypad. You can even use the "+" and "-" keys to calculate the Step Spacing.

See *Using Keystrokes to set the Spacing* (pg. 338) for details.

CHAPTER 7: Advanced Recording Techniques

DRUM MACHINE STYLE LOOP RECORDING

Using techniques commonly found on drum machines, you can record drum patterns with the following Vision features:

- Record Quantize (see page 76)
- MIDIKeys (see page 171)
- Input Effect (see page 115)


For the following procedure, you should use a "drum kit" patch on your MIDI sound source—one that allows you to access many different drum sounds from a single MIDI channel.

The following section illustrates how to enable Record Quantize, erase notes "on the fly" with MIDIKeys, and record repeated notes with the Input Effect:

 Select Setups>MIDIKeys Enabled so it is checked, then choose Windows>MIDIKeys.

The MIDIKeys Window opens.

② Define the Erase and Input Effect MIDIKeys with a MIDI event that you will not use while recording. Foot switches and MIDI notes (that are out of the normal record range) should work well for this procedure.



To define one of the special MIDIKeys, click in the desired MIDI Event field and play the event on your MIDI controller.

- 3 Choose Windows>Input Effect.
 The Input Effect Window opens.
- 4 Disable the Input Effect toggle and set the type pop-up to **Repeat**.



You'll want the Input Effect disabled so you can toggle it "on" from the special MIDIKey in real time, when you want to record the repeated notes.

(5) Set the Input Effect's Spacing to Grid mode with a value of 16th notes.



6 Choose Windows>Settings to open the Settings Window. From the Real-Time section of the Settings Window, enable Aftertouch sets Effect Velocity.

This lets you use key pressure on your MIDI controller to affect the velocity of notes recorded with the Input Effect.

Not all keyboards have aftertouch, consult your manufacturer's documentation if unsure.

- (8) Use the procedure described in Loop Recording (pg. 35) to configure Vision for loop recording.
- Select Setups>Record Quantize
 Enabled so it is checked.
- Record-enable a track. Then click this track's selector dot to view and configure it's Play Quantize settings.



Set the Quantize value to 16th notes.

NOTE: Each track has its own set of Play Quantize settings, which are used when Record Quantize is enabled.

(1) Click the **Record** button in the Control Bar and play some notes on your MIDI controller.

The notes are recorded and automatically quantized.

To record a string of repeated notes, hold down the MIDI note or pedal defined as the Repeat MIDIKey while simultaneously playing the desired note or notes.

The notes are repeated (and recorded) with the rhythmic value specified by the Input Effect's Spacing settings.

To erase a note, hold down the MIDI note or pedal defined as the Erase MIDIKey along with the note you wish to erase (while it is playing).

MULTI-CHANNEL RECORDING

Although Vision doesn't record on more than one track at a time, it can record multiple MIDI channels onto a single track. Tracks containing data for multiple channels are called "Multi" tracks; they can be unmerged into separate tracks by choosing **Edit>Separate Multi Track**.

In order to record multiple channels in Vision, you must set up an **Input Map**. Input Maps route incoming MIDI channels to individual Vision Instruments. For a complete explanation of Input Map capabilities, see *Chapter 34: The Input Map Window*.

Recording tracks with Vision's Input Map lets you:

- Record multiple tracks from an external MIDI sequencer in a single pass;
- Record data from a single controller that transmits on multiple channels (like some guitar synths);
- Record data from more than one MIDI controller, such as in a "jam session."

The next sections discuss how to record data from an external MIDI sequencer into Vision using an Input Map.

Recording Tracks from an External MIDI Sequencer

Transferring tracks from an external MIDI sequencer is comprised of three steps: configuring an Input Map, recording the data, and unmerging the multichannel track.

Create an Input Map


To configure an Input Map that routes external sequence tracks into Vision:

 Make sure the device from which you are recording is contained in your OMS Studio Setup.

This device must be defined as a **Controller**, and set to transmit **MIDI Beat Clock**.

- ② Launch Vision and make sure that Setups>Input Map Enabled is checked.
- 3 Choose Windows>Input Map (or type Command-M) to open the Input Map Window.
- 4 Next choose **Add Line** from the menu in the Input Map Window.

A line is added to the Input Map Window.




Click in the Input Device column and select the device from which you are recording (in this case, the MC50).

(5) Add an additional line for each channel you wish to record.

An easy way to add lines in the Input Map Window is to type Option-=.

For each line added, specify the correct Input Channel. These channels should correspond to the data received from the external sequencer.

Next, assign an Instrument in the Thru/Trigger column for each line.



Once the data is recorded from the external sequencer, the Thru/Trigger Instruments are automatically assigned to their corresponding channels.

NOTE: Don't worry about the Sequence and Player columns in the Input Map Window. These items are not relevant to this tutorial.

Record a Multi-Channel Track

The following example shows how to sync to and record from the external MIDI sequencer:

① Choose Options>Sync Options.

The Sync Options dialog opens.




Figure 7.1: Sync Options dialog


② Configure the Receive Sync mode to External Beat Clock and set the sync source to the external sequencer device.



In addition, make sure Send Sync is unchecked.

- 3 Click OK to close the Sync Options dialog.
- 4 Choose Setups>Enable Input Devices.

The Enable Input Devices dialog opens.



Make sure the external sequencer device is enabled (checked) as an input device. Then click **OK**.

- ⑤ In the Control Bar, select Replace from the Record Mode pop-up. Also, set the Begin Record toggle to Wait for Note.
- 6 Record-enable a track and press the Control Bar's Record button.

The Record button flashes, indicating Vision is waiting for sync from the external sequencer.

(7) Hit play on the external sequencer.


Vision begins recording as soon as the sync is received. The Control Bar's Tempo Display indicates the received tempo.

NOTE: If nothing happens, verify that your external sequencer is configured to send "sync."

When you have finished recording, stop the external sequencer, then click the **Stop** button in Vision's Control Bar.

Data for the new track appears in the Tracks Window and shows up as assigned to **Multi** in the Instrument col-

umn. Tracks appear as "Multi" whenever they contain data for more than one channel.



To audition the new track, set the Sync Mode in the Control Bar to Internal and then press the Play button.



The tracks recorded from the external sequencer play back on the Instrument channels assigned in the Input Map.

① Choose File>Save As to save the new file.

Separating the Multi-Track

Once you've recorded your multi-track, you may wish to unmerge the channels into separate tracks—thereby making it easier to work with the data.


To unmerge a multi-track:

 In the Tracks Window, highlight the multi-track by clicking its selector dot.



② Choose Edit>Separate Multi Track (or type Command-U).

The MIDI channels are unmerged and placed on their own tracks. Tracks are assigned based on the routings in the Input Map Window.



- (3) Rename each track as desired.
- **④** To save changes, choose **File>Save**.

PART 2: Recording

Playback & Editing

CHAPTER 8: Sequence and Track Controls

This chapter discusses the sequence and track controls that primarily affect playback. For a complete description of every component in the Tracks Window, please see *Chapter 25: The Tracks Window*.

SEQUENCE CONTROLS

The following sequence settings are available from both the Tracks and Pulse Windows.



Figure 8.1: Sequence controls in Tracks Window

Meter: A sequence's meter determines the number of beat lines displayed in Vision's edit windows, and the number of unaccented clicks heard when the metronome sounds.
 "Meter Track" is displayed in this area when a sequence contains meter changes. Double-click the Meter track's selector dot to open a List Window for the sequence's meter events.

 Tempo: Specifies how fast the sequence plays back, and the speed of the metronome click.

"Tempo Track" is displayed in this area when a sequence contains tempo changes. Double-click the Tempo track's selector dot to open a List Window for the sequence's tempo events.

The Tempo track can be recordenabled (N) or muted (M). For details on setting the tempo, or recording into the Tempo track, see *Virtual Conducting—Recording Tempo Changes (pg. 137)*.

Sequence Length/Loop: Determines the number of measures the sequence plays, and whether it loops.
 Click in the left or right edge of this field (:) to turn looping on and off.
 You can Option-click in this field to lock the sequence length. When locked (a), the sequence length is not automatically adjusted after recording.

Information Toggle




Figure 8.2: Information toggle in Tracks Window

Click on the Information toggle (1) in the Tracks and Pulse Windows to view sequence settings for Offset, Start, and Sync mode.




Figure 8.3: Offset, Start, and Sync mode settings

 SMPTE Offset: The sequence begins playing at this SMPTE time. The Offset ensures that sequence tracks line up with video or film (or tape tracks) when syncing to SMPTE, and that SMPTE event times are displayed accurately in Vision's edit windows.

Click on the **Offset** button to grab the current SMPTE time in the Counter.

 Sequence Start Point: The sequence starts playing at this bar, beat and unit. Adjust the Start Point if your sequence contains a pickup note.

For instance, a sequence with a quarter-note pickup would have a Start time of $0 \cdot 4 \cdot 0$.

When a sequence is set to loop, it always loops back to the Start Point.

• **Sync Mode**: Determines how the sequence "syncs" to the Master Tempo when played from a parent sequence, or when triggered in real time from the Players & Queue Window.

When set to "Off," the sequence plays with its own tempo, independent of the Master Tempo.

"Speed" ignores the sequence's own tempo setting so it plays in sync with the Master Tempo;

"Start," which also uses the Master Tempo, waits until the sequence's Start Point is reached before triggering its playback.

TRACK CONTROLS

Each of a sequence's 99 tracks has the following controls, which are available from the Tracks Window. Some of these controls are duplicated in other edit windows.



Figure 8.4: Track columns in Tracks Window

- Record (R): Click in this column to record-enable the track. Only one track can be record-enabled at a time.
- Mute (⋈): Click in this column to mute playback for a track (or group of tracks). This lets you listen to and focus on other tracks within sequence.

Click in the column head to toggle the mute status of all selected tracks. Command-click to unmute all tracks.

- Solo (s): Click in this column to hear only that track, or group of tracks.
 Click in the column head to toggle the solo status of all selected tracks.
 Command-click to unsolo all tracks.
- Track Length/Loop: Determines the number of measures the track plays, and whether it loops.
 Click in the left or right edge of this field (:) to turn looping on and off.
 You can Option-click in this field to lock a track's length. When locked (i), a track's length is not automatically adjusted after recording.
- Drum Track (3): This column toggles whether the track is defined as a drum track, which allows it to be viewed and edited in the Pulse Window.

Instrument: Choose from this pop-

- up menu to assign a MIDI Instrument for playback. The Instrument's color determines the color of track data displayed in the various edit areas.

 If a track contains data assigned to multiple Instruments, the word "Multi" appears in this column.
- Patch: Choose from this pop-up menu to insert a patch event in the track for the assigned Instrument.
 A patch displayed in parenthesis in this column indicates it is current, but has not been inserted in the track.
 Patch names appear in this column only if the track's Instrument is sub-

scribed to a Patch Name document.

Track Controls in Graphic and List Windows



Figure 8.5: Track controls in Graphic Window

Some of the track controls are also available from the Graphic and List Windows. These controls, which apply to the individual track displayed in the edit window, include Instrument, track length, loop on/off, and buttons for record, mute and solo.


One advantage to adjusting the track length from the List Window is that you can specify a finer control over the length (with beats and units), unlike in the Tracks or Graphic Windows.



Figure 8.6: Track length field in List Window

Play Quantize Settings

When a track's selector dot is clicked, that track's Play Quantize settings appear in the *info area* of the Tracks and Pulse Windows.



To enable either Play Quantize or Play Shift for the selected track, click the appropriate toggle button. The Quantize and Shift values used are displayed directly to the right of each button. To view all of the Play Quantize parameters, click the info area's triangle ().




Figure 8.7: Info area, open

Play Quantize and Play Shift are discussed in greater detail in *Play Quantize* (pg. 72).

CHAPTER 9: Basic Editing Procedures

This chapter explores some basic editing procedures, which include cursor tools, note editing, selecting and copying track regions, and selecting and copying track blocks and phrases.

It's pretty important to that you understand these concepts before moving on to the following chapters on Quantize, Transpose, and Mixing and Arranging.

CURSOR TOOLS

Following is a description of the edit cursors found in Vision's edit windows:

Arrow tool

The Arrow tool is only available in the Tracks Window. Use it to select and drag track blocks in the Track Overview section.

Marquee tool

The Marquee tool is available in the Tracks, Pulse, Graphic and Notation Windows. Use it to select a range of pitches and time, or portions of one or more tracks in the Tracks Window. Shift-drag with the Marquee to extend the selection, or Command-Shift-drag to add a non-contiguous selection.

• I I-beam tool

The I-beam tool is available in the Tracks, Graphic, and Notation Windows. Click and drag with this tool to select a time range of notes in the Graphic and Notation Windows—or a time range of all data in the Tracks Window. Use Shift-drag to extend the selection, or Command-Shift-drag to add a non-contiguous selection.

• 📝 Pencil tool


Use the Pencil tool to insert notes in the Graphic, Notation, and Pulse Windows. See *The Pencil Tool (pg. 37)*.

• Magic Drumstick tool

Use the Magic Drumstick tool to insert and delete notes in the Note Grid area of the Pulse Window. You can even click and drag to insert and delete a range of notes. See *The Magic Drumstick Tool (pg. 40)*.

In addition to the above mentioned items, there are a number of specialized tools available in Vision's Strip Chart. For a description of these, please see *Chapter 28: The Strip Chart.*

Cursor Quantize




Although not a tool, the *Cursor Quantize* option (found in the Tracks, Pulse, Graphic, and Notation Windows) is very much related to editing with the cursor. Once enabled, all cursor selections and movements are restricted in time to the value specified in the Cursor Quantize pop-up. This allows you to make precise selections and edits that "snap" to the Cursor Quantize value.

To turn on Cursor Quantize, simply click its toggle button—to turn it off, click it again. Choose from the Cursor Quantize pop-up to specify the rhythmic value.

The Graphic, Notation, and Pulse Windows share the same Cursor Quantize settings—change the settings in one window and they change in the others. The Cursor Quantize settings in the Tracks Window are independent of the other edit windows.

Cursor Display



Whenever the cursor is moved into an edit area, the *Cursor Display* provides feedback on its position. For the Track Overview and Note Grid areas, location is displayed; for the Graphic and Notation Windows, location and note pitches are displayed; and for the Strip Chart area, location and event values are displayed.

NOTE: If an Instrument is subscribed to a Patch Name document that contains note names (i.e. bass drum, snare, crash), the Cursor Display uses note names instead of pitches.

The cursor location is displayed in either bar/beat/unit or SMPTE (specified in the edit window's menu). To display *both* time formats, click the Cursor Display toggle.




Figure 9.1: Click the Cursor icon to toggle between displays

Use the Cursor Display information to ensure accurate positioning of inserted notes and Strip Chart data, and to verify correct placement of dragged notes and track blocks.

Exact Mode



Figure 9.2: Exact mode toggle, disabled

It is often helpful to specify exact values when editing or inserting certain data types. Using **Exact** mode allows precise adjustments that might not be possible from one of Vision's edit windows.

Exact mode is enabled by clicking its toggle, which is located in the tool palette of the Tracks and Pulse Windows, and at the bottom of the Graphic and Notation Windows.

When Exact mode is enabled, performing any of the following operations opens the Select & Modify Window, appropriately configured, for fine tuning the command:

- Dragging notes up or down with the mouse accesses the Transpose command;
- Resizing notes accesses the Change Duration command;
- Dragging notes or track blocks forward or back in time accesses the Move Events command;
- Inserting events in the Strip Chart automatically accesses the Change Value command;
- Selecting a data range in the Graphic and Notation Windows accesses the Select command.

For details on Select & Modify capabilities, see *Chapter 16: Select & Modify*.

THE RULER

The Ruler is part of the Tracks, Pulse, Graphic, and Notation Windows. Use it as a reference for locating, selecting and editing track data.




Figure 9.3: Indicators in the Ruler

Bar/Beat 2.2 2.3 Indicators

The Ruler shows the time scale in bars, beats, and divisions of beats. Whether bar and beat numbers are displayed depends on the horizontal zoom level.

Edit Indicators 💆 💆

The edit indicators show the Edit In/Out points for the current selection. Vision updates these indicators as the selection changes, see *Edit Points—Defining the Current Selection (pg. 66)*.

Loop Indicators ||: :||

These are displayed in the Notation and Graphic Windows if the current track is looped. The loop indicators show the points where the track repeats.

NOTE EDITING

The following sections discuss basic note editing operations.

Adjusting Notes in the Graphic and Notation Windows




Figure 9.4: Adjusting note properties in Graphic and Notation Windows

A note's pitch, duration and placement can be edited with the mouse in the Graphic and Notation Windows. Depending on where the cursor is placed in relation to the note, one of the following special cursor types appear:

- When positioned in the middle of a note, the **Transpose cursor** appears. Drag up or down with this cursor to change the pitch of all selected notes.
- +<> When placed just near the right edge of a note, the cursor becomes a Duration cursor, which lets you change the length of the note. In the Graphic Window drag left or right to shorten or lengthen any selected notes; in the Notation Window, click and hold the mouse for a pop-up of duration values.

Regardless of the currently selected edit cursor (Marquee, I-beam, or Pencil), the note edit cursors always appear when moving the mouse near a note.

Each of the edit cursors can also be used to select a note by clicking on it (hold down the Shift key to select multiple notes). And, when moving or transposing notes, you can hold down the Option key to perform the edit on a copy of the note—leaving the original data intact.

NOTE: The note edit cursors work a little differently in the Pulse Window. For details, see Chapter 26: The Pulse Window.

Editing Notes in the List Window

Vision's List Window provides precise editing of each individual event. In fact, the List Window is the only place where you can actually see every event contained within a track.




Figure 9.5: List Window

In addition to listing the type of each event and its location, all other relevant event values are also displayed. A note event, for instance, has values for pitch, duration, velocity on, and velocity off.



Figure 9.6: Note properties in List Window

Any property of a note event is easily edited in the List Window. Simply click in the desired numerical field and type in a new value—or drag up or down with the mouse.

Note Velocities in the Strip Chart

You can affect the dynamics and phrasing of notes by editing their velocities. The Strip Chart is the perfect environment with an impressive array of tools for shaping note velocities.

The following example adds a slight crescendo to a group of note velocities with the Strip Chart's Parabola shape:


 Select the desired Track and choose Windows>Graphic.

The Graphic Window opens.


 Open the Strip Chart by clicking its toggle button.



The Strip Chart opens.




Make sure the Strip Chart is set to display Key Velocity.



4 Select the Strip Chart's Pencil tool.



Specify **Parabola** as the drawing shape.



- Zoom out so you can see the desired note range. Do this by Option-clicking in the edit area of the Graphic Window
- 6 In the Strip Chart area, click at the beginning of the note range (near the desired velocity start point) and drag to the right and up slightly.



Once the range of notes is covered by the shape of the velocity curve, release the mouse button.



The note velocities are automatically adjusted based on the drawn curve.

WORKING WITH TRACK BLOCKS AND PHRASES

The Track Overview section of the Tracks Window provides a graphic overview of the data contained in each track. Depending on the Display Mode pop-up, track data is displayed as Phrases, Blocks, or Tracks.




Figure 9.7: Display Mode pop-up

These different display modes offer you the flexibility of viewing your music as you see fit—based either on the type of music contained in the tracks, or the type of edit operations to be performed.




Figure 9.8: Display modes from Tracks Window

In **Phrases** mode, track data is broken up by a specified amount of silence, which is effective when working with music that doesn't begin and end cleanly on the bar line. In **Blocks** mode, data is broken down into contiguous, equally sized blocks; you can specify the size of the blocks. In **Tracks** mode, the track's contents are displayed as a single block.

The **Markers Break Blocks** option further breaks the blocks based on markers.


The important thing to remember about the Track Overview section is that it lets you get at any of your track data rather easily. This is handy for performing edit operations, or for moving blocks around to try out different arrangements.

In the Track Overview section you can use the Arrow tool to:

 Click on a block to highlight it, or Shift-click to select several blocks;




Click and drag a block to a new location or another track;



• Option-drag a block, or group of blocks, to make a copy of the data.



• Double-click a block to open an edit window for that data.



SELECTING DATA REGIONS

Before data can be cut, copied, moved, or modified by an edit operation, it must first be selected. To select an entire track, simply click its selector dot; to select track blocks, click or Shift-click them with the arrow tool; and to select individual notes, click or Shift-click them with any cursor tool.

The Marque and I-beam tools, on the other hand, are used to select contiguous regions of tracks, thereby allowing you to affect just the data you want. The following sections discuss these methods.

Selecting Data with the Marquee

Use the Marquee tool to select groups of notes in the Graphic and Notation Windows. Simply click and drag around the desired region. Notes that begin within the dragged rectangle are selected. In these windows, the Marquee does not select pitch bend, modulation, or controller events.




Figure 9.9: Selecting with Marquee in Graphic and Notation Windows

In the Track Overview section of the Tracks Window, use the Marquee tool to select portions of blocks, or even groups of blocks across several tracks. All data types (notes and continuous controller events) falling within the highlighted region are selected.




Figure 9.10: Selecting with Marquee in Tracks Windows

In the Note Grid section of the Pulse Window, use the Marquee tool to select notes across several note lines and tracks. The Marquee tool does not select pitch bend, modulation, or controller events in the Note Grid area.



Figure 9.11: Selecting with Marquee in Pulse Window

NOTE: You can Shift-drag with the Marquee tool to extend a selection, and even Command-Shift-drag to add a non-contiguous selection.

Selecting all Notes in a Time Range with the I-Beam




Figure 9.12: Selecting a time range of notes in the Graphic Window

In the Graphic and Notation Windows, use the I-beam tool to select all notes in a time range. With the I-beam tool selected, click and drag across the edit area to select the desired time range. All highlighted notes in the displayed track(s) are selected.

Selecting All Data in a Time Range




Figure 9.13: Selecting a time range all data in the Graphic Window

Move the cursor into the Ruler of the Graphic and Notation Windows to automatically switch to the I-beam tool. Dragging horizontally with this tool in the Ruler selects all data types in the track (including pitch bend data, patch events, digital audio events, etc.).

Selecting All Notes in a Pitch Range with I-Beam



Figure 9.14: Selecting a pitch range in the Notation Window

Move the cursor into the left margin of the Graphic and Notation Windows to get a horizontal I-beam tool. Click and drag vertically with this tool in the margin to select all notes within a pitch range. Selecting a pitch range in this fashion selects over the entire track length.




Figure 9.15: Selecting a single note in the Graphic Window

Figure 9.15 illustrates clicking a single note in the left margin of the Graphic Window, which selects all notes like it in the track. This is useful for adjusting the properties of just those notes, or for dragging the note to another pitch (to reassign a drum sound, for instance).

Selecting Multiple Tracks with I-Beam




Figure 9.16: Selecting all tracks in the Track Overview

Use the I-beam tool in the Tracks Window to select a time range on all tracks. With the I-beam tool selected, you can click anywhere in the Track Overview section and drag horizontally to select all track blocks that fall in that range.

Selecting Multiple Note Lines with the I-Beam




Figure 9.17: Selecting all note lines in the Note Grid

You can also select across multiple note lines and tracks in the Pulse Window. To do this, move your cursor into the Ruler and click and drag horizontally. This selects all data contained within the highlighted region.

NOTE: Since Vision allows selection of multiple tracks from the Tracks and Pulse Windows, any edit functions may be applied to all selected tracks.

EDIT POINTS—DEFINING THE CURRENT SELECTION

H 2 · 2 · 233 H 3 · 1 · 40

Figure 9.18: Edit Points

The current selection defines the time range of data affected when you perform an edit operation. Vision displays the current time selection in the Edit Points of all edit windows.

These Edit Points are updated automatically each time the current selection changes. This includes dragging in the Ruler, clicking on a note, or dragging a selection rectangle with the Marquee tool.

You can enter an Edit Point manually by clicking in its field and typing a new value, or by clicking and dragging with the mouse (you can also Option-click the field to grab a marker location).




Figure 9.19: Typing into Edit Point fields

When you adjust Edit Points manually, the edit indicators in the Ruler are automatically updated, and MIDI events are either selected or de-selected as a result.

LOOP EDITING

Any of Vision's vast array of editing capabilities can be performed in real time, while the sequence plays.


Loop editing is a powerful interactive process allowing construction of complex sequences from loops created "on the fly." After creating a loop, the MIDI data may be edited while listening to the loop, without stopping playback.

The following example sets up a loop to perform editing functions from the Graphic Window, though this procedure will work from any edit window.

 Select the desired track to edit and choose Windows>Graphic.

The Graphic Window opens.

2 In the Ruler, select the time range that will be looped.



- ③ In the Control Bar, enable **Loop** mode by clicking its toggle.
- 4 Click the Set In Point and Set Out Point buttons.

The loop range is set based on the previously selected time range.

(5) Click the **Play** button or press the Spacebar.

The sequence starts playing.

6 Perform any edits within the selected time range.

When the sequence loops back and starts playing from the In Point, edits from the previous pass are heard.

When finished editing, click the Stop button.

NOTE: Choosing **File>Undo** undoes the previous edit made while playing.

CHAPTER 10: Quantize, Shift, and Nudge

ABOUT QUANTIZE

Quantize adjusts event locations so that a track's timing is improved or altered—or so that a certain rhythmic "feel" is achieved.

Events such as notes, audio events, and sequence events, can be quantized to the nearest beat boundaries with *Grid Quantize*, or they can be quantized based on an existing Vision track with *Groove Quantize*.

Tracks in Vision can be adjusted permanently with the **Quantize** command, or for playback only with the **Play Quantize** settings. In addition, you can use **Record Quantize** to automatically quantize material as it's recorded.

Grid Quantize

Grid Quantize aligns events to the nearest beat boundary as defined by standard note durations. For example, if you quantize by eighth notes, the selected events are moved to the nearest eighth note beat.

Figure 10.1 shows how a note quantized by eighth notes, previously residing at $1 \cdot 2 \cdot 50$, is moved to $1 \cdot 2 \cdot 0$ (the nearest eighth note beat).




Figure 10.1: Quantizing an eighth note

Note durations can also be quantized. Figure 10.2 shows the result of quantizing both the placement and duration of notes. Notes that are slightly shorter or longer than the specified note value are automatically adjusted.





Figure 10.2: Quantizing durations

In addition to getting your music to play back properly, Grid Quantize (for both note placement and duration) helps clean up tracks for printout by eliminating unwanted rests and tied or dotted notes.

Groove Quantize

While Grid Quantize moves events to regular intervals (like 16th notes), Groove Quantize is based on the rhythm, velocities, and durations of an existing Vision track. This allows you to map the "feel" of one track (with notes starting at wildly irregular times) to another. And, since durations and velocities are automatically copied from the "groove source," Groove Quantize can be used to achieve the desired phrasing for your tracks.

For example, imagine trying to duplicate the feel of a hi-hat track consisting of 16th notes played with a shuffle feel. Since the start times are slightly "swung," using Grid Quantize to accomplish this would likely not work. In addition, certain notes and beats may be emphasized with velocities and durations. Trying to map start times, durations, and velocities to a different track would be a tedious job, particularly if it needs to be done more than once. With Groove Quantize, you can use the hi-hat track as the groove source and have Vision do the work for you (see Figure 10.3).






Figure 10.3: Groove Quantize

The Groove Quantize source tracks are stored in the "Vision Grooves" file. You can edit this file as you would any other Vision file—it must, however, remain in the same folder as your Vision application.

See *Creating Your Own Grooves (pg. 167)* for details on customizing the Vision Grooves file.

APPLYING QUANTIZE

Vision's Grid and Groove Quantize capabilities can be used for Play Quantize, or for permanently quantizing data with the Quantize command.

When using the Quantize command, the quantize parameters are configured in the Select & Modify Window. When using Play Quantize, an identical set of quantize parameters (for each track) is configured in the info area of the Tracks and Pulse Windows; Record Quantize uses the Play Quantize settings for each track.

The quantize parameters vary depending on whether you are using Grid or Groove. Use the Type pop-up to specify Grid or Groove.



Figure 10.4: Type pop-up for specifying Grid or Groove

When using Grid, the **Quantize Value** determines the grid size used for the quantize.




Figure 10.5: Grid Quantize parameters

The Quantize Value can be specified as either a note duration or a number of units.



Figure 10.6: Quantize Value

When using Groove, the **Seq** and **Track** pop-ups determine the source material for the quantize.




Figure 10.7: Groove Quantize parameters

The Seq pop-up determines which sequence's tracks appear in the Track pop-up. The Track pop-up specifies the actual groove source track.



Figure 10.8: Seq and Track pop-ups for specifying groove source

Because there is such a wide range of possible quantize configurations, **Quantize Templates** can be used to store and recall your favorite settings. For details, see *Quantize and Transpose Templates* (pg. 163).

This chapter is a general discussion of quantize methods and types. While this chapter frequently refers to the settings for Play Quantize and the Quantize command, it does not go into detail about their various parameters. For detailed information on each quantize parameter, please see *Quantize Parameters* (pg. 129).

Play Quantize

Play Quantize is *non-destructive* and only affects how a track plays back—it does not change MIDI data. Each track can have its own Play Quantize settings, using either Grid or Groove.

Play Quantize settings are accessed from the info area in the Tracks and Pulse Windows. Once a track is selected, its Play Quantize parameters appear:




Figure 10.9: Play Quantize Parameters

When the info area is closed, the following track settings are visible:

- **Play Quantize**: Enables Play Quantize for the selected track.
- Play Quantize Value: Specifies the rhythmic value (or Groove source) used for the track's Play Quantize.
- **Play Shift**: Enables Play Shift for the selected Track.
- Play Shift Value: Specifies how many units (+/-) the selected track is shifted for playback.

There is, however, a much larger number of parameters that specify how a track is Play Quantized. These parameters are visible when clicking the info area's triangle.



Figure 10.10: Open/close triangle for info area

Figure 10.11 shows the info area open, displaying all Play Quantize parameters.



Figure 10.11: Info area, open

The Type pop-up specifies whether Grid or Groove is used. The Template pop-ups are for saving and recalling Quantize Templates. See *Quantize Parameters* (pg. 129) for an explanation of each quantize parameter.

Enabling Play Quantize

The following example shows how to enable Play Quantize for a track with an eighth note "swing" feel:

- From either the Tracks or Pulse Window, highlight the desired track.
- ② Click the info area's triangle so all of the Play Quantize parameters are visible.


③ Enable Play Quantize for the track by clicking its toggle button.

Play Quant

4 Select **Grid** from the Quantize Type pop-up.



Next specify **eighth** notes in the Quantize Value pop-up.



(5) Enter a value of 60.0% for Swing.



Leave Shift and Smear set to **0** units, Sensitivity and Strength to **100**%.



Uncheck the options for Tuplet and Quantize Durations.

Click the Play button in the Control Bar to audition the Play Quantize settings.

The track plays back with an eighth note "swing" feel.

② Experiment with different values for Swing until the desired feel is achieved.

To use the track's original MIDI data, unclick the Play Quantize toggle.

Enabling Play Shift

Enabling Play Shift causes a track's MIDI events to play back early or late. It shifts the contents of the track by the number of units specified in the Play Shift field.

You can use Play Shift to:

- Compensate for synth patches with slow attacks:
- Achieve a certain "pushed" or "laid back" feel:
- Create MIDI delays (copy a track, lower its volume, and apply Play Shift).

To enable Play Shift for a track:

 Select the desired track from the Tracks or Pulse Window. Click the Play Shift toggle and enter a value (+/- 480 units) in the Play Shift field.



Positive values cause events to play later than the rest of the sequence—negative values cause events play earlier.

To permanently shift your MIDI data see *Permanently Shifting Track Data (pg. 77)*.

The Quantize Command

The **Quantize** command permanently alters the selected track data. There are several reasons you'd want to use the Quantize command instead of Play Quantize:

- While Play Quantize affects all notes, audio events, and sequence events contained within a track, the Quantize command can be used selectively on portions of a track—and on other event types.
- Track data is always displayed based on the original MIDI data—not the Play Quantize values. Permanently quantizing a track ensures that its playback will match what's displayed in the edit windows.
- Permanently quantizing data, rather than having Vision calculate for playback, increases your computer's processor performance.

You can use the Quantize command on any selected sequence, track, group of tracks, or track region. Parameters for the Quantize command reside in the Select & Modify Window. Choose **Do>Quantize** to open the Select & Modify Window automatically configured for Quantize.



Figure 10.12: Select & Modify Window, configured for Grid Quantize

The Quantize parameters in the Select & Modify Window are identical to (but independent of) those used for Play Quantize.

To actually invoke the Quantize command, click the **Quantize** button in the Select & Modify Window. Click **Undo** to revert back to the original data (clicking the Undo button turns it into a Redo button, and vice versa).

You can also call the Quantize command by choosing **Do>Quantize Track** (or, depending on the selected material, Do>Quantize Selection), or type Command-G.

IMPORTANT: Unlike other Select & Modify commands, the Quantize command is always accessible from the Do menu, or by typing its key equivalent (Command-G).

Quantize Value Pop-up

The Quantize Value pop-up, found in the Graphic, Notation and List Windows, offers a way of remotely adjusting Quantize parameters in the Select & Modify Window. Setting this value from one Window, changes it in all others.

With the Quantize command set to Grid, click this pop-up to set the note duration for the grid size.




Figure 10.13: The Grid Size pop-up

With the Quantize command set to Groove, click this pop-up to choose the track used for the groove source.




Figure 10.14: Groove Source pop-up

The Quantize Value pop-up can also be used for the following purposes:

- Command-click to toggle between Grid and Groove Quantize:
- Shift-click when in Groove mode for a pop-up of groove sequences;
- Option-click to open the Select & Modify Window configured for Quantize.

NOTE: Changing the Quantize Value popup from the Select & Modify Window, or from the Graphic, Notation or List Windows, does not affect Play Quantize settings for any tracks.

Groove Quantizing a Track Region

Following is an example of quantizing a track region with one of the groove examples:

- Highlight the desired track
 region and choose Do>Quantize.

 The Select & Modify Window, configured
- ② Select **Groove** from the Type pop-up.

for Quantize, opens.

3 From the Seq pop-up, select 1•Shuffles. From the Track popup, select 3•Med Shuffle A.



(4) Click the Quantize button.



The selected material is modified according to the settings in the Select & Modify Window.

⑤ Click the Play button in the Control Bar to audition the change.

To go back to the original MIDI data, click the **Undo** button before performing any other operations.

Experimenting with Quantize

Using quantize, with either the Quantize command or Play Quantize, takes some experimenting. In fact, you won't always get the results you're expecting.

You may have to try different values for **Sensitivity** and **Strength**; these parameters determine which notes are affected and how drastically they are changed. In addition, the **Smear** parameter, which adds a percentage of randomness to the quantize, can be used to make tracks feel less mechanical—less perfect. For an explanation of these and other Quantize parameters, see *Quantize Parameters* (pg. 129)).

Although quantize is a wonderful tool for cleaning up tracks and working with the feel of your music, sometimes the recorded data may not be salvageable. In these instances it is wise not to spend too much time trying to fix something that should probably just be rerecorded.

RECORD QUANTIZE

Select **Setups>Record Quantize Enabled** to turn on Record Quantize, or simply click the toggle in the info area of the Tracks or Pulse Window.



Figure 10.15: Record Quantize toggle, enabled

By default, the recorded track uses its own Play Quantize settings for Record Quantize. If you have a set of Quantize parameters that work well for Record Quantize, choose **Save as Default** from the Template pop-up in the Info Area—each new track will then use those Quantize settings.



Figure 10.16: Saving default Quantize parameters

To record durations as quantized, make sure to check that option as well.

For details on changing the Record Quantize source, see *Record Quantize Source* (pg. 335).

PERMANENTLY SHIFTING TRACK DATA

If you find a Play Shift setting you like, you can permanently shift the data so that what you hear matches what's displayed.

Although there are many ways to shift events in Vision, the following sections describe how to use the **Move Events** and **Nudge** commands.

NOTE: If the beginning of a selection starts at 1 • 1 • 0, it will not be possible to shift any of the selected events back in time with Move Events or Nudge.

NOTE: The Nudge and Move Events commands are not affected by Cursor Quantize settings.

Move Events

Following is an example of permanently shifting track data with the **Move Events** command. This example assumes you have a track Play Shifted by 30 units and would like to permanently shift the data.

- Select the desired track or track region.
- ② Choose Edit>Move Events (or type Command-,).

The Move Events Window opens.



For complete information on this dialog box, see Move Events (Command-,) (pg. 413).

3 Select the Move later option with a value of 30 units.



4 Click the Move button.



The data is permanently shifted.

5 Disable the Play Shift toggle for the track.



If you don't complete the last step, your data will be shifted again during play-back, which is probably not desirable.

Nudge

You can also use the **Nudge** command to permanently shift track data. Unlike the Move Events command, Nudge is typically used for tweaking the "feel" of a track during playback.

The Nudge command can be invoked from the Do menu—or by typing Command → for forward, Command ← for back. The amount nudged is specified in the Strip Chart & Nudge section of the Settings Window.

Following is an example of nudging a track forward by 10 units:

 Disable the Play Shift toggle for whichever tracks you will Nudge.



While this step is not mandatory, it will lessen the confusion in keeping track of whether the track is "shifted" or "nudged."

② Choose Windows>Settings.

The Settings Window opens.




Figure 10.17: Strip Chart & Nudge section of Settings Window

With the Settings Window popup set to Strip Chart & Nudge, set the Nudge direction value to 10 units.



Figure 10.18: Nudge transpose set to 10 units

④ Highlight the desired track data and choose Do>Nudge>Later (or type Command →).

The track data is nudged later by 10 units.

If you don't like the effect of a Nudge command, simply use the opposite Arrow key to return to the previous event locations.

CHAPTER 11: Transpose

This chapter discusses the many ways that Vision transposes notes, which include dragging notes in the Graphic and Notation Windows, editing pitch values in the List Window, using the Transpose command, and defining transposed Vision Instruments.

TRANSPOSING IN THE GRAPHIC, NOTATION, AND LIST WINDOWS

Notes and groups of notes can be transposed in the Graphic and Notation Windows by dragging up or down with the mouse.




Figure 11.1: Transposing in the Graphic Window

When positioning the cursor in the middle of a note, it becomes a transpose cursor (‡), which can be dragged up or down to change the pitch of the note. In addition, you can use Option-drag to transpose a copy of the note.



Figure 11.2: Transposing in the Notation Window

To transpose a chord or a group of notes (or even an entire track), simply make the selection and then drag just one of the notes. All of the selected notes will follow the dragged note.




Figure 11.3: Transposing a chord in the Graphic Window

You can also edit the pitch of individual notes in the List Window. To do so, click in the pitch field and drag up or down with the mouse, or type in a new value.

```
    1 · 1 · 0 | Patch | ROM-50: Grand Piano 16' | <u>B32</u>1 |
    1 · 1 · 0 | E4 ↑ | 2 · 1 · 62 | 46↓ 64↑ |
    1 · 1 · 1 | F2 | 3 · 1 · 59 | 40↓ 64↑ |
    1 · 1 · 2 | B4 | 2 · 1 · 77 | 66↓ 64↑
```

Figure 11.4: Editing a note's pitch in the List Window

TRANSPOSING WITH NUDGE

A quick and easy way to transpose tracks (or portions of tracks) by semitones, octaves, or scale degrees is with the **Nudge** command. The transpose type used with Nudge is specified in the Settings Window.

To transpose a track up by an octave with Nudge:

① Choose Windows>Settings.

The Settings Window opens.




Figure 11.5: Settings Window set to display Strip Chart & Nudge parameters

With the Settings Window popup set to Strip Chart & Nudge, set the transpose value to 1 octaves.



Figure 11.6: Nudge transpose set to 1 octave

- **③ Close the Settings Window.**
- 4 Select the desired track or track region from the Tracks Window

and choose **Do>Nudge>Up** (or type Command-↑).

The track data is transposed up an octave.

Invoking Nudge with the Command and Arrow keys is a very convenient method of auditioning transpositions while Vision plays. And if you don't like a nudged transpose, simply use the opposite Arrow key to return to the previous pitch values.

THE TRANSPOSE COMMAND

Vision's Transpose command offers the widest range of capabilities for performing transpositions. Choose **Do>Transpose** to open the Transpose Window.



Figure 11.7: Transpose Window

The Transpose Type pop-up specifies what kind of transposition is used. Following is a brief explanation of each type:

- **Chromatic** transposes by a specified number of semitones.
- Interval transposes by semitones, as expressed by one specified pitch to another.
- **Diatonic** transposes by scale degrees for a specified key and scale type.

- **Invert** creates a mirror transposition (chromatically or diatonically) around a specified pitch.
- Key/Scale transposes from one key and scale type to another.
- Auto Map lets you specify the number of notes per octave for source and destination maps.
- Octave Map is just like Auto Map except you can specify which notes are contained in the octave.
- Manual Map lets you remap any of the 128 MIDI pitches to any other pitch.
- Drum Map is for remapping drum assignments from one Instrument to another. This is the same as Manual Map except note names are displayed instead of pitches.

Once a Transpose Type is chosen and its settings are configured, click the **Transpose** button to modify the selected data. Alternately, click the **Harmonize** button to automatically make a transposed copy of the original data.


For a detailed description of the Transpose Window, including configuration details on each Transpose Type, see *Transpose Types (pg. 134)*.

The following sections illustrate some practical applications for the Transpose command.

Transpose up a Fifth

To transpose up a fifth using a Transpose Type of Chromatic:

- Highlight the desired track or track block from the Tracks Window.
- ② Choose Do>Transpose.
 The Transpose Window opens.
- ③ Set the Transpose Type to Chromatic.



④ Set the Transpose direction pop-up to **Up**, then click and drag in the Transpose value field until "a perfect fifth" is displayed.



You can also type a value of 7 into this field (referring to the number of semitones).

(5) Click the Transpose button.

The selected material is transposed up a fifth

Using Transpose to Add Harmony

To harmonize a track with thirds using a Transpose Type of Diatonic:

- Highlight the desired track.
 This example assumes the selected track material is in the key of C major.
- ② Choose Do>Transpose.
 The Transpose Window opens.
- ③ Set the Transpose Type to Diatonic.




4 Set the direction pop-up to Up and specify a transpose value of "a third." In addition, make sure that C major is the specified key.



NOTE: The Constrain to Scale option does not need to be checked, since the track material is already in the key of C major.

(5) Click the Harmonize button.



A transposed copy of the selected track data is merged into the source track.


Drum Instruments and the Transpose Command

Most MIDI keyboards and drum machines map a number of different drum and percussion sounds across a range MIDI note numbers. When drum tracks in Vision are recorded, each note corresponds to a specific drum sound. Transposing these notes, therefore, usually results in a different (or even no) drum sound playing back.

To avoid this problem, Vision lets you define Drum Instruments. Tracks assigned to Drum Instruments (which are defined as such in the Instruments Window) are not altered with the Transpose command.

To define a Drum Instrument:

- Choose Windows>Instruments to open the Instruments Window.
- ② Click in the Drum Transpose column (g) for the desired Instrument.



The Drum Instrument icon is added to the Drum Transpose column, indicating that Instrument is a Drum Instrument.

NOTE: Click again in the column to turn the Drum Instrument back to a normal Instrument For information on MIDI Instruments, see *Chapter 32: The Instruments Window*.

TRANSPOSING WITH VISION INSTRUMENTS

Another way to transpose in Vision is with MIDI Instruments. An Instrument can be transposed by octaves or semitones by editing the appropriate fields in the Instruments Window (see Figure 11.8).




Figure 11.8: Instrument transposed up 1 octave and 5 semitones

An Instrument can also use Transpose Maps, thereby taking advantage of any of the capabilities in Vision's Transpose Window. With Transpose Maps, you can have Instruments that are "constrained" to playing notes only in a certain key, that map notes played in one key or mode to another, or that remap drum sounds from one device to another.

The following example illustrates how to add a map that restricts an Instrument to only playing notes in the key of C major:

Choose Windows>Instruments
 to open the Instruments
 Window.


② Click in the Map column of the desired Instrument.




The Transpose Map dialog opens.



3 Set the Transpose Type to Diatonic.



Set the transpose value to "0 semitones" and make sure that **C major** is the specified key.




4 Enable the Constrain to Scale option by clicking its checkbox.

□ Constrain to Scale

(5) Click OK.

The Transpose Map dialog closes and the column in the Instruments Window indicates a Transpose Map is in use.



Once an Instrument is transposed, any tracks assigned to that Instrument play back with that transposition. The main advantage of using transposed Instruments is that the original track data remains unaltered.

For detailed information on MIDI Instruments, see *Chapter 32: The Instruments Window.*

CHAPTER 12: Arranging & Mixing

Once your tracks are recorded and edited as you like, the next logical step is to finalize the arrangement. This chapter explores building song structures, saving patch selections, and saving volume and pan settings.

ARRANGING SECTIONS OF MUSIC

Vision is both a pattern and linear based sequencer. This means you can build your music by creating individual sequences that are chained together, or you can work within a single, linear sequence (much like a multitrack recorder). Vision provides the flexibility to work with either method—or even a combination of the two.

Chaining Existing Sequences

A very powerful capability of Vision is playing existing sequences from other parent sequences, which makes it very easy to chain together sequences, or even play back multiple sequences at the same time. This modular approach to using sequences as building blocks is a very flexible and effective way of constructing music in Vision.

Sequences (and segments) are called from parent sequences by inserting or recording *sequence events*, which describe how to play back the referenced data.

The following example illustrates how to chain together three existing sequences (Verse, Chorus, and Bridge) with step record:

- From the menu in the Sequences
 Window, choose **New Sequence**.
- ② In the Control Bar, set the Record Mode pop-up to Step Replace.



 Record-enable a track in the Tracks Window.



4 Click the **Record** button in the Control Bar.

Vision enters record mode and the Step Window opens.

(5) Type the key equivalent for each sequence in the desired order.

The Counter advances each time a sequence's key trigger is typed, and a corresponding sequence event block appears in the Track Overview section of the Tracks Window.



Figure 12.1: Step Recorded Sequence Events

- 6 When done, press the **Stop** button in the Control Bar.
- To audition the new arrangement, click the Play button in the Control Bar.

Sequence events show up in the Track Overview section as white (named) blocks. Like other data in the Track Overview, sequence event blocks can be dragged, copied, and pasted. If you wish to edit the referenced sequence, doubleclick the sequence event block to open a Tracks Window for that sequence.

NOTE: Sequence event blocks that reference single-track sequences (or segments) are not named, and instead display the data from the referenced track. For details, see Single-track Segments (pg. 94).

Adding Linear Tracks to Chained Sequences

Within a parent sequence, you can add or record additional (linear) tracks on top of the chained sequences. This is an important feature because phrases or notes may sometimes overlap song sections. You can also use these extra tracks to add mix and patch events for the Instruments contained in the chained sequences.



Figure 12.2: Sequence with chained sequences and additional linear tracks

Making Segments


As discussed in *Working with Track Blocks and Phrases (pg. 62)*, it's pretty easy to try out different song arrangements by moving around and copying track blocks in the Track Overview section. This can, however, get rather laborious if your sequences have a lot of tracks.

One way to simplify this process is to combine the various track sections into segments. Once this is done, rearranging song sections is a much simpler process.


- ① Open the Tracks Window for the desired sequence.
- ② Turn on Cursor Quantize and set it to whole notes.




3 Using the Marquee tool, click and drag around the track regions that comprise the first song section.



Release the mouse button to select the track regions.




4 Choose Edit>Make Segment Loop. The Make Segment dialog opens.



(5) Enter a Name for the new segment.



6 Click the Make one segment option.




This combines the selected track regions into a single segment, making it easier to move or copy.

If you would like the flexibility of keeping the individual track data separate, choose the **Make single track segments** option.

(7) Click the Make button.

The selected track material is turned into a segment (which then appears in the Segments section of the Sequence Window).

The previously selected track blocks are replaced by a single sequence event block in the Track Overview section.



Repeat the previous steps until each of the song sections is turned into a segment.

1	5		. 13	. 17	21	25	
Intro	Section	n 1	Section	Section 2		Ending	

Once the segments are created, you can rearrange them as desired—drag them to a new location, or use copy and paste. Individual sequence events can also be resized to play just a portion of the original data, looped (independently of their parent track), and even transposed.

For more information on segments and sequence events, see *Chapter 13: Segments, Loops, and Sequence Events.*

SAVING PATCH SELECTIONS

Part of finalizing your songs is making sure your MIDI devices play back with the right patches. Patch events can be recorded or inserted into a track in a number of ways. You can insert them in the List Window or Strip Chart, and you can even step record them.


NOTE: The following sections assume that your Instruments are subscribed to Patch Name documents, see Chapter 33: The Names Window.

Using the Patch Column in the Tracks Window

Perhaps the easiest way to insert a patch event into a track is with the Patch column in the Tracks Window:

1 In the Tracks Window, click in the Patch column for the desired track.

If there is a current patch selection for the assigned Instrument, that patch appears in the column in parentheses.



A pop-up menu of patches appears.



② Highlight the desired patch and release the mouse.

A patch event is inserted into the track at 1·1·0. The patch name appears in the Patch column (without parentheses).


Track	: Len :	ø	Instrument	Patch
Funk it up!	8	Т	MicroWave-1	Moog Bass 01

Using the Copy Patches Command

One drawback of using the Patch column in the Tracks Window is that the inserted patch events are erased if you record over the track (in Replace mode).

Another method of recalling patch events is to insert them into their own, dedicated track with the **Copy Patches** command:

 Using the Current Patch pop-up in the Control Bar, select a patch for each Instrument used in your sequence.



② Choose Do>Copy Patches.

The current patches are copied to the Clipboard.

③ Select a blank track in the Tracks Window and choose Edit>Paste Track.

The patch events are pasted into the selected track. The track is automatically named "Patches" and the Instrument column is assigned to Multi.



To view the pasted patch events, open the List Window.




Figure 12.3: Pasted patch events for multiple Instruments

Patch Event Placement

Some MIDI devices have trouble switching patches while playing. As a result, these devices may "hiccup" or drop some notes when receiving a patch event.

To get around this problem, you'll need to allow enough time between the patch event and track playback. If a track begins playing at 1 • 1 • 0, you can use a pickup measure for the patch event (see Sequence Start (pg. 212)).

Another method is to put all of your patch events into a dedicated sequence and play it back separately— triggering it with its key equivalent, or playing it from a optimally placed sequence event.

SAVING VOLUME AND PAN SETTINGS

This section discusses how to set the volume and pan levels for Instruments, and how to save them to a sequence.

Volume and pan data can be inserted in the List Window and Strip Chart, or it can be recorded or copied from consoles and faders.

Saving a Mixer Snapshot

The following example explains how to copy and save the mixer settings from a Console Window:

 Once your tracks are recorded and assigned to the correct Instruments, choose Windows>Consoles> Console 1.

The Console Window opens.




② From the menu in the Console Window, choose Build Consoles From>All Instruments In Use.


Each of the Instruments used in your sequence is automatically assigned to a console channel.

③ Click the **Play** button in the Control Bar to listen to the sequence.

Make any Mute or Solo settings that apply at the beginning of the sequence.



While the sequence plays, adjust the Volume and Pan sliders for each console channel.



You can also adjust these values by typing into their fields.

Once the desired volume and pan levels are achieved, choose Edit>Copy Faders.

The volume and pan data is placed on the Clipboard.

 Select an empty track in the Tracks Window and choose Edit>Paste Track

The volume, pan, mute, and solo events are pasted into the selected track. One of each type of event is pasted in for each Console channel.

® Choose File>Save to save the new track containing the fader values. Also, when prompted, make sure to Save the Fader Values and Fader Assignments with the sequence.



Fader movements can also be recorded in real time while the sequence plays back. This lets you create dynamic mixes for your tracks. For more details on using faders and consoles, see *Chapter 37: The Faders Window* and *Chapter 38: The Console Windows*.

2 3

Advanced Concepts

PART 4: Advanced Concepts

CHAPTER 13: Segments, Loops, and Sequence Events

SEGMENTS

Segments, which are very similar to sequences, are created from tracks or groups of tracks. Segments provide a great way to turn existing material into modular components that can be played from any of the sequences in a file. Use them as song sections, music layers, reoccurring phrases and riffs, or even nested track loops. They can also be used to break an existing linear sequence into sections that can be rearranged.

Segments are "made" by selecting track material (which can reside across several tracks) and choosing **Edit>Make Segment/Loop**. The selected material is replaced by a sequence event block that references the new segment. The original material then resides in the newly created segment, which is listed in the Segments section of the Sequences Window.




Figure 13.1: Making a segment

Once they're created, segments act pretty much like regular sequences; double-click on them from the Sequences Window and they open up in a Tracks Window, where they can be played or edited. There are, however, some important differences between segments and sequences:

- Segments and sequences reside in different sections of the Sequences Window:
- Unlike sequences, key equivalents and MIDIKeys cannot be assigned to segments;
- When no longer referenced by any parent sequences, segments are automatically deleted.

NOTE: If you uncheck the Automatically Remove Unused Segments option in the Sequences Window menu, segments are not auto-deleted.

If you need to assign a key equivalent or MIDIKey to a segment, you can turn it into a sequence. Do this in the Sequences Window by dragging it from the Segments section to the Sequences section.

For details on sequence event parameters, which describe how to play segments and sequences, please see *Sequence Events (pg. 96)*.


Making a Segment

The following example illustrates how to make a segment from existing tracks:

1 In the Tracks Window, highlight the desired track blocks.



② Select Edit>Make Segment/Loop. The Make Segment dialog opens.



With multiple tracks selected, you can specify to combine them into one segment by choosing "Make one segment with multiple tracks," or you can keep the tracks separate with "Make single-track segments."

③ For this example, specify the Make one segment option. Enter a name for the segment and click Make. The previously selected track material is replaced by a sequence event block in the Tracks Window, and the new segment is listed in the Segments section of the Sequences Window.



Figure 13.2: Sequence event block

Single-track Segments

In the previous example, four existing tracks were combined into one segment. As seen in Figure 13.2, sequence events that reference segments, or sequences, with multiple tracks are displayed as white (named) blocks.

However, when you make a segment from just one track (or if you choose the "Make single-track segments" option in the Make Segment/Loop dialog), the resulting sequence event block displays the track data and color, see Figure 13.3.




Figure 13.3: Making a single-track segment

NOTE: Double-clicking a single-track sequence event opens the default edit window (Graphic or List), instead of a Tracks Window.

Single-track segments always play back using their parent track's Instrument.

Looping Track Regions with Segments

Segments can loop independently of tracks. This means that tracks can contain nested loops. For instance, your track could be set to loop for 12 bars while a 3 bar segment, within the track, also loops a number of specified times. Looped segments can begin playing anywhere within a track, and can be set to any loop length.

The following example illustrates how to loop a one measure phrase by turning it into a segment:


 Highlight the desired track region and select Edit>Make Segment/Loop.



② In the Make Segment/Loop dialog, check the **Loop** option and specify the number of times you'd like the material to repeat.



In addition, make sure the selected material for the loop has the correct **Start** and **End** times. If necessary, use the "Round to nearest bar lines" checkbox.



③ Enter a name for the segment and click Make.



The previously selected track material is replaced by a sequence event block in the Tracks Window, and the new segment is listed in the Sequences Window.



Figure 13.4: Looped segment

The resulting sequence event block displays the looped material, followed by grayed regions that indicate the number of times it repeats (see Figure 13.4).

Using Segments to Create Loops in the Middle of a Track

An advantage of using segments for loops is that they can start and end anywhere in a track. The material you select, just before "making" the segment, doesn't have to start at measure 1; in fact, it can start anywhere in the track and it needn't fall precisely on the bar line.

Figure 13.5 illustrates looping a track region that begins just before the bar line.




Figure 13.5: Use segments to loop any region of a track

When making a segment that doesn't fall squarely on the beat, make sure to uncheck **Round to nearest bar lines** in the Make Segment/Loop dialog.

Of course once a segment is made, it can, like any other track block, be moved or nudged to your liking.


Resizing Segments/Loops Graphically

Once a segment is made you can still adjust the loop length and number of repeat times. You can type in new values for these numbers in the info area or List Window (see *Sequence Events (pg. 96)*), or you can graphically edit the segment in the Tracks Window.

When moving the cursor near the end of a looped segment, the Repeat cursor appears. Click and drag left or right to change the number of times the segment repeats.



When placed near a segment's loop end point, your cursor changes to a Resize cursor. Click and drag to the left or right to resize the loop range.



SEQUENCE EVENTS

Sequence events are aliases to sequences and segments. Sequence events, which reside in a parent sequence, describe how to play the referenced material.

Sequence events can be:

- Recorded in step or real time by typing a sequence's key equivalent;
- Inserted in the List Window from the Insert Event pop-up.
- Pasted into a Tracks or List Window (after copying a sequence or segment from the Sequences Window).

In addition, whenever using the **Do>Make Segment/Loop** command, (see page 94), a corresponding sequence event is automatically inserted to replace the original material.

Sequence Event Parameters

Sequence event parameters can be viewed and edited from the Info Area of the Tracks and Pulse Windows. Simply click on the sequence event block and information for that sequence event is displayed, see Figure 13.6.




Figure 13.6: Sequence event info

The sequence event parameters from the info area, as shown in Figure 13.7, are described below:



Figure 13.7: Sequence event parameters in info area of Tracks Window

- Sequence/segment: This pop-up lists the name of the referenced sequence or segment. Choose from the pop-up to reference a different sequence or segment.
- Record: Use this toggle, which is only available for single-track sequence events, to record-enable the referenced track, which lets you record into the track from the parent sequence.
- Mute: This toggle mutes all tracks in the referenced sequence (for that sequence event).
 - Selected sequence events can also be muted by choosing **Do>Mute>Mute Seq & Audio Events**.
- 4 Length: Specifies the duration of the sequence event. This value is independent of the actual length of the referenced sequence or segment. For instance, you could have a sequence that is 32 measures long and only play the first 8 measures.

Click in the left or right edge of this field (:) to turn looping on and off.
You can also change sequence event

You can also change sequence event lengths graphically in the Track Overview section (see page 96).

- **S** Loop: If the sequence event is looped, this field determines how many times the material repeats. You can also edit the number of repeats graphically in the Track Overview section (see page 96).
- **Transpose**: Click in this field to transpose the referenced material up or down by a specified number of semitones.
 - This lets you transpose a sequence's playback without affecting the original track material.
- Instrument: Use this pop-up, which is only available for single-track sequence events, to reassign the parent track's Instrument.
 A single-track sequence event always
 - A single-track sequence event always plays back with the parent track's Instrument.
- Player: Determines the assigned Player for the sequence event. This parameter is only visible with the info area open.

In order for two sequence events to play at the same time in the same time track, they must be assigned to different Players. Each track can use up to 9 Players.

NOTE: A similar set of sequence event parameters can also be viewed and edited in the List Window. For details see Sequence Events in the List Window (pg. 103). With the info area open, you can view and edit the Play Quantize settings for single-track sequence events. These settings are those of the track residing in the referenced sequence or segment—all parent tracks referencing that sequence will be affected by changes.

Click the open/close triangle to open the info area in the Tracks and Pulse Windows.




Figure 13.8: Info area displaying Play Quantize settings for sequence event

For information on Play Quantize and other Quantize topics, see *Chapter 10: Quantize, Shift, and Nudge.*

NOTE: The Play Quantize settings for a parent track (which is separate and distinct from the tracks in the referenced sequence) do not affect how sequence event material is played.

The actual placement of sequence events, however, is affected by the parent track's Play Quantize settings.

ARRANGING/EDITING SEQUENCE EVENTS

You can work with sequence event blocks in the Track Overview much like any other track data. Simply drag, copy, paste and nudge the sequence events blocks as desired. As mentioned on page 96, you can also graphically adjust the length or number of times the event loops.

NOTE: Deleting the sole remaining sequence event that points to a segment, automatically deletes that segment, removing it permanently from the Sequences Window. You can avoid this by unchecking Automatically Remove Unused Segments in the Sequences Window menu.

The Parent-Child Relationship

Generally, sequence event material acts as part of the parent sequence that contains it. Even though referenced sequences and segments have their own Meter and Tempo tracks, these tracks are usually ignored when the material plays from a parent sequence. Instead, the meter and tempo information from the parent sequence is used.

NOTE: If a sequence's Sync Mode is set to "Off," it will use its Tempo track when playing from a sequence event. See Sequence Controls (pg. 53) for details.

Opts: Song Track and Keep Sequences End-to-End




Figure 13.9: Sequence event pop-up menu

When selecting a track that contains sequence events in the Tracks Window, the **Opts** pop-up menu displays the following options:

Song Track

Check this option to copy the tempo information from the referenced sequences (in that track) to the parent sequence. This lets the parent sequence play back with the tempo of the referenced material.

The parent sequence's Meter and Tempo tracks are updated automatically if any changes are made to the sequence events contained in the *Song Track*.

Each sequence can only have one Song Track. If you already have Song Track enabled for one track, enabling it for another track disables the option for the previous track.

Keep Sequences End-to-End

When both Song Track and Keep Sequences End-to-End are checked, Vision keeps sequence event blocks neatly together, one after another (the end point of one sequence event is the start point of the following sequence event). This is a handy option when chaining together sequences to make songs.

Dragging, resizing, or changing the number of repeats for any sequence event block (as well as inserting or deleting sequence events), causes existing sequence events to move accordingly.



Also, the Meter and Tempo tracks of the parent sequence automatically change to match those of the sequence events residing in the Song Track. All meter, tempo, key, and marker events in the referenced sequences therefore end up in the parent sequence. In addition, a marker is automatically inserted at the beginning of each sequence event with the name of the referenced sequence or segment.

IMPORTANT: In order for a parent sequence to use both the Meter and Tempo tracks of the sequence events in the Song Track, both options in the Sequence Event pop-up must be checked.

The Opts pop-up also displays "Song Track" and "Keep Sequences End-to-End" in the List Window of any track containing sequence events.



Figure 13.10: Sequence Event pop-up in List Window

For information about "Lock Event SMPTE Times", see *Opts Menu (pg. 262)*.

Editing the (Actual) Referenced Material

You can double-click a sequence event block to edit the referenced sequence or segment. Doing so opens a Tracks Window for the referenced material. If, however, you double-click a single-track sequence event, the default edit window opens instead.

NOTE: Double-clicking a single-track sequence event that references a drum track opens a Pulse Window.

Referenced material is displayed in edit windows in terms of its place within the parent sequence. For instance, if the sequence event starts at bar 5, each of its edit windows display barlines beginning with bar 5, using the parent sequence's meter. The SMPTE times shown are based on the parent sequence's SMPTE offset and tempo track. There are, however, two exceptions to this:

- If Options>Local Sequence Times is checked, editing and playing a sequence event works independently of the parent sequence. Its SMPTE offset, markers, meter, and tempo will all affect display and playback. However, even in this case, playing the parent sequence still ignores meter and tempo information in the referenced sequence or segment.
- If a sequence's **Sync Mode** is set to "Off," then its tempo is used when playing from a sequence event. However, the SMPTE and bar/beat/unit times shown in edit windows will still use those of the parent sequence—unless **Options>Local Sequence Times** is checked.

NOTE: Double-clicking any sequence or segment from the Sequences Window will open it as a normal sequence. It will use its own Meter and Tempo tracks, and all edit windows will use "local" sequence times.

References

Remember, it is possible for a sequence or segment to be referenced by many parent sequences. Therefore, editing a referenced sequence or segment affects its playback in all parent sequences.

If you need to keep tabs on how a sequence or segment is referenced, just look in the Sequences Window. The References column lists each reference for both sequences and segments. Although the column displays just one reference at

a time (the first one), you can click in that column for a complete pop-up listing of each track (along with its first bar occurrence) that references it. See Figure 13.11.




Figure 13.11: Pop-up of sequence event references

Nested Sequence Events

A sequence event can contain other sequence events. This is known as having "nested" sequence events. However, this can lead to some confusion when double-clicking a number of sequence events to make edits.

You can, however, check the nesting of sequence event material by Command-clicking the title bar of its Tracks Window (or any edit window). A pop-up will show you the heritage of the sequence event(s). Choosing from the pop-up opens the Tracks Window for that sequence (or a List Window for a track).

For example, assume you have a sequence called "Chorus" that contains a track called "Track 1." Within "Track 1" is a sequence event referencing a segment called "Ostinato." Command-clicking the title bar of the "Ostinato" Tracks Window produces a pop-up menu as seen in Figure 13.12.




Figure 13.12: Nested sequence event

NOTE: The heritage pop-up menu only appears in edit windows when opening a sequence or segment by double-clicking a sequence event from a parent sequence.

Unmaking Sequence Events

This section describes how to *unmake* a sequence event—which is not the same as deleting it. When you unmake a sequence event, Vision takes the referenced material and places it in the parent sequence.

To unmake a sequence event:

 Click on the sequence event block in the Tracks Window to select it.

Track	:	Len		ø	Instrument	1
Piano	Г	24		Г	Sequence Events	Verse
Bass		24			MicroWave-3	*
String Arpeggios		24			Prophet 5	
Drum Loop	:	8	:	ø	S1000 (GM Kit)	
Volume data		12			Wavestation-1	
Pan data		8			S1000-4	

② Choose Edit>Unmake Sequence Event.

Track	:	Len	:	ø	Instrument	9 17
Piano	Γ	24		Г	Wavestation-4	
Bass		24			MicroWave-3	
String Arpeggios		24			Prophet 5	
Drum Loop	:	8	:	ø	S1000 (GM Kit)	
Volume data		12			Wavestation-1	
Pan data		8			S1000-4	

The track material from the referenced segment is placed in the appropriate tracks in the parent sequence.

When unmaking sequence events, Vision places the track data in tracks with similar names and similar Instrument assignments. This ensures that if you had originally turned track material into a segment from this parent sequence, the original data returns to its previous tracks.

For each track in the sequence event that does not have a matching track in the parent sequence, Vision adds a new track at the bottom of the parent's Tracks Window.

NOTE: If a segment has just one sequence event referencing it, unmaking that sequence event will automatically remove the segment permanently from the Sequences Window. You can avoid this by unchecking Automatically Remove Unused Segments in the Sequences Window menu.

IMPORTANT: If, in the Track Overview area, you select a sequence event block that overlaps with other events, Vision selects the overlapped events as well as the sequence event. When any events other than a sequence event are selected, the command in the Do menu read "Make Segment" rather than "Unmake Sequence Event." To isolate the sequence event from the other events, open a List Window and select it there (see Sequence Events in the List Window (pg. 103)).

SEQUENCE EVENTS IN THE LIST WINDOW

Sequence events can be inserted and edited from the List Window. The List Window displays a set of sequence event parameters very similar to those found in the info area of the Tracks and Pulse Windows (see *Sequence Event Parameters* (pg. 96)).




Figure 13.13: Sequence event in List Window

While sequence events are transposed from the info area by a number of semitones (+/-), transposing in the List Window is done by adjusting a transpose value around C3; set it to D3 for instance and the sequence plays back a whole step higher. And while sequence events can be muted *and* record-enabled from the info area, the List Window can only mute the sequence event.

To select a sequence event in the List Window, click on its selector dot, located to the left of its bar/beat/unit location. Another selector dot, directly to the left of the sequence name, can be double-clicked to open an edit window for the referenced sequence or segment.

Inserting Sequence Events in the List Window



Use the List Window's Insert Event popup to insert sequence events. When sequence events are inserted, they reference an existing segment or sequence. If there are no other sequences or segments in the file (aside from the parent), a new segment is automatically created when inserting the sequence event.

Sequence Event Types




Figure 13.14: Sequence Event submenu

Using Vision's Players & Queue Window (see page 113), multiple sequences can be triggered for playback "on the fly." And, you can use the Trigger modes from the Control Bar (page 185), or from an Input Map (page 326), for special gating effects and real-time transpositions.

This real-time interaction can be recorded into a track. What actually gets recorded are sequence events. In addition to basic sequence events (which is what most users will likely encounter), there are special sequence event types that may show up in the List Window—depending on how the sequences were triggered.

Each of the sequence event types, which can also be inserted from the Insert Event pop-up, are described below:

• Sequence Event

This is a basic sequence event; it stops all sequences playing on that Player and plays the referenced sequence.

+Sequence Event

+Sequence events is similar to a basic sequence event, except that it does not stop sequences already playing on the Player. When you record a performance in Trigger mode, the first key you play records a basic sequence event. Each additional (simultaneous) key you play records a +sequence event.

This way, if you play a three-note chord, three copies of the sequence play simultaneously. When you release it and play a new note, the three copies stop, and a new one begins. When you record a performance in Continuous Trigger mode, each key you play records a +sequence event.

Gated Sequence Event

A gated sequence event is displayed in the List Window with a ± sign. It is like a +sequence event, but it has a duration. It starts the current sequence playing on the current Player, transposed as indicated, and stops it after the duration indicated. Every note played in Gated mode records one gated sequence event.

Stop Sequence

A Stop Sequence event is recorded in Vision by typing Shift-Return during playback. It stops all sequences playing on the indicated Player.

Transpose

This inserts a transpose event, *not* a sequence event. It transposes all sequences playing from the parent track, regardless of the Player being used. This event *cancels* any previous transposition value and sets a new one.

SUBSEQUENCES—THE OLD WAY

Vision 3.5 and earlier used to use *subsequences*, not segments. Instead of "making" segments, subsequences were made and they resided within their parent sequence. In addition, when inserting or step recording sequences, the referenced, original sequence was cloned and placed in the parent sequence.

Subsequences did not appear in the Sequences Window. Therefore, the only way to view and edit them was to double-click them from their parent sequence.

When opening older Vision files, each occurrence of a subsequence is converted into a segment, which then resides in the Segments Section of the Sequences Window. Also, within each parent sequence a sequence event is inserted that points to the newly converted segments.

Although the older files should play as before, realize that the new sequence events work as aliases that point to the sequences and segments in the Sequences Window.

PART 4: Advanced Concepts

CHAPTER 14: Generated Sequences

GENERATED SEQUENCES

Generated sequences are a special class of sequences. Vision uses these sequences to generate new and interesting music from existing notes and rhythms.

Use generated sequences to create:

- ostinato patterns
- · random percussion parts
- experimental track morphings (superimpose rhythms from one track onto pitches from another)

To open a new generated sequence, choose **New Generated Sequence** from the menu in the Sequences Window.




Figure 14.1: Generated Sequence Tracks Window

The Generated Sequences Window has some similarities to the Tracks Window—such as fields for Meter, Tempo and Sequence length, Edit In/Out points, and even a Record column (for an explanation of these items, please see *Chapter 25: The Tracks Window*).

NOTE: Generated sequences are listed in the Sequences section of the Sequences Window, and can also be saved as Sequence Templates.

Generated sequences consist of a Note track and Rhythm track. The Note track stores notes, chords, and even sequence events. The frequency at which the events in the Note track play back is determined by the **Attack Mode**; the durations for these events is determined by the **Duration Mode**.

If the Attack Mode pop-up is set to Rhythm track, the events in the Note track play back with the rhythms stored in the Rhythm track. The actual order in which the data in both tracks play is determined by the **Order** pop-up.

For right now you don't need to know about all of the details for each of these options (they are discussed in *Generated Sequence Components (pg. 109)*). The

best way to learn about generated sequences is to actually make one and experiment with some of the possibilities.

Creating a Generated Sequence

The following example shows how to create a very basic generated sequence, one which uses the notes in a C major scale:

Choose New Generated
 Sequence from the menu in the
 Sequences Window.

The Generated Sequences Window opens.

② Set the Record Mode pop-up in the Control Bar to Step Replace, then Record enable the Note track in the generated sequence.



3 Click the **Record** button in the Control Bar.

Vision enters record mode and the Step Window opens. Set the Step Size to **eighth** notes.

Using your MIDI controller, play in a C major scale (starting with C3 and ending with C4).

The notes are step recorded into the Note track.

(5) In the pop-ups for Attack and Duration, select **Note track**.



This configures the Note track to play back with it's own rhythm and durations.

Set the sequence length to 2 and turn on loop. Click the Play button in the Control Bar.



The sequence loops through the notes in the C major scale.

Next select Radom from the Note track's Order pop-up.



The notes are played in random order.

To break up the monotony of the Note Tracks's rhythm, select Random in the Duration Mode's pop-up and set the fields to 1, 2, and 16th notes.



The notes are randomly played back every 8th or 16th note.

Olick the Stop button in the Control Bar to stop playing.

The previous example represents just the tip of the ice berg in terms of possibilities for generated sequences. If desired, you could have recorded a Rhythm track and used it's timing, even in random order. And instead of just single notes, you could have recorded chords or even sequence events into the Note track.

GENERATED SEQUENCE COMPONENTS

The following sections discuss each of the main components used in generated sequences, which include Attack Mode, Duration Mode, Note and Drum Tracks, and Order Mode.


Attack Mode



Figure 14.2: Attack Mode Pop-up


The Attack Mode determines how Vision generates the timing used for playing the notes from the Note track. The following choices are available from the Attack Mode pop-up:

Rhythm Track




The Note track plays back with the rhythm of the Rhythm track. Use the Velocity value to influence the note velocities (100% uses only the Rhythm track velocities, 0% uses only the velocities in the Note track; intermediate values average the two). Click the Quantize toggle to enable Grid Quantize for the Rhythm track's playback.

Note Track



The Note track plays back with its original timing. Click the Quantize toggle to enable Grid Quantize for the Note track's playback.

Constant



Notes from the Note track are played at a constant rate, as specified by the number of note values. In the above example, Vision generates a note every eighth note (i.e., every 2 sixteenth notes).

Random



Notes from the Note track are played at a random rate, based on the range specified in the fields. In the above example, Vision generates a note every eighth note (1×8) , quarter note (2×8) , or dotted quarter note (3×8) .

Duration Mode




The Duration Mode determines how Vision generates durations for the notes in the Note track. The following choices are available from the Duration Mode pop-up:

Rhythm Track



The durations from the Rhythm track are used for playing the notes in the Note track. Click the Quantize toggle to quantize the durations in this track.

Note Track



The Note track plays back with its original durations. Click the Quantize toggle to quantize the durations in this track.

Constant



The notes in the Note track play with durations that are constant, as specified by the number of note values.

Random



The notes in the Note track play with random durations, as specified by the range in the fields. The above example randomly chooses between eighth notes (1×8) , quarter notes (2×8) , dotted quarters (3×8) , and half notes (4×8) .

Constant Gap



The Note track plays back with a constant gap between each note. The gap size is specified by the number of note values (for instance, 2 eighth notes = 1 quarter note gap).

Random Gap




The Note track plays back with a random gap between each note, as specified by the range in the fields.

Percent



The Note track plays back with note durations that are a percentage size. A value of 100% results in legato; use over 100% for notes that overlap; durations under 100% result in gaps between the notes.

Random Percent



Similar to the Random setting, this option sets the durations to a random percentage value within the specified range.

FOR ILLUSTRATIONS of gap and percent settings, see the section on Duration (pg. 339) in Chapter 36: The Step Window.

Generated Sequence Tracks

Tracks in a generated sequence include Meter, Tempo, Rhythm, and Note. Meter and Tempo tracks work just as they do in regular sequences.

The Note and Rhythm tracks are recorded just like tracks are in the Tracks Window. You can also edit these tracks or paste data into them from other sequences.

Rhythm Track

The Rhythm track, which is optional, stores rhythmic patterns that can be assigned to the notes in the Note track. The Rhythm track is only used if the Attack Mode or Duration Mode is set to **Rhythm Track**. Otherwise, it is ignored.

When recording or pasting into the Rhythm track, the only events recognized are notes, chords, patch and sequence events (other data types are discarded). It is only the durations and spacings of these events that is significant—Vision ignores all other information during playback.

Note Track

The Note track stores the notes, chords, patch and sequence events that Vision uses to generate the sequence. The Rhythm Mode determines the spacing of the events, the Duration mode determines their durations.

When recording or pasting into a Note track, Vision removes all events except notes, chords, patch events, and sequence events. The durations and spacings are not significant unless the Attack Mode or Duration Mode is set to **Note Track.** Otherwise, the original durations and spacings are ignored.

Order Mode Pop-up



The Order Mode pop-up determines the order in which the contents of the Note track and Rhythm track are played. The choices available from this pop-up are:

- Forward plays track events in their original order.
- Reverse plays track events in reverse order.
- Alternate plays track events in their original order, then in reverse order. First and last events are only played once.
- Random plays track events in random order.

Looping Generated Sequences

٠	R	Track	:	Order	÷	Instrument
٠		Rhythm Track	ŀ	Forward	÷	Rhythm Track
٠		Note Track		Random		₹Vavestation-1

Figure 14.3: Click on the edge of the Order column to toggle a track's loop mode

There are a few things you need to know about looping tracks in a generated sequence. Unlike normal tracks, the length of a track is not important in a generated sequence—the number of events is what matters.

An unlooped generated sequence stops playing after it has played all of the events in an unlooped Note track. However, if its Order Mode is set to Alternate, Vision plays twice as many notes since it plays through the data twice.

If the Note track is looped, the generated sequence plays for its Sequence Length (or indefinitely if the sequence is looped or set to infinity).

When using a Rhythm track that isn't set to loop, the generated sequence stops at the end of the Rhythm track. This of course depends on the Order Mode of the Rhythm track, just like with the Note track.

CHAPTER 15: Players and Input Effect

PLAYERS & QUEUE WINDOW

Sequences can be triggered for playback by typing their assigned key equivalent, or you can use the sequence's MIDIKey. With the Players & Queue Window, you can "queue up" several sequences to audition a playback order, and you can even have multiple sequences playing at the same time on different "Players."




Figure 15.1: The Players & Queue Window

Queue Mode

⊠ Queue

When the **Queue** option is checked, you can type up to 12 sequence letters, placing them in a "queue." When the current sequence is finished playing, the next sequence in the queue is played. This is useful for auditioning different arrangements of your sequences.

NOTE: If you trigger a sequence whose length is set to infinity, that sequence will play forever (unless stopped) and other sequences in the queue will never play.

If the Queue option is unchecked and you type a new sequence letter, Vision stops the current sequence and plays the new one.

Players

The Players & Queue Window has up to 9 **Players**, each of which can play its own sequence. Therefore you can have up to 9 sequences playing simultaneously from the Players & Queue Window.

Each of the players has its own queue for up to 12 sequences. When Queue is enabled, typed sequences are entered into the queue of the currently selected Player. To switch to another Player, click on its number in the Players & Queue Window—or simply type the Player's number.

NOTE: Typing a Player's number switches to that Player only if the Players & Queue Window is open.

NOTE: When using the Control Bar to play a sequence that has a record-enabled track, that sequence is not played by a Player. It therefore will not be interrupted by typing another sequence key.

Following is a short example of how to queue up multiple sequences from the Players & Queue Window:

① Choose Windows>Players & Queue.

The Players & Queue Window opens.

- ② Make sure the **Queue** option is checked (enabled).
- ③ Select a Player by clicking its number, or by typing its number.
- 4 Type the sequence keys you'd like played on the current Player.

The first typed sequence plays and the others are placed in the queue.

⑤ To play other sequences simultaneously, switch to a different Player and type the desired sequence keys.

Sync Mode Affecting Playback

To trigger a sequence's playback "on the beat," instead of when you type the sequence letter, set the sequence's Sync mode to **Start**. If you want the sequence to play with its own tempo setting, independent of the Master Tempo, set the sequence's Sync mode to **Off**.



Figure 15.2: Setting the Sync mode for a sequence

To view a sequence's Sync mode, click the Information toggle (1) in the Tracks Window. See *Sequence Controls (pg. 53)* for information on each of the Sync modes.

Stopping a Player

Typing the Return key stops all Players and clears all queues.

However, you can type Shift-Return to stop the sequence on the current Player. If there are more sequences in that Player's queue, the next sequence in the queue begins playing.

Trigger and Transpose Modes

You can use Vision's Trigger modes to affect how sequences play back when triggered in real time. These special Trigger modes can be accessed from the **Thru**Instrument pop-up in the Control Bar

(see page 185), or they can be defined as part of a key zone in an Input Map (see page 326). Depending on the particular Trigger mode, sequences can be transposed "on the fly" by playing different notes on your MIDI controller, or they can be gated with the duration of played notes.

Playing multiple sequences, with or without the Trigger modes, can be recorded into a track. The events recorded are not actual notes but *sequence events* describing how the sequences were triggered for playback. For a description of the various sequence event types, see *Sequence Event Types (pg. 103)*.

INPUT EFFECT WINDOW

The Input Effect Window processes notes from your MIDI controller. Depending on the mode of the Input Effect, the processed notes are either repeated or arpeggiated. The rhythm of the notes played can use either Grid or Groove Quantize values.

Choose **Windows>Input Effect** to open the Input Effect Window:




Figure 15.3: Input Effect Window

Following is a description of the components in the Input Effect Window:

- Enable: Click this toggle button to enable the Input Effect.

 The Input Effect can also be enabled by selecting Setups>Enable Input Effect. In addition, the Input Effect can be enabled "on the fly," temporarily, with the Input Effect MIDIKey (see page 173).
- 2 Input Effect type: This pop-up determines which Input Effect is used. "Arpeggiate" plays the notes one after another, based on the setting in the Order pop-up.
- **3** Latch: When checked, you can play a chord and remove your fingers from the keys—the input effect will continue to play until you strike a new set of notes.

"Repeat" plays repeated notes.

4 Sync to Counter: Check this option if you'd like the Input Effect to play in sync with the Counter (and current sequence).

The placement of the played notes is determined by the Spacing value. If it's set to 8th notes, for instance, notes are played on every 8th beat.

6 Order: Determines the order of notes played with the Arpeggiate mode.

"Up" plays the notes in ascending order (lowest notes first).

"Down" plays the notes in descending order (highest notes first).

"Alternate" plays the notes *up* and then *down*. First and last events are played just once.

"Random" plays the notes in random order.

- **Octaves**: For Arpeggiate mode, expands the range of notes played by a specified number of octaves (up to 3).
- **♦ Spacing**: Determines the rhythmic spacing of the played notes. Click on this pop-up to specify the duration when using Grid, or the "Groove Source" when using Groove.

Command-click the pop-up to switch between Grid and Groove. To see the full set of Spacing (Quantize) parameters, click the open/close triangle.

3 Duration: Specifies the duration of the played notes.

"Independent" sets the duration independently of the Spacing size. The value can be specified by a note duration or number of units.

"Spacing Minus Gap" lets you set the rest space (gap) between notes. The gap can be specified by a note duration or number of units.

"Percent of Spacing" sets the duration to a specified percentage of the Spacing size. Open/Close Triangle: Click this toggle to open and close the lower portion of the Input Effect Window.



With the lower portion open, all of the Spacing's Quantize parameters are accessible. For a description of these parameters, see *Quantize Parameters* (pg. 129).

Configuring the Input Effect Window

The following example shows how to configure the Input Effect as an arpeggiator:

- ① Choose Windows>Input Effect.
 The Input Effect Window opens.
- ② Enable the Input Effect by clicking its toggle, and set the mode to **Arpeggiate**.



3 Set the Spacing value to 16th notes.



If the Spacing mode is set to Groove, Command-click on the pop-up to switch to **Grid**



4 Set the Duration pop-up to Percent of Spacing.



Then type in a value of **50%**. This will make the notes play back with a duration of 60 units (half that of the spacing), adding a staccato feel.



- Select Alternate from the Order pop-up.
- Enable the Latch option by clicking its checkbox.
- 7 Play a chord on your MIDI controller.

The notes are played arpeggiated in forward and then reverse order.

You don't have to hold the chord down since Latch is enabled.

Play a different chord on your MIDI controller.

The previous set of notes from the first chord automatically stop and the new notes are arpeggiated.

Enter a value of +1 in the Octaves field.

The range of arpeggiated notes is doubled by adding an octave for each note in the chord.

10 To stop the Input Effect, uncheck the **Latch** option.

Recording with the Input Effect

If the Input Effect is enabled while recording, notes played by the Input Effect are recorded. Enable **Sync to Counter** to ensure that each note is recorded precisely on the beat, or disable it if you want the notes recorded as you trigger them—either way, the Input Effect uses the tempo of the recorded sequence (and the distance between the notes is determined by the Spacing settings in the Input Effect Window).

Setting the Input Effect to **Repeat** works well for recording repeated rhythmic notes and drum rolls. You can even apply aftertouch pressure to affect the velocity of the played notes (check the option for "Aftertouch Sets Effect Velocity" in the Settings Window).

PART 4: Advanced Concepts

For details on using the Input Effect while recording, see *Drum Machine Style Loop Recording (pg. 45)*.

CHAPTER 16: Select & Modify

Use the Select & Modify Window to perform precise and exacting selections and edits. This window offers such a wide range of capabilities you can even store and recall Select & Modify Templates with your favorite settings (see *Chapter 20: Templates*).

The Select & Modify Window has primarily two functions: (1) to select data and (2) to modify it. The upper portion of the window determines the selection criteria for the data, the lower portion of the window determines the type of modification performed.




Figure 16.1: Select & Modify Window

Since both portions of the Select & Modify Window can be opened and closed by clicking the corresponding triangle (), you can use either function of the window—or both.

When invoking some of the commands in the Do menu, the Select & Modify Window opens and is automatically configured for that task. This is the case with Transpose, Quantize, Modify, Reassign, Set Instrument, and Substitute.



Figure 16.2: Set Instrument

If you choose **Do>Select>Select by Rule**, the Select & Modify Window opens with just the "Select" function activated.



Figure 16.3: Select by Rule

The Select & Modify Window can also be opened by choosing **Windows>Select & Modify**. Doing so opens the window in its most recent state.

No matter how the Select & Modify Window is accessed, its upper and lower portions can always be opened and closed. And you can always completely reconfigure either the selection criteria or the modify task as desired.

SELECT & MODIFY WINDOW




Figure 16.4: Select & Modify Window

Following is a brief description of the items in the Select & Modify Window:

● Event Type pop-up: Specifies the type of events from which to select. Depending on the range of events selected, these can include events (all), note events, audio events, and various automation events.

The events available from this menu are those residing in the selected track or sequence. If the selected track or sequence contains more than one event type, "Events" appears selected by default.

The item chosen in the Event Type pop-up determines which selection attributes are available in the Select area.

- **2 Select area**: Displays attribute lines that further define the selection.
 - **±** Click the add button to add an attribute line.
 - Click the remove button to remove a line.
- **Modify Type pop-up**: Specifies the modify type used. The available Modify types in this pop-up menu are determined by what's selected in the Event Type pop-up. See *Modify Types* (pg. 124) for a complete list.
- **Modify area**: Displays all parameters for the specified Modify type.
- Select button: Selects events based on the attributes listed in the Select area.
- **6 Add To button**: Adds events (matching the attributes in the Select area) to the current selection.
- **Refine button**: Further refines the current selection using the attributes in the Select area.
- **Modify button**: Performs the modify function as described by the parameters in the Modify area. The name of this button changes depending on the Modify type (Quantize, Move, Reassign, Delete, etc.).

IMPORTANT: Clicking this button automatically selects the material based on the attributes in the Select area (if the Select area is open). • Double button: Performs the modify function on a copy of the selection, leaving the original data unaltered. When the Modify type is set to Transpose, this button is named Harmonize.

> IMPORTANT: Clicking this button automatically selects the material based on the attributes in the Select area (if the Select area is open).

Undo/Redo button: Undoes or redoes the most recent modify function. This command is also available at the top of the Edit menu.

IMPORTANT: If selected tracks or sequences contain sequence events, material referenced by the sequence events is also affected by Select & Modify operations.

Select & Modify Buttons

The buttons in the Select & Modify Window are active even if the window is not in front. You can click on the Quantize or Transpose buttons, for instance, and the window won't come to the front.

SELECT ATTRIBUTES

The Event Type pop-up specifies the type of events selected from. Attribute lines allow further refinement of the selection. For instance, you could specify "Notes" in the Event Type pop-up and then you could add an attribute line for selecting only notes that fall within a certain velocity or pitch range.




Figure 16.5: Select Attributes

Click the add button (+) to add an attribute line in the Select area. The type of attribute is chosen from the pop-up in the new line. The line can be removed by clicking the remove button (-).

NOTE: The available attribute types is determined by what's selected in the Event Type pop-up.

Attribute Types

Following is a list of attribute types:

- **Position**: Selects events based on their location or time range.
- **Event Type**: Selects events based on their event type.
- **Pitch**: Selects note events based on their pitch range.
- **Velocity**: Selects note or audio events based on their velocity range.
- **Duration**: Selects note or audio events based on their duration.
- Value: Selects continuous controller events based on their value, or range of values.
- Instrument: Selects events based on their assigned Instrument.
- Position in bar: Selects events based on their quarter note/units position within a bar.
- Position in beat: Selects events based on their beat position, as specified by a number of units (+/-) from the beat boundary.
- Position is between bracketed events: Selects events that occur between two specified event types.
- **Position in every group**: Selects events based on their numeric position within a sequential group of events (i.e. position in every group of "4" of these events is "3").

Attribute Conditions

Part of each attribute line is its *conditional* statement, which gives you even more flexibility in defining the selection. The following conditionals are available:

• is

Includes events only if they have one specified value.

is not

Includes events if their value is anything except a particular value.

• is... or less

Includes events equal or less than a certain value.

is... or more

Includes events equal or more than a certain value.

• is from... thru

Includes a range of events.

• is not from... thru

Excludes a range of events.

is... or

Includes two different values to search for.

Making a Selection

The following example illustrates some of Vision's selection capabilities.

In this example we want to select some hihat notes that are too loud so we can edit *just* them, and not the other notes in the track. We know that they are somewhere in bar 2 and have velocities around 100 or higher.

① Select the desired track and choose **Do>Select>Select by Rule**.

The Select & Modify Window opens configured for **Select**.

② Click the add button (+) to add an attribute line.



3 Make the new line read Position is from.



Specify "2•1•0 thru 3•1•0" for the Position range.

This determines that we will only select notes from bar 2.

4 Add another attribute line and make it read **Pitch** is **F#1**.



This specifies that only the hihats (F#1) are selected.

(5) Lastly, add a line that reads **Velocity** is 100 or more.

Position	is from	2 •1 • 0 thru 3 •1 • 0
Pitch	is	F#1
Velocity	is	100 or more

This last line specifies that only notes with velocities equal to 100 or more are selected.

Click the **Select** button to make the selection based on the defined attributes.

The notes are selected based on the specified attributes.




Figure 16.6: Selected notes in Graphic Window




Figure 16.7: Selected notes in List Window

MODIFY TYPES

The Modify Type pop-up determines which modify operation is performed, and which parameters are displayed in the Modify area.

NOTE: The available Modify types are determined by what's selected in the Event Type pop-up.




Figure 16.8: Modify type and parameters

The following Modify types are available:

- **Transpose**: Transposes or remaps the pitches of selected note events with any of 9 Transpose types (discussed on page 134).
 - Click the **Harmonize** button to transpose a copy of the selected material, leaving the original data unaltered.
- Change Velocity: Adjusts the velocities of the selected note or audio events.
- Change Release Velocity: Adjusts the release velocities of the selected note events.
- Change Duration: Adjusts the durations of the selected note or audio events.

 Quantize: Quantizes the specified events with either Grid or Groove Quantize.

NOTE: When "Events" is selected in the Events Type pop-up, Quantize only affects note, audio, and sequence events. All other event types (like continuous controllers) must be specified in the Events Type pop-up before they will be Quantized.

For a description of each Quantize parameter, see *Quantize Parameters* (pg. 129).

- Change Value: Adjusts the values for the selected continuous controller events. For details, see *Modifying Note Properties and Automation* Values (pg. 126).
- **Set Density**: Adjust the density of the selected continuous controller events. For details, see *Set Density* (pg. 127).
- **Reassign**: Changes one continuous automation type (MIDI controllers, pitch bend, aftertouch, velocity scale, audio volume and pan, send levels, continuous EQ parameters, and continuous plug-in parameters) to another. For details, see *Reassign* (pg. 127).
- Move: Moves selected events to a specific location, or by any increment forward or back. For details, see Move Events (Command-,) (pg. 413).
 Click the Double button to move a copy of the selected data, leaving the original data unaltered.

- **Trim Start Time**: Changes the start times of note and audio events without changing their end times. For details, see *Trim Start Time* (pg. 129).
- **Set Instrument**: Sets the Instrument for selected events. For details, see *Set Instrument (Command-I)* (pg. 418).
 - Click the **Double** button to assign a copy of the selected data to a new Instrument.
- Substitute: Replaces selected events with the contents of the Clipboard. For details, see Substitute (pg. 419)
- **Delete**: Deletes the selected events.

SELECT & MODIFY MENU




Figure 16.9: Select & Modify Window

The following commands are available in the Select & Modify Window menu:

Save Settings

Stores the configuration of the Select & Modify Window to the currently selected template.

Save Settings As

Stores the configuration of the Select & Modify Window to a new template. With this command you are prompted to name the new template.

Delete Template

Deletes the currently selected template.

Load From

Lets you load a set of templates from a *Vision Editing Templates* file that is not current. The loaded templates are merged with the current set.

Templates

The current set of templates is listed at the bottom of the Select & Modify menu. These templates represent those stored in the *Vision Editing Templates* file.

NOTE: The items listed in the Select & Modify menu are also available from the Do menu (when the Select & Modify Window is the active window).

MODIFYING NOTE PROPERTIES AND AUTOMATION VALUES



With the Modify Type pop-up set to Change Velocity, Change Release Velocity, Change Duration, or Change Value, the following operations are available:

Set to

Sets the note property or continuous controller value to a specified amount.

Scale by

Scales the note property or continuous controller value by a specified percentage.

Add

Adds to the note property or continuous controller value by a specified amount.

Max Limit to

Note properties or continuous controller values above the Max Limit value are reduced to that value.

Min Limit to

Note properties or continuous controller values below the Min Limit value are increased to that value.

Compress

Compresses or expands the data range while keeping the relationship between existing events proportional. With this command you can specify an upper and lower region for which events are selected, and an upper and lower region for the range of compression.

Set Legato to

(Change Duration only)

Modifies the space between notes by a percentage of the distance between their note-on locations.

Change Methods



When modifying note properties or controller data, values can be specified as Constant, Changing, or Oscillating:

Constant sets a constant data value for all events within the selected time range. This is just like using the Flat drawing shape in the Strip Chart (see page 247).

Changing sets a start and end value for the selected range of data. The *shape* determines how values are drawn for events between the start and end points. For a description of the Change shapes, see *The Edit Shapes Pop-up (pg. 246)*.



Figure 16.10: Changing Values

Oscillating sets a start and end value for the selected range of data. The *oscillator* determines how values are drawn for events between the start and end points. The *period* of the oscillator is specified by a number bars, beats, or units. For a description of each oscillator type, see *Oscillator Shapes (pg. 247)*.




Figure 16.11: Oscillating Values

Controller Values

When the Change is modifying controller values, you can also specify the density of the data, and which Instruments are affected. See Figure 16.12




Figure 16.12: Options for Changing Controller Values

SET DENSITY

The density of data for continuous controller events (MIDI controllers, pitch bend, aftertouch, and other automation events) can be modified with Set Density.




Figure 16.13: Set Density

The selected data is affected by the specified percentage (of the MIDI data stream). If the original events were entered at 5%, for instance, using Set Density with 10% would make the data twice as dense.

NOTE: **Set Density** is only available if the Event Type pop-up in the Select Area is set to a continuous controller type.

REASSIGN

Reassign changes one continuous controller type (MIDI controllers, pitch bend, aftertouch, velocity scale, audio volume and pan, send levels, continuous EQ parameters, and continuous plug-in parameters) to another.

Continuous paramenters are those parameters that have a numerical range of values. Parameters whose possible settings are on/off, etc. are not continuous,

and will *not* enable the **Reassign** command or appear as destinations that continuous controllers can be assigned to.




Figure 16.14: Reassign

Events can be changed to any MIDI controller, pitch bend, aftertouch, velocity scale, audio volume and pan, send level, continuous EQ parameter, or continuous plug-in parameter (if a plug-in is assigned).

NOTE: **Reassign** is only available if the Event Type pop-up in the Select Area is set to a continuous controller type.

Reassign submenus have the following options:

MIDI



Contains pitch bend, aftertouch, poly aftertouch, velocity scale, a generic "controller" option, and the eight **Favorite Controls** (as defined in the **Settings** window. When "Controller"

is selected, controller #7 (Volume) is chosen by default. You can then click on "Volume" and select a new controller from the pop-up that appears.

Automation



Contains audio volume, audio pan, and send levels.

EQ Band Parameter

EQ Band 1 Freq	EQ Band 2 Freq	EQ Band 3 Freq	EQ Band 4 Freq
EQ Band 1 Gain	EQ Band 2 Gain	EQ Band 3 Gain	EQ Band 4 Gain
EQ Band 1 Width	EQ Band 2 Width	EQ Band 3 Width	EQ Band 4 Width

Contains only continuous EQ parameters. Note that **EQ Type** and **Enable**, the other two EQ parameter types that are available in the List window, are not available here because they are not continuous events.

• Plug-in Parameter



Contains the names of plug-ins assigned to audio instruments in the sequence. After choosing a plug-in, another pop-up appears to the right displaying the selected plug-in's parameters. Because of the way that VST plug-ins are written, all parameters are considered continuous, so all parameters are listed in this pop-up.

Depending on the event types chosen in the Select and Reassign areas, another pop-up menu may appear asking which instrument the events should be reassigned to. The Instrument may be Audio or MIDI, depending on the event type chosen in the Reassign area. If the instrument pop-up is not shown, the reassigned events will be assigned to the same instrument that the selected events were assigned to in the first place.

For example, if you wish to reassign audio volume to audio pan, the Instrument popup won't appear because audio pan defaults to the same Instrument that the selected audio volume is assigned to.

If, on the other hand, you wish to reassign audio volume to mod wheel (MIDI controller #1), the Instrument popup will appear.



The default Instrument (the Instrument that the selected events are assigned to before the **Reassign** command is executed) is an Audio Instrument, and MIDI controllers cannot be assigned to Audio Instruments. So, you are prompted to select a MIDI instrument. Click and hold on the Instrument name to see a pop-up of available instruments.

TRIM START TIME

This command changes the start times of note and audio events without changing their end times.



Figure 16.15: Trim Start Time

You can trim the start times earlier or later by a specified amount, or you can move them to start at a precise location. Values for the move can be in "bars & beats" or "SMPTE time," as specified by the **Trim by** pop-up.

QUANTIZE PARAMETERS

This section describes the Quantize parameters for both Grid and Groove. In addition to the Select & Modify Window, the Quantize parameters are found in the info area (of the Tracks and Pulse Windows) when viewing track Play Quantize settings, and in the Input Effect Window's Spacing settings.

NOTE: For a more general discussion of Quantize procedures, for both Grid and Groove, see Chapter 10: Quantize, Shift, and Nudge.

For information on Quantize Templates and creating or modifying the Vision Grooves file, see Chapter 20: Templates.

Use the Quantize Type pop-up to switch between Grid and Groove. The available parameters change depending on the selected Quantize type.



Figure 16.16: Quantize Type pop-up

Grid Parameters




Figure 16.17: Grid Quantize parameters

Quantize Value

When using Grid, the **Quantize Value** determines the grid size used for the quantize. This value can be specified with a duration from the note pop-up, or with a number of units.



Figure 16.18: Quantize Value

If you enter a value in the units field that is not an equal subdivision of the beat, the note pop-up shows a ">" or "<" symbol along with the current note size, which indicates the approximate value.

Tuplet

Check the **Tuplet** option to define the grid size as a tuplet.




Figure 16.19: Tuplet option for Grid Quantize

The grid size is calculated from the Tuplet fields and the Quantize Value. If the Quantize Value is set to 8th notes, for instance, and the Tuplet specifies "5 in time of 1," then the grid size is equal to one fifth of the 8th note value (or 48 units).

Strength

The **Strength** setting determines how far notes are moved from their current location toward the quantize boundary. There are no negative settings.

- A setting of 100% aligns selected notes *on* the quantize boundary.
- A setting of 0% leaves the notes unchanged.
- Other settings move selected notes the specified percentage toward the quantize boundary from their current location.

Sensitivity

The **Sensitivity** setting defines a region in which notes are either selected (positive values) or excluded (negative values) from being quantized.

The Sensitivity value is expressed as a percentage that, at a maximum setting of ±100%, defines a region equal to the Quantize Value. This region extends half the distance from the quantize boundary to the next and previous quantize boundaries, respectively (see Figure 16.20).

NOTE: Since this maximum region exists for every quantize boundary in the area selected for quantization, neighboring regions are contiguous.




Figure 16.20: The area delineated by a Sensitivity setting of ±100% for a Quantize Value of 8th note

Positive and negative values for Sensitivity define the same region but perform inverse actions, both achieving useful but different musical effects:

 Positive values: Notes located within the region defined by the selected percentage are quantized. Notes beginning outside this region remain unchanged.

This synchronizes notes near the quantize boundary but treats notes further from the boundary as deliberate phrasing accents.

- Negative values: Notes located within the area defined by the selected percentage remain unchanged. Notes outside this region are quantized.
 - This considers notes close to the quantize boundary as deliberate phrasing accents and treats notes outside the region as mistakes.
- -100%: Although this setting creates the maximum region size, no quantize occurs.
- **0**%: No quantize occurs.
- 100%: All notes are selected for quantize.

For example, a 50% Sensitivity setting applied to a Grid Quantize Value of 8th notes defines an area 120 units wide (50% of an 8th note), extending 60 units ahead and behind the quantize boundary. Figure 16.21 illustrates this region. Notice that the note is not selected because it doesn't begin in the region.




Figure 16.21: 50% Sensitivity setting with a Grid Quantize Value of 8th notes

When using Groove Quantize, the regions created from a Sensitivity setting may be unequal in size. They may also surround the quantize boundaries asymmetrically due to the irregular size of the grid ele-

ments created from the Groove Source. Although the exact region is harder to define, it doesn't change the way the Sensitivity works. See *Groove Parameters* (pg. 133).

Smear

Smear adds randomness to the selected notes by moving them backward or forward in time *after* the defined quantize occurs. Values are selected randomly within the range specified by the Smear percentage to the Quantize Value.

For example, a smear value of 50% with a Quantize Value of quarter notes could result in a note appearing up to a 16th note before or after the quantize boundary. Smear also affects durations if Quantize Durations is checked.

Shift

The **Shift** setting is applied *after* the defined quantize operation occurs. Shift values range between -999 and 999 units.

- A negative shift moves the post-quantized notes earlier in time.
- A positive shift moves the post-quantized notes later in time.

Swing

Jazz musicians often play written 8th notes with a "swing" feel resulting in pairs of notes with durations between the triplet and dotted rhythms (see Figure 16.22). Other durations can also be swung but 8th notes are the most common.




Figure 16.22: Triplet and dotted representations for swung 8th notes

The two notes occupy the same amount of time as two "straight" durations, but their relative durations are different. The **Swing** setting shifts *every other* quantize boundary in the selection forward or backward in time to reflect the unequal division of duration between each pair of notes. A swing value of 50% is the same as no swing at all. Raise the swing percentage to add a swing beat.

Quantize Durations



If this option is checked, the durations of notes are quantized to the closest multiple of the Quantize Durations amount. This number is also the minimum note size—notes will not be quantized to zero.

The Duration Quantize Value does not necessarily have any relation to the Quantize Value, but the default amount is the same. The procedure for setting Quantize Duration parameters is the same as discussed in *Quantize Value (pg. 130)*.

Groove Parameters

Template: ▼	Type: Groove	Shift:	0 units
	10	Smear:	0 units
Seq: Linn 9000	Duration: 0 %	Sensitivity:	100 %
Track: ▼ 16th.w.#1	Velocity: 100 %	Strength:	100 %

Figure 16.23: Groove Quantize parameters

Groove Source

Groove Quantize can dramatically improve the musical integrity resulting from a quantized performance by using irregular, non-linear quantize boundaries derived from a "Groove Source." A Groove Source is a normal Vision track selected from a sequence stored in the "Vision Grooves" file (a normal Vision document that must be located in the same folder as the Vision application). The notes in the Groove source act as a rhythmic template by imposing their rhythmic values in a one to one correspondence with the notes in the track being quantized.

Select any sequence from the Vision Grooves file from the **Seq** pop-up. Each track in the selected sequence becomes available as a Groove Source from the **Track** pop-up.

The **Sensitivity**, **Strength**, **Shift**, and **Smear** parameters work as previously discussed in *Grid Parameters (pg. 130)*.

Duration and Velocity

The **Duration** and **Velocity** fields allow the durations and velocities of notes in the Groove Source to influence the quantize. Resulting values for both fields are calculated in the same manner:

- A value of 100% uses the velocities or durations from the Groove Source.
- A value of 0% leaves durations or velocities unchanged.
- Intermediate values combine the velocities or durations of the Groove Source track and the track being quantized:

Let X be the percentage in the Duration (or Velocity) field; D is the duration value for the note in the Groove Source; Q is the duration value in the track being quantized. The resulting value used is equal to $X \cdot D + (100 \cdot X) \cdot Q$.

For example, if a note in the Groove Source has a duration of 80 units, and the corresponding note in the track being quantized has a duration of 100 units, and the Duration field is set to 75%, then the actual duration used is

$$.75(80) + (1.0 - .75)(100) = 85$$
 units.

TRANSPOSE TYPES

This section discusses each of the different Transpose types and their parameters. The Transpose parameters appear in the Select & Modify Window, and when assigning a Transpose Map in the Instruments Window.

NOTE: For a general discussion of Transpose operations, see Chapter 11: Transpose. For details on creating Transpose Templates, see Chapter 20: Templates.

Use the Transpose Type pop-up to specify which type of transpose is used. The available parameters change depending on the selected Transpose type.




Figure 16.24: Transpose Type pop-up

Chromatic



Figure 16.25: Transpose type set to Chromatic

Transposes up or down by a specified interval (also displayed as a number of semitones). Enter a value in the **Octaves** field to extend the transposition by a number octaves.

Interval



Figure 16.26: Transpose type set to Interval

Transposes chromatically by semitones, as expressed by the difference between the two specified pitches.

Diatonic




Figure 16.27: Transpose type set to Diatonic

Transposes up or down by scale degrees in a specified key and scale type. Enter a value in the **Octaves** field to extend the transposition by a number octaves.

Click the **Constrain to Scale** option to restrict all transposed notes to the specified key and scale.

Invert



Figure 16.28: Transpose type set to Invert

Creates a mirror transposition (chromatically or diatonically) around a specified pitch.



Figure 16.29: Invert Transpose, chromatically

Use the diatonic version of Invert to ensure that the transposed notes stay in the specified key and scale.

Key/Scale




Figure 16.30: Transpose type set to Key/Scale

Transposes from one key and scale type to another. Enter a value in the **Octaves** field to extend the transposition by a number octaves.

Click the **Constrain to Scale** option to restrict all transposed notes to the specified key and scale.

Auto Map



Figure 16.31: Transpose type set to Auto Map

Lets you specify the number of notes per octave for source and destination maps. Use Auto Map to:

- Transpose all notes to just one note with a 128-note octave mapped to a 1-note octave.
- Perform obscure transpositions like a 24-notes per octave scale to a 12-notes per octave scale.
- Use an Instrument Transpose Map play semitones on a device tuned to quarter-tones.

Octave Map




Figure 16.32: Transpose type set to Octave Map

Octave Map is the same as Auto Map except you can specify which notes are contained in the destination octave. To change a destination pitch, click in the fields located in the scrollable Map area.

Manual Map

Temp	olate: 💌	_				Type:	Manu	ıal Map				
Ç3	Dþ3	Ď3	Eþ3	E3 ↓	F3 ↓	Gþ3	G3 ↓	G#3	ĄЗ	ВþЗ	B3 ↓	C4 ↓
C3	Dþ3	D3	Eþ3	E3	F3	Gþ3	G3	G#3	A3	ВþЗ	B3	C4
4						Ш						•

Figure 16.33: Transpose type set to Manual Map

Remaps any of the 128 MIDI pitches to any other pitch. To change any destination pitch, click in the fields located in the scrollable Map area.

Drum Map




Figure 16.34: Transpose type set to Drum Map

Remaps drum assignments from one Instrument to another. Drum Map is essentially the same as Manual Map except that note names are displayed instead of pitches.

This Transpose type is very useful for remapping tracks in Vision so they play correctly from one device to another. For instance, if you have a track assigned to your Roland R-8, you could use a Drum Map to make it play back correctly on your Korg M-1.

A Drum Map can be used destructively with the Transpose command (permanently altering the note data), or for playback only as a Transpose Map assigned in the Instruments Window.

CHAPTER 17: Tempo, Time Scale, and Reclock

VIRTUAL CONDUCTING— RECORDING TEMPO CHANGES

Recording a MIDI performance usually means playing along with a metronome. Of course you don't *need* to—but if you don't, Vision has no reference for accurately displaying and editing your tracks.

Vision can, however, address material recorded without a metronome using the **Reclock** command (see page 142). You can also use the **Scale Time** command (see page 140) for global or bar-by-bar tempo adjustments.

If you use a metronome while recording, you may notice that your performances can sound somewhat stiff. The following sections illustrate three ways you can manually record tempo changes to add a "human feel" to these performances—allowing you to "conduct" a sequence after you have recorded it, speeding up and slowing down whenever you want.

Changing the Tempo in the Control Bar's Tempo Display

If you mute the Tempo track in the current sequence, you can use the Control Bar's Tempo Display to change the Master Tempo. If you change the Master

Tempo while *recording*, Vision records these changes as tempo events to the sequence's Tempo track.

To record tempo events from the Control Bar's Tempo Display:

- Record-enable the Tempo track in the Tracks Window.
- ② Mute the Tempo track in the Tracks Window.



The Control Bar's Tempo Display becomes editable.



- ③ Set the Begin Record toggle to Countoff.
- (4) Click the **Record** button.
- ⑤ Highlight the Tempo Display and set it to the desired tempo as the sequence plays.

You can use the plus and minus keys on the Macintosh keypad, or you can click and drag with the mouse.

When finished recording, click the Stop button.

Tapping the Tempo

You can set the tempo in the Control Bar's Tempo Display by tapping the single quote (*) key on your Macintosh keyboard—you can even record this into the sequence's Tempo track. When tapping the tempo, Vision averages the last four taps.

To record a tapped tempo:

- Record-enable the Tempo track in the Tracks Window.
- 2 Mute the Tempo track in the Tracks Window.



③ Set the Begin Record toggle to Countoff with a value of perhaps 6 to 8 bars.

This ensures enough time to get the feel of the desired tempo.

- (4) Click the **Record** button.
- (5) Tap the single quote key (4) on your Macintosh keyboard at the desired tempo.
- When finished recording, click the Stop button.

Using MIDIKeys you can map any MIDI event to the single quote key, thereby allowing you to use it as the source of the tempo tapping. See *The MIDIKeys Window (pg. 171)* for details.

Using a Fader to Record Tempo Changes

You can also assign a fader to control the Master tempo. Then, while recording, just move the fader to record the tempo changes:

- Record-enable the Tempo track in the Tracks Window.
- ② Mute the Tempo track in the Tracks Window.
- 3 Choose Windows>Faders.
 The Faders Window opens.
- (4) Assign the Tempo field to F1 and set the Settings field to Send.



To ensure the maximum fader resolution, enter an approximate range of tempos in the **Range** field for the tempos you will record.

- Set the Begin Record toggle to Countoff and then click the Record button.
- While the sequence plays, drag the F1 Fader to record the new tempo events.
- When finished recording, click the Stop button.

CHANGE TEMPO

In addition to setting a tempo for a range of measures, the Change Tempo command lets you:

- Fit a range of measures into a precise time range;
- Create tempos that smoothly accelerate or ritard:
- Scale existing tempos.

Choose **Do>Change Tempo** to open the Change Tempo dialog:




Figure 17.1: Change Tempo dialog

Following is a description of the various options in the Change Tempo dialog:

Tempo

Select this radio button to enter a tempo (or tempo change range) in the accompanying Tempo fields for the specified Bar • Beat • Unit range.

The new time range is automatically calculated (based on the specified tempo) and is displayed in the Time Range fields.

2 Time Range

Select this radio button to enter a time range in the accompanying time fields for the specified Bar • Beat • Unit range.

The new tempo is automatically calculated (which makes possible the new time range) and is displayed in the Tempo field(s).

Bar • Beat • Unit range

These fields determine the Bar • Beat • Unit range affected.

When opening the Change Tempo dialog, the Edit In/Out points define this range.

Entering a new value in the Start field automatically updates the corresponding field in the Time Range row.

4 Use constant tempo

This option sets a constant tempo for the entire Bar • Beat • Unit range.

6 Accelerate/Ritard from initial tempo

This option creates a series of linear (smooth) tempo changes between the Start and End tempos.

6 Scale existing tempos

With the **Tempo** radio button selected, this option scales existing tempo events by a specified average tempo amount.

With the **Time Range** radio button selected, this option scales existing tempo events (while keeping them relative to one another) so they fit in the specified Time Range.

You can use the Strip Chart to visually draw a tempo change (see page 250). If Exact Mode is enabled, the Change Tempo dialog automatically opens when inserting or editing tempo events in the Strip Chart.

NOTE: Change Tempo always preserves the metrical placement of events residing in the affected time range.

SCALE TIME

The Scale Time command compresses or expands the time range for selected events. It is most often used to fit a musical passage into range of time (sometimes the for the sake of conforming it to bar and beat lines).

NOTE: Scale Time changes the metrical placement for all events residing within the specified time range of the selected tracks. To affect all events in the sequence, use the Track Overview to define the selection.

Choose **Do>Scale Time** to open the Scale Time dialog:




Figure 17.2: Scale Time dialog

● Old Start/End Time

These fields define the time range of events that will be scaled.

2 New Start/End Time

These fields define the new time range in which the selected events will fit.

3 Duration (Old and New)

These fields display the actual length of the Old and New time ranges. Editing these fields automatically updates their corresponding End Time fields.

4 Display

This pop-up determines the time format (SMPTE or Bars/Beats) displayed in the Start, End, and Duration fields.

6 Scale Factor

Indicates the amount the selected events are scaled. Changing this field automatically updates the New End Time field, and vice versa.

6 Insert Tempos to maintain timing

If you are happy with the speed at which the current selection plays, check this option and Vision inserts the necessary Tempo events so that the original timing is retained.

Restore original tempo

Check this option and Vision will insert a tempo event (equal to the original tempo) at the End Time. This ensures that material residing after the End Time plays back as it did before using the Scale Time command.


Using Scale Time (to fit an audio loop)

The following example scales time to fit a 1-bar audio loop. Although we're not sure of the actual tempo of the audio, we can use Scale Time to fit the audio (without altering it) perfectly into 1 measure in Vision:

 Select the desired track block in the Track Overview area and choose
 Do>Scale Time.



The Scale Time dialog opens.




Notice that the Start/End fields are automatically set based on the Edit In/Out points.

② Enter 2•1•0 into the New End Time field.



Notice that the Scale Factor field is automatically updated based on the New End Time.

3 Check the option for Insert Tempos to maintain timing.



In addition, make sure to uncheck the option for **Restore original tempo** at **End Time**.

(4) Click the Scale button.



A new tempo is calculated and automatically inserted at the Start Time. As a result, the audio block now fits cleanly into one measure.


Scaling Time in the Ruler

You can also Scale Time in the Ruler of the Graphic and Notation Windows. Rather than aligning music to bars, you can drag individual bar and beat lines to line up with your music.

If there are events selected, scaling time in the Ruler adjusts the duration and placement of those events so they line up with the bar and beat lines. If there are no events selected, Vision inserts the necessary tempo events to retain the original timing of the events in that bar.

The following example shows how to drag a bar line to align four notes (previously recorded without listening to the metronome) to the beat. These notes start at around $2 \cdot 1 \cdot 0$ and need to be adjusted so they take up that entire measure (ending at around bar 3).

 Open the Graphic Window and Shiftclick the desired notes so each is selected.




- 2 Position the cursor in the Ruler over the bar/beat indicator of 3·1.
- ③ Then press and hold the Option and Shift keys so the Scale Time cursor appears.



Unless you position the cursor over a quarter note indicator, it will become the hand cursor. Otherwise, the cursor will indicate that you can now scale the selected time.

4 Click and drag the bar line so it lines up with the end of the last note.



Then release the mouse button.



The new bar line is drawn and the duration and placement of the selected notes are adjusted (scaled) so they align with each beat.

NOTE: If the notes had not been selected, Vision would have also inserted the necessary tempo changes so that their original timing was retained.

RECLOCK

Reclock takes a sequence recorded without a metronome (or from an audio source) and aligns it to bars and beats by conforming it to a click track. You can use material already in the sequence as the source of the click track, or you can record a click track while listening to the sequence.

Reclocking scales the time of all tracks in the sequence so that the click events end up as exact bars and beats. It also modifies the Tempo track to preserve sequence playback.

For step-by-step instructions on using the **Reclock** command, see *Reclocking to a Click Track (pg. 144)*.

Choose **Do>Reclock** to open the Reclock dialog:




Figure 17.3: Reclock dialog

Following is a description of the various options in the Reclock dialog:

Clicks on downbeats only

Select this option to reclock the first beat of each measure, instead of every beat. The number of beats in each measure is determined by the current meter of the first bar of the sequence. All other meter events are ignored.

2 Same click on every beat

For maximum flexibility in expressing the tempo, select this option to reclock each click event on each beat.

Different click on downbeat

If your sequence has varying meters, you can have Vision automatically create a Meter track from your click events. In this mode, you must use two click events: one for the beat of every measure, and a different one for each of the other beats.

4 Every beat recorded

If this option is checked, Vision assumes that a click event has been recorded for each beat (or each bar if **Click on downbeats only** is selected) in the sequence. This allows dramatic, quick tempo changes. If this option is unchecked, you won't need a click event for every beat in the sequence. However, you must have a click event for at least the first two beats to establish the initial tempo.

6 Click events are

"Only" specifies a single event (continuous controller or note) on a particular Instrument as the click source. This option is useful if there are other events in the same track that are *not* click events.

"Selected notes" uses the notes that were selected before opening the Reclock dialog as the click source.

"Any note event" uses all notes (from the specified source track) for the click source.

NOTE: When using **Different Click on Downbeats**, you must define two different events for the downbeat and upbeats of the click.

6 In track

Choose from this pop-up the source track that contains the click events. All click events must reside on a single track.

Following are some possible click track sources for reclocking:

- Try using material from the MIDI tracks that need reclocking. If a piano type performance was recorded, perhaps the notes in the left hand, which often fall on the main beats, can be used successfully for the click source.
- If the material that needs reclocking came from a multitrack tape, a click track or kick drum track also from the tape can make a good click source.
 - Record it directly into Vision as audio, use **Strip Silence/Slice Audio** to make each beat an individual event, then specify the audio events as the click source in the Reclock dialog. Or run the click track from the tape through the Studio 5's footswitch input and record them as MIDI notes. Then specify those notes as the click source in the Reclock dialog.
- While recording a rubato performance (without the metronome), try also recording pedal taps (from a sustain or sostenuto pedal) on each beat. Then in the Reclock dialog, specify the pedal events as the click source. This is a pretty good method which ensures that the click track will line up with the recorded material.

Editing a Rubato Performance

Rubato is a performance that doesn't adhere to a strict sense of time—although you can feel a pulse, an expressive performance may speed up and slow down. You don't need to use a metronome when you record, and when you want to play *rubato*, you probably will not use one.

This raises a potential problem. If you don't record while listening to a metronome, the Counter will not accurately reflect the music, and the bar and beat boundaries in the edit windows will not line up with the recorded tracks. This is especially apparent in the Notation Window, but affects almost all commands, and makes it almost impossible to use quantizing features.

Reclocking to a Click Track

The following procedure illustrates how to conform a rubato performance to Vision's bar and beat lines by "reclocking" a click track. The Reclock command will automatically add tempo changes *and* meter changes to reflect the performance.

- Record-enable a new track. Name this track "Click Track." Set the Instrument of the Click Track to a "click" sound.
- ② Set the Begin Record toggle to Wait for Note and then click the Play button.

- 3 As you listen to the performance, tap the tempo on the MIDI keyboard.
 - If there are multiple meter changes, you should play two different keys (one for downbeats and one for upbeats).
- 4 When you are finished recording, click the **Stop** button.
- ⑤ Play it back and, if necessary, edit the click track to correct any mistakes.
- 6 Select the click track and choose **Do>Reclock**.

The Reclock dialog opens, see Reclock (pg. 142) for details on each of its parameters.

7 After making the appropriate settings, click the **Reclock** button.

Vision inserts the necessary tempo and meter events so that the rubato performance lines up with the bar and beat lines.

NOTE: In general, you should use **Reclock** first and then use **Scale Time** afterwards for minor changes.

PART 4: Advanced Concepts

CHAPTER 18: Synchronization

There are two basic scenarios that necessitate the use of external sync:

- Syncing to external MIDI devices
 Vision can be "slaved" to another sequencer or drum machine so both sets of tracks play in sync.
- Syncing to a tape deck
 Vision can be "slaved" to tracks on tape. This is a powerful method of blending conventional recording techniques with the flexibility of MIDI.

Vision uses the following MIDI synchronization protocols:

- MIDI Beat Clock: Sends timing pulses for each beat, speeding up and slowing down as necessary for tempo changes.
- **MIDI Time Code**: MIDI representation of SMPTE Time Code and synchronizes time with no concept of beat or tempo.

Vision can also control devices that support MIDI Machine Control (MMC). For more information on this capability, see *Chapter 39: The MMC Window*.

All of Vision's sync settings are configured from the Sync Options dialog. See *Sync Options (pg. 433)* for details.

SYNCING TO BEAT CLOCK

MIDI Beat Clock with Song Pointer provides Start, Stop and Continue functions, and location information (which allows you to start playback in the middle of a sequence).

To slave Vision to an external MIDI device:

- ① Open the sequence that will sync to the external MIDI device.
- ② Choose Options>Sync Options.
 The Sync Options dialog opens.
- ③ In the Receive Sync line, set the sync format to External Beat Clock.

In addition set the source of the Beat Clock to the desired device.



Click the **OK** button to close the Sync Options dialog.

NOTE: The Beat Clock sync source device must be defined as such in the current OMS Studio Setup. If not, it will not appear in the Sync Source pop-up. 4 In the Control Bar, click the Play button, or press the Spacebar.

The **Play** button flashes, indicating it is waiting for sync information from the external device.

(5) Initiate playback of the external device.

Vision locates the sequence to the requested start time and begins playing.

NOTE: Make sure the external MIDI device is configured to send MIDI Beat Clock.

SYNCING TO TIME CODE

Synchronizing with SMPTE requires an external SMPTE to MIDI Time Code converter (such as Opcode's Studio 64 XTC or Studio 5).

To slave Vision to MIDI Time Code:

- ① Open the sequence that will sync to tape.
- ② Choose Options>Sync Options.
 The Sync Options dialog opens.
- ③ In the Receive Sync line, set the sync format to MIDI Time Code.

In addition set the sync source to the desired device (usually your MIDI interface).



If you would like Vision to begin playing and recording automatically when receiving time code, check the **Remote Start** option.



4 Choose the desired frame rate from the SMPTE Format pop-up.



Click the **OK** button to close the Sync Options dialog.

S Click the Play button in the Control Bar, or press the Spacebar.

The **Play** button flashes, indicating it is waiting for sync information from the tape.

(6) Start the tape.

Make sure the tape is striped with SMPTE and allow some leader time before the sequence is supposed to start. Also, make sure the sequence's SMPTE offset matches what's on tape. See SMPTE Offset (pg. 150) for more details.

Vision determines if the received time code is before or after the beginning of the sequence:

- **If before**, the Counter displays negative bar numbers and counts towards bar 1
- If after, Vision locates the sequence to the correct start time and begins playing.

NOTE: If the tape is played while Vision is stopped, Vision still displays the scrolling SMPTF numbers in the Counter.

RECORDING WITH EXTERNAL SYNCHRONIZATION

You can record into Vision while synchronized with an external source, using either MIDI Beat Clock or MIDI Time Code. Make sure Punch mode is enabled or Vision is in Overdub mode. To begin to recording, click the **Record** button (or type the Tab key). The Record button flashes.

Wait For Note

Wait Note

In Wait for Note mode, when you start the external device, Vision begins playing the sequence and the Record button will not be highlighted. Vision will punch in when you play a note or press the Spacebar—at which time the Record button becomes highlighted.

Auto Punch



A Countoff can't be guaranteed because Vision cannot control the sequence starting point, so Countoff automatically becomes Auto Punch when you select an external sync mode. In Auto Punch mode, the Record button does not become highlighted if you start before the Punch In point (or after the Punch Out point). Vision will automatically punch in when you reach the Punch In point and will automatically punch out when you reach the Punch Out point. If you start the sequence in-between the two points, Vision punches in and the Record button becomes highlighted.

When finished recording, click the Stop button or press the Return key (or just stop the tape). Whenever Vision loses the sync signal, it stops recording.

NOTE: A bad sync signal from the SMPTE/MIDI converter can interrupt recording. Don't try to keep recording! Restripe the tape with a fresh SMPTE signal.

The number of bars of Countoff set in Internal mode controls the metronome. If a 2 bar Countoff is set and the tape starts 5 bars before the Punch In point, the metronome doesn't play until 2 bars before the Punch In point.

AUTOMATICALLY CHANGING SYNC MODES

When using external sync, Vision automatically (and temporarily) enters **Internal** mode when you perform the following actions:

- Start a sequence by typing its key;
- Choose Do>Play Selection;
- Choose a specific Counter location when Vision is not already playing the active sequence in sync.

Once the function is completed, Vision automatically returns to External sync.

SMPTE TIME CODE RATES

Vision supports five SMPTE frame rates:

• 24 Frame

This is the rate used by feature films.

25 Frame

This rate is used by EBU (European) television.

29.97 Drop Frame

This rate is used by NTSC (American) color television

29.97 Non-Drop Frame

This rate is used to sync to NTSC color television without dropping frames. SMPTE time does not match real time, but playback pitch is unaffected. Video decks run at 29.97 frames per second.

• 30 Non-Drop Frame

This was the original NTSC black and white television standard. This is often used in audio-only situations since there are no dropped frames and the SMPTE time is equal to a real clock.

The difference between 29.97 Non-Drop and 30 Non-Drop

These formats are actually the same but played at different speeds. Vision can't differentiate between 29.97 non-drop on a video machine and 30 non-drop on a slightly slow audio machine.

If 29.97 non-drop is specified, Vision skews the tempos so that if the tape plays at exactly 29.97 frames per second (as all video decks do), and the tempo is 120, then Vision plays 1200 beats in 10 minutes of "real time." This is faster than the SMPTE time.

If 30 non-drop is specified, the deck plays at 30 frames per second, and the tempo is 120, then Vision plays 1200 beats in 10 minutes of SMPTE time and "real time."

If 30 non-drop is specified, but the deck plays at 29.97 frames per second, and the tempo is 120, then Vision plays 1200 beats in 10 minutes of SMPTE time. This is slower than "real time."

SMPTE Offset

The SMPTE Offset time points to a location on tape that corresponds to the beginning of a sequence. Each Vision sequence has its own SMPTE Offset setting. When syncing to time code, the sequence begins playing after Vision receives the offset time code location.

For information on setting a sequence's SMPTE Offset, see *Information Toggle* (pg. 212).

SLAVING EXTERNAL DEVICES TO VISION

Vision can also *send* sync signals to a "slaved" external device:

- 1) Choose Options>Sync Options.
 - The Sync Options dialog opens.
- ② In the Send Sync pop-up, specify the type of sync sent (MIDI Time Code or Beat Clock).



In addition set the sync destination to the desired device.

NOTE: In order to appear as a Send Sync device, a device must be defined as such in the current OMS Studio Setup.

- ③ Click **OK** to close the Sync Options dialog.
- 4 Make sure Options>Send Sync Enabled is checked.
- (5) Click the Play button in the Control Bar.

Visions initiates playback and sends the sync to the slaved device.

Make sure the device is configured to sync to an external clock source, and is set to begin playing.

Customizing Vision

CHAPTER 19: What's Saved Where

In addition to saving your basic sequence files, Vision can also save a wide range of configuration settings, preferences, and templates. Following is a description of what's saved where:

Vision Files

Each Vision file saves sequences and segments, Instruments, patch subscriptions, and edit window information (location and size). Optionally, Vision files can also include MIDIKeys, Input Map settings, Fader and Console assignments, and Fader and Console values. See *Vision Files (pg. 156)* for specifics.

Vision Setup

Vision Setup is automatically updated to save any changes to your MIDIKeys, Commands Window settings, and Sequence Templates. Optionally, you can use **Save As Setup** to save a snapshot of Instruments, patch subscriptions, Input Map settings, Fader and Console assignments, and Fader and Console values. For more details, see *Vision Setup (pg. 157)*.

Vision 4.5 Prefs

This file (which resides in the Preferences folder, inside your System Folder) stores information from Vision's Settings Window, as well as many other items. See *Vision 4.5 Prefs (pg. 158)* for details.

Vision Editing Templates

This file stores saved templates for Select & Modify, Quantize, and Transpose. For tips on creating and saving templates, see *Chapter 20: Templates*.

Vision Effects Templates

This file saves all EQ templates, VST plugin Program Templates, VST plug-in Bank Templates, and TDM plug-in templates. For more information, see your *Audio Reference Manual*.

Console Layout Templates

This folder stores all console layout templates (each of which is its own file). Each Console Layout Template file contains information about the Console display settings. For more information about these files and a complete list of what is stored in them, see page 366.

Vision Grooves

This Vision file contains the source sequences and tracks for Groove Quantize. It must be named as such and reside in the same folder as your Vision application. See *Creating Your Own Grooves* (pg. 167) for more information.

OMS Studio Setup

In addition to containing a description of your MIDI studio, this file also stores the Current Thru Instrument, current patches, metronome channels, receive sync device, send sync device(s), enabled input devices, and Auto Remappings.

VISION FILES

Each Vision file can store the following objects:

Sequences

Saves all sequences and segments listed in the Sequences Window.

Instruments

Saves all Instrument definitions, including any assigned transpose maps and patch subscriptions.

Input Map

Saves the routings in the Input Map Window.

MIDIKeys

Saves the MIDIKey assignments.

• Fader Assignments

Saves all Instrument assignments for Faders and Consoles.

Fader Values

Saves all Fader and Console values.

Audio Preferences

Saved in their current state when the file is saved.

Sync Options

If Remember these settings in sequence files is checked, all settings are saved.

DSP Preferences

If **Save with Sequence Files** is checked, these settings are saved.

Audio Recording Preferences
 If Save with Sequence Files is checked, these settings are saved.

You can specify which objects are saved with a Vision file by clicking the **What to Save** button in the Save dialog (see Figure 19.1).




Figure 19.1: What to Save dialog

When saving a Vision file, sequences and Instruments must always be included, but the other items are optional. Fader Assignments and Fader Values are enabled by default, though you can uncheck them if desired.

In addition, you can specify which objects are opened when opening a Vision file (click the **What to Open** button in the Open dialog). This lets you, for instance, open a set of Instruments or Fader Assignments without closing your current set of sequences. By default, all objects found in a file are opened.

VISION SETUP

The *Vision Setup* file is just like a regular Vision file except that the sequences it contains are used for Sequence Templates. The Vision setup file, which must reside in the same folder as your Vision application, lets you recall commonly used setup items (like Fader and Console configurations, Instrument definitions, Input Maps, etc.) for each newly opened Vision file.

Below is a complete list of the items saved in the Vision Setup file:

- Sequence Templates (automatic)
- Instruments
- Input Map
- MIDIKeys (automatic)
- Commands (automatic)
- Fader and Console Assignments
- Fader and Console Values

Sequence Templates, MIDIKeys, and Commands are saved automatically whenever there are changes made to them. This ensures that any changes made to these items will not be lost.

NOTE: Even if you have not yet chosen File>Save As Setup, making changes to Sequence Templates, MIDIKeys, or Commands will automatically create a new Vision Setup file.

To save the other Vision Setup items (Instruments, Input Map, and Fader and Console information), you must choose **File>Save As Setup**. If changes are made to any of these items and you have not saved them, you will be prompted before closing Vision.

When opening a Vision file, any objects unchecked in the **What to Open** dialog are not loaded—and as a result, the corresponding Setup items are instead used.

You can also click the **Use Setup Instruments** option in the Open dialog to use the Setup Instruments for any existing file. This would be handy for opening someone else's file (with a different set of Instruments) at your studio—thereby letting you use your Instruments saved in the Setup file.




Figure 19.2: Use Setup Instruments option in Vision's Open dialog

The Vision Setup file is saved in the same folder as the Vision application. It must remain in this folder, with its name intact, for Vision to access it.

Vision Setup files are very much like regular Vision files—they can even be opened as such. This lets you rename and save as many different "Vision Setup" files as you like, opening them as necessary to return to those particular configuration settings.

VISION 4.5 PREFS

The Vision Prefs file stores a large number of configuration settings. This file is automatically written each time Vision is closed. It resides in the Preferences folder inside the System Folder. If you ever need to return Vision to its default state, remove this file from the Preferences folder and the Vision Setup file from the Vision folder before launching the program.

NOTE: It can take quite a while to actually configure Vision with all of your favorite settings. Once this is done, it is a good idea to make a backup copy of the Vision Prefs file.

NOTE: For Studio Vision Pro users, the name of the preferences file is "Studio Vision Prefs."

While not an exhaustive list, following is a compilation of some of the items saved in the Vision Prefs file:

- File Menu: Open (what to open), Save (what to save), Export as MIDI File (Multitrack option), Export As QuickTime Movie (movie settings), Export Audio Mix (file format), Export Audio Events (file format)
- Setups Menu: Keyboard Thru, Thru in Background, Input Effect Enabled, Input Map Enabled, MIDIKeys Enabled, Fader Remotes Enabled, Record Quantize Enabled, Record Filter settings, Colors
- Options Menu: Sync Options settings, Send Sync Enabled, Click in Record, Click in Play, Click in Countoff Only, Metronome Sound settings, Countoff in Play, Stop at Punch Out, Real Time Capture, Local Sequence Times
- Audio Menu: Audio System, Waveform Height, Waveform Display, Display Names, Mix Audio on Capture. Audio Preferences
- DSP Menu: DSP Preferences
- Control Bar: Record Mode, Countoff/ Wait Note, Punch toggle, Loop toggle

- Sequences Window: Set Default Location
- Tracks and Pulse Window: Auto Scroll, Time Display (Bar/Beat/Unit, Absolute SMPTE, or Relative SMPTE), Set Default Location, Show Offset Info, Detailed Track Overview, Show Vertical Line, Cursor Quantize toggle, Cursor Quantize value
- Graphic Window: Auto Scroll, Time Display (Bar/Beat/Unit, Absolute SMPTE, or Relative SMPTE), Set Default Location, Play Edited Note, Show Bouncing Ball, Show Vertical Line, Show Piano Keyboard, Cursor Quantize toggle, Cursor Quantize value
- Notation Window: Auto Scroll, Time Display (Bar/Beat/Unit, Absolute SMPTE, or Relative SMPTE), Set Default Location, Play Edited Note, Show Bouncing Ball, Show Vertical Line, Cursor Quantize toggle, Cursor Quantize value, Notation Resolution
- List Window: Auto Scroll, Time Display (No SMPTE, Absolute SMPTE, or Relative SMPTE), Set Default Location, View settings, Play Edited Note, Show Event End Times, Show Event Durations
- Counter Window: Bar/Beat/Unit, Absolute SMPTE, Relative SMPTE, Font
- Record Monitor: Thru Mode, Stereo on/off, Auto Compact on/off, Sample Size, Record File Preferences
- Step Window: Spacing value, Tuplet, Duration, Velocity
- Players & Queue Window: Queue toggle

- Input Effect Window: Arpeggiate/ Repeat, Latch toggle, Sync to Counter toggle, Octaves, Order, Spacing, Duration
- **Faders Window**: Tempo Fader assignment and range
- Select & Modify Window: All settings
- Settings Window: All settings, which include Insert Note, Strip Chart & Nudge, Editing, Real-Time, Controllers, and Appearance
- **Audio Preferences**: All settings
- **DSP Preferences**: All settings as they are when the program quits
- Audio Recording Preferences: All settings as they are when the program quits

CHAPTER 20: Templates

This chapter explores saving templates in Vision. The types of templates supported include:

- Sequence
- Transpose
- Quantize
- Select & Modify

This chapter also discusses how to save your own tracks as custom Groove sources for Quantizing.

For information about Console templates, please see *Chapter 38: The Console Windows*.

For information about EQ templates, please see your *Audio Reference Manual*.

SEQUENCE TEMPLATES


Sequence Templates are starting points for opening new sequences. If, for instance, you have a sequence (or segment) with useful track assignments, appropriate meter and tempo settings, patch and controller configurations, or anything else, you can save it as a Sequence Template. Then whenever you wish to open a new sequence based on that template, simply double-click it from the Sequences Window.

Sequence Templates are stored in the Vision Setup file.

Saving a Sequence Template for Orchestral Music

The following example shows how to configure and save a Sequence Template for orchestral music:

 Open a new sequence and assign an Instrument and patch for each of the desired orchestral tracks.




This example uses a GM device as its sound source.

② If desired, set volume and pan levels for each of the assigned Instruments.
For details, see Saving a Miyer Span-


For details, see Saving a Mixer Snapshot (pg. 89).

3 Set the sequence's Meter and Tempo. Use values that make the most sense for your type of music.



These sequence settings needn't be exact, they can always be changed later when re-opening the template.

- 4 Choose **Save As Template** from the menu in the Sequences Window.
- (5) When prompted, enter a name for the template, then click **OK**.



The new Sequence Template is added to the Templates section of the Sequences Window.



Sequence Templates are stored in the *Vision Setup* file. Each time you save a Sequence Template, it is automatically written to the Setup file, thereby making it available each time you launch Vision.


Opening a Sequence Template

To open a new sequence based on a Sequence Template:

 Open the Templates section of the Sequences Window, so you can view the current set of templates.

Use the open/close triangle to open the different sections in the Sequences Window.

② Locate the desired Sequence Template and double-click it, or simply type its key equivalent.



A new sequence is created, using the material from the specified template, and is placed in the Sequences section of the Sequence Window. A Tracks Window for the new sequence opens.

The new sequence is not named after the template source; it instead uses Vision's naming scheme when creating new sequences (Sequence A, Sequence B, etc.).

EDITING TEMPLATES

Vision can save templates for Transpose, Quantize, and Select & Modify, which enables you to store and recall your favorite parameter settings for these commands. These templates are written to the file *Vision Editing Templates*, which resides in the same folder as your Vision application. In order for the templates to be available this file must not be moved or renamed.

Quantize and Transpose Templates

Quantize and Transpose Templates are stored and recalled with a similar set of pop-up menus.




Figure 20.1: Quantize (Grid) parameters

The Quantize parameters are found in the following locations:

- Info area of the Tracks and Pulse Windows when viewing a track's Play Quantize settings;
- Select & Modify Window when its modify type is set to Quantize;
- Input Effect Window (for its Spacing settings).




Figure 20.2: Transpose (Diatonic) parameters

The Transpose parameters are found in the following locations:

- Select & Modify Window when its modify type is set to Transpose;
- Transpose Map dialog for an Instrument.

To recall a template, simply choose it from the Template pop-up. This pop-up menu lists all templates stored in the current Vision Editing Templates file.




Figure 20.3: Template pop-up for Quantize

The Template Functions pop-up is used save and copy parameter settings, and to delete existing templates.




Figure 20.4: Template Functions pop-up

Following is a description of each item in the Template Functions pop-up menu:

- Save Settings: Stores the current parameter settings to the currently selected template.
- **Save Settings As:** Stores the current parameter settings to a new Quantize or Transpose Template.

With this command you are prompted to enter a name for the new template.

- Delete Template: Deletes the currently selected template.
- Load From: Lets you load a set of templates from a Vision Editing Templates file that is not current. The loaded templates are merged with the current set.
- Copy Settings: Copies the current set of parameters to the Clipboard.
 This is handy for copying Play Quantize settings between tracks, or to and from the Select & Modify Window.
- Paste Settings: Pastes a set of Quantize or Transpose parameters from the Clipboard to the current location.
- Save As Default: This command is only available for track Play Quantize settings. Once you have a set of Play Quantize parameters that you like, use this command to make them the "default" for each new track.

Saving a Transpose Template


The following example shows how to save a set of Transpose parameters to a template:

(1) Choose Do>Transpose.




The Select & Modify Window opens, automatically configured for the Transpose command.

- ② Choose the desired Transpose Type and make the necessary changes to the Transpose parameters.
 - For information on the different Transpose types, see Transpose Types (pg. 134).
- 3 Choose Save Settings As from the Template Functions pop-up.



When prompted, enter a name for the new template and click **OK**.



The new Transpose Template is saved to the Vision Editing Templates file.

Select & Modify Templates

Any configuration of the Select & Modify Window can be saved as a template. These Select & Modify Templates store both the "select" and the "modify" settings of the window, and can be used to recall your most commonly used edit operations.




Figure 20.5: Components saved with the Select & Modify Templates

Like Quantize and Transpose Templates, Select & Modify Templates are stored in the Vision Editing Templates file.

Select & Modify Templates are recalled from the menu in the Select & Modify Window. Simply select the desired template, and the window is automatically reconfigured with the stored settings in the template. See Figure 20.6.



Figure 20.6: Choosing a Select & Modify Template

The lower portion of this menu lists all Select & Modify Templates stored in the Vision Editing Templates file. The top portion has commands for saving, loading, and deleting templates. For details on each of these commands, see *Select & Modify Menu (pg. 125)*.

Saving a Select & Modify Template

The following example shows how to save a Select & Modify Template for quantizing just the snare hits with "swing":

 Highlight the sequence or tracks you wish to edit and then choose
 Do>Quantize.




The Select & Modify Window opens, automatically configured for the Quantize command

- ② Open the Select area of the Select & Modify Window by clicking the open/ close triangle.
- 3 Add a Select attribute for only selecting the pitch range containing the snare notes (D1).



4 Set the Quantize Type to Grid with a Quantize value of 8th notes. Also, enter a value of 70% in the Swing field.




Also, enter a value of **70%** in the Swing field.



(5) Choose Save Settings As from the menu in the Select & Modify Window.



When prompted, enter a name for the new template and click **OK**.



The new Select & Modify Template is saved to the Vision Editing Templates file.

CREATING YOUR OWN GROOVES

With Groove Quantize, Vision uses a custom alignment grid based on the Groove Source track. Vision maps the start times, velocities, and durations (or any combination thereof) from the Groove Source onto the selected track.

Groove Source tracks reside in the *Vision Grooves* file, which resides in the same folder as the Vision application. In order to access the Groove sources, the Vision Grooves file must not be moved or renamed.

To create your own custom groove, all you need to do is save the desired track to the Vision Grooves file. Then you can use it as a Groove Source track with Quantize.

You can save a Groove Source track by directly editing the Vision Grooves file:

- Record a track you would like to use as a Groove source.
- ② Select the track in the Tracks Window and choose Edit>Copy Track.
- ③ Next, open the file "Vision Grooves."
- Make the Sequences Window active and then choose Edit>Paste Sequence.

Before pasting, make sure no sequences are selected in the Sequences Window.

⑤ Rename the sequence as desired and choose File>Save.

The new sequence along with the Groove Source track is saved.

You can also paste into the Vision Grooves file remotely, when it's not even open:

- Record a track you would like to use as a Groove source.
- ② Select the track in the Tracks Window and choose Edit>Copy Track.
- 3 Choose Do>Quantize to open the Quantize Window.
- (4) Set the Grid Type to Groove.
- (5) From the Seq pop-up, select a sequence source into which you will paste. Then choose Paste as New Groove Track from the Track Functions pop-up.



When prompted, enter a name for the new Groove Source track and click OK.



The new Groove Source track is saved to the Vision Grooves file.

CHAPTER 21: Commands and MIDIKeys

THE COMMANDS WINDOW

The Commands Windows lets you assign key equivalents and MIDI events to practically any function or menu item in Vision. Changes in the Commands Window are automatically saved to the Vision Setup file.

To open the Commands Window, choose **Setups>Commands**.




Figure 21.1: Commands Window

The Commands Window is comprised of two sections: Digits, in the upper portion of the window, and Commands, in the lower portion. The **Digits** section determines how Vision responds to typed numbers. For example, Figure 21.2 illustrates that to clear a Locator button you must hold down the Command and Option keys (the **Modifier**) while typing the Locator's number; in addition, the digit can be typed from the row of number keys at the top of the **Keyboard**, or from the numeric **Keypad** (since both columns are checked).



Figure 21.2: Digits section, Commands Window

To edit the modifier for a digit, click in that Modifier column and type in the desired keys. To change the Keyboard and Keypad status of a digit, click in the column to check or uncheck as desired.

The **Commands** section lists categories of commands, along with their assigned key equivalents and MIDIKeys.

To change a command's keyboard equivalent, click in the Keyboard column for the desired command and type the new key (or key combination). See Figure 21.3.



Figure 21.3: Keyboard column, Commands Window

To assign a MIDIKey, click in the column for the desired command and play the MIDI event on your controller. The event, device, and channel automatically appear in the column when received. See Figure 21.4.



Figure 21.4: MIDI Event column, Commands Window

NOTE: The column for MIDI Event, Device and Channel is grayed out if MID-IKeys are not enabled.

To clear a key equivalent or MIDIKey in the Commands Window, click in the desired column and type the Delete key.

Highlighting the Edit Out Field

It is now possible to highlight the Edit Out field by typing back slash (), or whatever key equivalent is assigned to "Select End Time" in the Commands Window. Previously, this key equivalent would always highlight the Punch Out field. Now, as long as an edit window is the top window, it will select the Edit Out field.

To highlight the Punch Out field, type "=" (which will highlight the Counter, making the Control Bar the top window) followed by back slash.

Commands Window Menu

The Commands Window has a menu with the following items:



Figure 21.5: Commands Window Menu

Load From

Choose this menu item to load a set of Commands from a Vision Setup file.

Restore Factory Defaults

This command restores the settings in the Commands Window to their original "factory" state.

Assigning Key Commands

Following is a short example of assigning a key equivalent and MIDIKey for the **Record** command:

① Choose **Setups>Commands** to open the Commands Window.





Figure 21.6: Commands Window

Locate and click in the Keyboard field for the Record command.



③ Type Shift-Space on your computer keyboard.

The new key equivalent appears in the Keyboard column for the Record command.



NOTE: If the new key equivalent is in use by another command or function, you are informed.

Wext click in the MIDI Event field for the Record command.



If this column is grayed out, select **Set-ups>MIDIKeys Enabled** to enable MIDIKevs.

⑤ Play a note on your MIDI keyboard controller.

The note, and the device that played it, appears in the MIDI Event column for the Record command.



Any changes made in the Commands Window are automatically saved to the Vision Setup file. To return to the factory Commands set, choose **Restore Factory Defaults** from the menu in the Commands Window.

THE MIDIKEYS WINDOW

MIDIKeys let you assign events from a MIDI controller to trigger nearly any key or key combination. This is particularly useful for controlling Vision remotely from your MIDI devices (without using your computer keyboard). There are also four special MIDIKeys with functions designed to facilitate interactive and loop recording.

Choose **Windows>MIDIKeys** to open the MIDIKeys Window, or type Option-K.




Figure 21.7: MIDIKeys Window

The four "special" MIDIKeys occupy the top section of the MIDIKeys Window while the user-defined MIDIKeys are assigned and displayed in the lower section.

NOTE: Any MIDIKeys assigned in the Commands or Sequences Window automatically appear as user-defined lines in the MIDIKeys Window.

Each MIDIKey assignment has four attributes: Function, MIDI Event, Device, and Channel.

Function is the key equivalent, or special MIDIKeys function, to which the **MIDI Event**, occurring on the selected **Device** and **Channel**, is assigned.

To assign MIDIKeys (special MIDIKeys or user-defined), simply click in the MIDI Event column for the desired line and play the MIDI event on your controller. The event, device, and channel automatically appear in the column when received. New lines are added by choosing **Add Line** from the menu in the MIDIKeys Window.

You can also manually assign or edit MIDI events with the mouse. Following is a description of the items that define the MIDI event:



- Shift: Click in this column to toggle MIDIShift for a user-defined MIDIKey.
- **2 Event Type**: Choose from this pop-up an event type of either note, controller, or program change.
- **Sevent Value**: Click in this column to specify a value for the event type.
- **Input Device**: This pop-up sets the input device.
- **Input Channel**: Click in this column to set the channel for the input device.

Special MIDIKeys

The four special MIDIKey functions allow you to perform different actions when MIDIKeys are enabled. You can assign each one of these functions to a different MIDI event.

MIDIShift

The MIDIShift function allows a MIDI event assigned as a MIDIKey to trigger its function *only* when the MIDI event assigned as the MIDIShift function is active at the same time. Vision must receive both MIDI events for the corresponding function to be performed.

For example, suppose you'd like to use the MIDI note G3 to trigger recording by assigning it to the Tab key. The G3 note can be insulated from triggering recording every time it is played by using the sustain pedal as a MIDIShift function.

NOTE: Redefining the MIDI event associated with the MIDIShift function causes any MIDIKeys using MIDIShift to respond to the new event.

Erase

The Erase MIDIKey allows notes to be erased in the record-enabled track during playback or recording. Pressing the Erase MIDIKey and playing some notes on the MIDI controller erases all matching notes in the track. This is similar to the erase feature found on many drum machines.

See *Drum Machine Style Loop Recording* (pg. 45) for more information on using the Erase MIDIKey.

Input Effect

The Input Effect MIDIKey, when invoked, enables Vision's Input Effect. The Input Effect processes MIDI input. Depending on the settings in the Input Effect Window, the processed notes are either repeated or arpeggiated (see *Input Effect Window (pg. 115)* for details).

Vision's Input Effect can be turned on and off from the Input Effect Window, or by choosing **Setups>Input Effect Enabled**.

The Input Effect MIDIKey, on the other hand, offers a way to temporarily turn on the Input Effect in real time, on-the-fly.

Extend

This Extend MIDIKey performs a similar function as a sustain pedal, but without the hazards associated with sustain pedal events. Typically, you map your sustain pedal to the Extend MIDIKey.

The advantage of using the Extend MIDIKey to sustain notes is that note durations are actually lengthened, whereas sustain pedals work by combining short notes with pedal controller information. It is much easier to view and edit only the note durations, rather than the sustain pedal and note data.

MIDIKeys Window Menu



Figure 21.8: MIDIKeys Window Menu

MIDIKeys Enabled

When checked, this menu item activates the current set of MIDIKeys.

Add Line (Option-=)

Choose this command to add a new MIDIKey.

Remove Line (Option---)

Choose this command to remove the selected MIDIKey. Although the four special MIDIKeys cannot be removed, you can clear their MIDI event definition. To do this, click in the MIDI event field for the special MIDIKey and type Delete.

Load From

Choose this command to merge a set of MIDIKeys (from a Vision file) with the current set.

Clear All


This command removes all user MID-IKeys, and clears all MIDI definitions for the four special functions.

Defining MIDIKeys

The following example shows how to define a MIDIKey:

1) Choose Windows>MIDIKeys.

The MIDIKeys Window opens.



② Choose Add Line from the menu in the MIDIKeys Window.

A new line is added to the MIDIKeys Window.

③ Click in one of the MIDI event fields for the new line and play the desired MIDI event on your controller.



The MIDI event, device, and channel automatically appear when played.

4 Click in the Function field and type the desired key equivalent to be triggered.



MIDIKeys can trigger any Vision function that uses a key combination. They can also trigger sequence playback by using the same key as the sequence's key equivalent from the Sequences Window (see page 197).

For a list of Vision's default keyboard equivalents, consult the Quick Reference card in your Vision package. These keys can, however, be reassigned in the Commands Window—so always check there for the current key assignments.

Any changes made in the MIDIKeys Window are automatically saved to the Vision Setup file. Also, MIDIKeys can optionally be saved with regular Vision files (see *Chapter 19: What's Saved Where*).

NOTE: MIDIKeys only work in Vision. You cannot assign a MIDIKey to work in another application. However, MIDIKeys can still control Vision when it's running in the background (as long as "Run MIDI in background" is checked in the OMS MIDI Setup dialog).

Deleting MIDI Keys

To remove a user-defined MIDIKey, click in either the function or MIDI event field and select **Remove Line** from the menu in the MIDIKeys Window.

Although the four special MIDIKeys cannot be deleted, you can clear their MIDI event definition. To do this, click in the MIDI event field for the special MIDIKey and type the Delete key.

SAVING MIDIKEYS AND COMMANDS

As mentioned previously, any changes in the MIDIKeys Window are automatically saved to the Vision Setup file. This lets you have a default set of MIDIKey definitions that are used when opening new files.

MIDIKeys can optionally be stored with regular Vision files, creating an automatic association between the sequence and the MIDIKeys. To do this you'll need to specify "what to save" in Vision's Save dialog, see Figure 21.9.




Figure 21.9: Saving MIDIKeys with Vision file

To load a set of MIDIKeys from a Vision file, choose the **Load From** command in the MIDIKeys Window menu. The MIDIKeys from the specified Vision file are merged into the existing set of MIDIKeys.

PART 5: Customizing Vision

The settings in the Commands Window are also saved to the Vision Setup file automatically. Unlike MIDIKeys, Commands cannot be saved with regular Vision files.

You can, however, backup and rename your Vision Setup files to create a library of Commands files. To restore a particular set of Commands, chose **Load From** in the Commands Window menu.

CHAPTER 22: Custom Instruments

Vision's MIDI Instruments are defined by a number of parameters, including name, color, device and channel assignment, velocity scaling, transposition, key range, and voice allocation. Custom Instruments can be created by editing any of these parameters.

Since Instruments can be comprised of several layers (lines), specialized Instruments functioning as splits and layers can be created. This chapter discusses how to create some of these custom Instruments.

NOTE: Instruments are remembered with saved Vision files. They also can be saved in the Vision Setup file.

For a detailed discussion of the Instruments Window, see *Chapter 32: The Instruments Window*.

CREATING A LAYERED INSTRUMENT WITH OCTAVES

This example shows how to create a layered Instrument with one of the layers transposed up an octave.

- ① Choose Windows>Instruments to open the Instruments Window.
- ② Highlight an existing Instrument and choose New Instrument from the menu in the Instruments Window.

A new Instrument, based on the previously selected Instrument, is added at the bottom of the Instruments Window

3 Highlight the name of the new Instrument and type in an appropriate name.



For this example, the name "Layered Octaves" is used.

4 Highlight the Layered Octaves Instrument and choose Add Line to Instrument from the menu in the Instruments Window.

A new line is added to the Instrument.

MicroWave-1

Mode: Layered

Make sure that the Instrument is set to **Layered**, if not, click on the word "Overflow" to toggle the mode.

⑤ In the Output column, specify a Device and Channel for both Instrument lines.

For an interesting effect, you can choose separate devices and channels that are set to vastly different patches.

6 In the Transpose column, set the Octave for one of the layers to +1.



CREATING A SPLIT INSTRUMENT

This section explains how to create an Instrument "split" using two layers set to different key ranges.

(1) Choose Windows>Instruments to open the Instruments Window.

② Highlight an existing Instrument and choose New Instrument from the menu in the Instruments Window.

A new Instrument, based on the previously selected Instrument, is added at the bottom of the Instruments Window

3 Highlight the name of the new Instrument and type in an appropriate name.

For this example, the name "Middle-C Split" is used.

4 Highlight the Middle-C Split Instrument and choose Add Line to Instrument from the menu in the Instruments Window.

A new layer is added to the Instrument.

⑤ In the Output column, specify a device and channel for each Instrument line.

You might want to assign a piano in one line and a bass in the other.

(6) In the Range column, set the Lo value to "C3" for the top line; then set the Hi value to "B2" for the other line.



For an easy way of entering values into the Lo and Hi fields, highlight the field and play the desired note(s) from your controller keyboard.

CREATING VOICE-ALLOCATED INSTRUMENTS

This section discusses how to create a voice-allocated Instrument. Suppose, for example, you have two MIDI devices each with small polyphony capabilities.

You can use an Instrument in "overflow" mode to automatically allocate notes to different Instrument lines, based on their individual voice definitions.

- ① Choose Windows>Instruments to open the Instruments Window.
- ② Highlight an existing Instrument and choose New Instrument from the menu in the Instruments Window.
 - A new Instrument, based on the previously selected Instrument, is added at the bottom of the Instruments Window
- 3 Highlight the new Instrument and choose Add Line to Instrument from the menu in the Instruments Window.

A new line is added to the Instrument.

 Set the mode of the Instrument to Overflow.



⑤ In the Output column, specify a device and channel for each Instrument line. ⑥ In the Voices column, enter the number of voices for each Instrument line.



These values should equal the number of simultaneous notes each device (assigned to the line) is capable of playing.

Whenever Vision sends data to such an Instrument, it routes to the correct Instrument line based on their Voice allocations

Windows

CHAPTER 23: The Control Bar



Figure 23.1: Control Bar

The Control Bar contains the major controls for Vision. It's normally located just below the Macintosh menu bar, but it can be moved by either dragging the drag strip (at the left edge), or by Option-dragging any blank area in the Control Bar itself.

Unlike most Macintosh windows, the buttons in the Control Bar are always active. Clicking one will *not* move the Control Bar in front of another active window—this lets you access Control Bar functions without de-activating another window.

The Control Bar cannot be closed.

- **Replace**: Records in real time, replacing existing track data.
- **Overdub**: Records in real time, adding to existing track data.
- Step Replace: Records in step time, replacing existing track data.
 Step recording is a process where MIDI events are recorded individually, one step at a time. For more information, see Step Recording (pg. 42).
- **Step Overdub**: Records in step time, adding to existing track data.



Figure 23.2: Record Mode pop-up

RECORD MODE



The Record Mode determines how Vision records tracks. The four available record modes, chosen from the Record Mode pop-up, include:

Record Indicator

The Record Indicator button(), located next to the Record Mode pop-up, blinks when Vision receives MIDI. It also indicates if digital audio recording and Record Quantize are enabled.

Clicking on the Record Indicator button opens the Record Monitor Window, which is used for recording digital audio.

CURRENT SEQUENCE



The Current Sequence is the sequence to which recording takes place. Whenever a Tracks Window for a different sequence is brought to the front, the Current Sequence pop-up changes to show that sequence's name (except if you're actively recording into another sequence).



Figure 23.3: Current Sequence pop-up

Choosing a sequence from this pop-up menu activates a Tracks Window for that sequence.

Seq Button

Click on the "Seq" button (Seq) to bring the Tracks Window for the current sequence to the front.

CURRENT TRACK



Whenever a track is record-enabled, that track's name is displayed in the Current Track pop-up menu.



Figure 23.4: Current Track pop-up

Choose any existing track (or "new track") from this pop-up menu to record-enable it.

Trk Button

To open an edit window for the current track, click on the "Trk" button ([rk]).

THRU INSTRUMENT



The Thru Instrument pop-up displays the MIDI Instrument to which your controller sends MIDI. This Instrument is always assigned to recorded data.

The Thru Instrument sounds when you play your controller keyboard (provided **Options>Keyboard Thru** is enabled). When you record-enable a different track from the Tracks Window, or from one of the other edit windows, this pop-up automatically displays the Instrument assigned to that track. In addition, if you change the Instrument used by the current track, the Thru Instrument pop-up changes as well.



Figure 23.5: The Thru Instrument pop-up

KEY EQUIVALENTS: You can use your computer keyboard to set the Thru Instrument. Hold down the Option key while clicking the Thru Instrument pop-up for a list of key equivalents. Also, you can use the Asterisk (*) key on the numeric keypad to highlight the Thru Instrument.

Trigger and Transpose Items

The Thru Instrument pop-up also lists Vision's four Trigger modes: Transpose, Trigger, Cont Trig, and Gated. These items, which are not MIDI Instruments, are performance modes used in triggering sequences in real time.

NOTE: These Trigger modes work independently of similar items in the Input Map Window, which are described in Trigger and Transpose Modes (pg. 326).

Transpose

Choosing this item temporarily puts Vision in transpose mode, which automatically transposes the currently playing sequence when you play a note on your MIDI keyboard.

• Trigger

In trigger mode, every note you play restarts the currently playing sequence. Sequences playing are stopped when you strike a new key. You can play more than one note in this mode to produce automatic harmonies.

If the Thru Instrument pop-up in the Control Bar is set to Trigger, typing a sequence key does not initiate playback—instead, this makes that sequence "triggerable." Play any note on your MIDI controller to start all triggerable sequences simultaneously.

Cont Trig

Continuous Trigger Mode is the same as Trigger Mode, except that sequences are not stopped when triggering a new sequence.

Gated

Gated is the same as Trigger mode, except that each sequence plays for the length of time you hold down the key. When you lift your finger, the sequence stops.

Instruments Button

Click on the Instruments button () to open the MIDI Instruments Window. For information on the Instruments Window, see *Chapter 32: The Instruments Window*.

Global Instrument Solo Indicator

Instead of the Instruments button, the Control Bar displays a Global Instrument Solo Indicator whenever any Instrument (Audio or MIDI) is soloed.



Figure 23.6: Global Instrument Solo Indicator

Click the Solo Indicator to open any windows that contain soloed Instruments. Option-click the Solo Indicator to automatically unsolo all soloed instruments. For more details, see *Global Instrument Solo Indicator (pg. 302)*.

CURRENT PATCH



The Current Patch pop-up shows the patch used by the Thru Instrument. It is automatically updated when sending patch changes to the Thru Instrument, either when editing or playing.

Vision remembers the last patch change sent to each Instrument. When a new Instrument is chosen from the Thru Instrument pop-up, the Current Patch pop-up changes to display the patch last sent to that Instrument. This setting is remembered even when you quit Vision.




Figure 23.7: Current Patch pop-up displaying names

If the Thru Instrument is subscribed to a Patch Name document (see *Chapter 33: The Names Window*), the Current Patch pop-up displays actual patch names. Otherwise, patch and bank numbers are used.

Choose an item from the Current Patch pop-up to send a patch event to the Thru Instrument. This does not, however, add a patch event to the current track unless you are recording. For information on saving patch events, see *Saving Patch Selections (pg. 88)*.

Patch Button

Click on the Patch button () to open the Names Browser for auditioning patches, see *Names Browser (pg. 321)*.

TRANSPORT CONTROLS




Figure 23.8: Transport Controls

The transport controls, located in the middle of the Control Bar, give you control over the playback and recording of sequences.

Record



KEY EQUIVALENT: Type the Tab key to begin recording.

Click the **Record** button to initiate recording. During playback or recording, you can click the record button to punch in or out at any time (on-the-fly). If the button is highlighted, you are recording. If the button is flashing, this means that recording will occur when the Counter reaches the In Point. If the record button is disabled (grayed out), you cannot record—this usually means there is no track record-enabled.

Play from Start



KEY EQUIVALENT: Type the Spacebar to initiate playback from the beginning.

Click the **Play from Start** button to start playback from the beginning of a sequence, or from the In Point in the punch area of the Control Bar. If the sequence is paused, clicking this button continues playing from the pause point.

Stop



KEY EQUIVALENT: Type the Return key to stop playback or recording.

Click the **Stop** button to stop playback or recording.

Play from Counter



KEY EQUIVALENT: Type the Semicolon key to initiate playback from the Counter's current location.

Click the **Play from Counter** button to start playing from the current Counter location. If the sequence is paused, clicking this button continues playing from the pause point.

Pause



KEY EQUIVALENT: Type the Spacebar or Semicolon key to pause playback or recording.

Click **Pause** to pause recording or playback. This button highlights when playback is paused.

Shuttle Bar



KEY EQUIVALENT: Type the Comma key to shuttle left, type the Period key to shuttle right.

The **Shuttle** bar moves the Counter at variable speeds. Drag the Shuttle bar to the left to rewind the Counter; drag the Shuttle bar to the right to fast forward. The further you move the Shuttle bar from the center, the faster the Counter scrolls. You can also click anywhere on the bar itself and the button will jump to the mouse location.

The Shuttle bar can be used during playback, or when a sequence is stopped.

If the sequence is stopped and an edit window is active, the track displayed in the window will play back as the Shuttle bar moves (this is similar to "scrubbing," see *Auditioning with the Scrub Command (pg. 26)*).

Previous and Next Marker Buttons





KEY EQUIVALENT: Type Shift-Comma (<) and Shift-Period (>) to move between the previous and next markers.

These buttons step back and forward through the marker locations listed in the Marker pop-up.

LOCATORS



The **Locator** buttons store Counter locations. After setting a Locator, clicking it causes the Counter to jump to the stored location. Each sequence stores its own set of eight Locators.

KEY EQUIVALENTS: Type the number of the desired Locator to recall that location. You can Option-type a number to set a Locator, and you can Option-Shift-type a number to clear it.

Setting a Locator

Undefined Locator buttons are grayed. You can set Locators to the current Counter location while the Counter is moving, or while it is stopped.

To set a Locator:

① Move the Counter to the desired location.

If you don't know the exact location, you can instead listen for the desired location during playback, adding Locators on-the-fly.

② Option-click the Locator button you wish to set.

You can also hold down the Option key and type the number of the desired Locator.

Clearing a Locator

To clear a Locator button:

 Option-Shift-click the desired Locator button.

The button turns gray, indicating it is undefined.

You can also hold down the Option and Shift keys and type the number of the desired Locator.

SYNC POP-UP



KEY EQUIVALENT: Type To to toggle between Internal and the most recently selected "External" mode.

The Sync pop-up displays the source of Vision's sync.



Figure 23.9: Sync pop-up

The available sync sources include:

- **Internal**: Uses the internal clock of the Macintosh. In this mode, sequences play at their own tempo.
- External Beat Clock: Syncs to an external source, usually from a hardware-based sequencer or drum machine. In this mode, sequences

play at the tempo of the external sync device, and locate and play as determined by MIDI Song Pointer messages.

- MIDI Time Code: Uses time code from a SMPTE or MTC source. The sync source is usually a tape track but could be from another application or MIDI device that sends MTC. In this mode, Vision reads the incoming time code and begins playback when the sequence's SMPTE offset is encountered; the sequence uses it's own tempo.
- MTC/Machine Control: Syncs
 Vision to an MMC compatible device.
 In this mode, Vision automatically sends MMC commands to control the sync device. For more details, see Chapter 39: The MMC Window.
- Remote Start: Check this option to automatically start or stop Vision from an external device or program. With Remote Start enabled, Vision's Play button flashes in the Control Bar, indicating that it is waiting for sync or a start command from an external device (or other application). When unchecked, you must always hit Play in Vision to initiate playback, even after receiving external sync.

For more information on sync settings, see *Chapter 18: Synchronization*.

BEGIN RECORD TOGGLE

The Begin Record toggle determines how Vision begins recording. There are two modes:

Wait for Note

Wait Note

Figure 23.10: Begin Record toggle in Wait for Note mode

When using Wait for Note, recording does not begin until the first MIDI note is received. This method ensures you begin playing when you're ready to record, and that the first note is recorded at the precise beginning of the section.

NOTE: The metronome does start when clicking the **Record** button so you can get a feel for the tempo.

Countoff



Figure 23.11: Begin Record toggle in Countoff mode

When using Countoff, Vision plays a specified number of measures before entering record mode.

You can change the number of bars in the Countoff field by using the mouse or Macintosh keyboard. If Punch recording, playback begins this number of bars before the In Point.



Figure 23.12: Changing the Countoff

THE COUNTER

The Control Bar's Counter displays the current location for the current sequence. The Counter displays location information in two ways:

- Bars/beats/units
- SMPTE (Hours:Minutes:Seconds:Frames)

By default, the bars/beats/units are in large text and the SMPTE frames are in small text, see Figure 23.13.



Figure 23.13: The Counter

You can switch the positions of the two displays (making SMPTE the large display) by clicking the Counter Display toggle (†). Click it again to return the display to its default.



Figure 23.14: Switching between the Counter Displays

The Counter scrolls automatically during playback. When Vision is stopped, the Counter is updated whenever the Edit In Point changes—such as when clicking in an edit window.

You can change a Counter value by clicking on it and typing a number, or by clicking and dragging with the mouse.



Figure 23.15: Setting Counter location

NOTE: You can also open a larger version of the Control Bar's Counter by choosing Windows>Counter. Because the Counter Window is resizable you can make it as big as you want—and you can switch its display font. See Counter (pg. 444) for details.

About Units

Vision uses a 480 pulses-per-quarter note (ppq) resolution. This means that there are 480 units in each quarter note, and that there are 480 possible locations within each quarter note for a MIDI event to occur.

About Frames and Bits

Frames and bits are part of the SMPTE time code specification. The number of frames in one second depends on the type of time code used—see *SMPTE Time Code Rates (pg. 150)* for a description of the different frame rates. There are 80 bits in a frame. Bits are shown in a sequence's SMPTE *offset*, and in edit windows for event locations.

Vision rounds each SMPTE location to the nearest 480th of a beat. When typing in a SMPTE number (for an event location, for example), you may notice that Vision rounds the entered number to the nearest bar/beat/unit—which in the process may alter slightly the SMPTE location.

TEMPO DISPLAY



The Control Bar's Tempo Display usually shows the tempo of the current sequence. It is updated automatically if the tempo of the current sequence changes, or if you are syncing to External Beat Clock.

Normally, you cannot change the Tempo Display. However, by muting the current sequence's Tempo track, you can temporarily adjust the tempo in the Control Bar:

- ① Open the Tracks Window for the current sequence.
- ② Click the Mute column for the Tempo track.



The Control Bar's Tempo Display becomes editable.



3 Click in the Tempo Display field and type in the desired tempo, or click and drag with the mouse.

NOTE: Changing the Display Tempo while recording, records these changes to the current sequence's Tempo track.

There are actually many ways to change or adjust a sequence's tempo track. See *Virtual Conducting—Recording Tempo Changes (pg. 137)* for more details.

To open a List Window for the current sequence's Tempo track, click the Metronome button ().

MEMORY DISPLAY



The Memory Display indicates the available memory in Vision. For a more detailed look, click on the Memory Display for a pop-up.



Figure 23.16: Memory Pop-up


The "Largest free block" shows the largest contiguous amount of available memory.

If the "Total free space" is substantially larger than the "Largest free block," you may have fragmented memory. You can sometimes correct this by quitting and relaunching Vision.

To increase the available memory for Vision, **Get Info** on the application from the Finder and increase the "Preferred Size." This must be done while Vision is not launched.

IMPORTANT: Before allocating more memory to Vision, make sure your computer has enough installed RAM. See your Macintosh operating manuals for more information.

MARKER POP-UP



The Marker pop-up lists any markers contained in the current sequence's Meter track. Selecting a marker from this pop-up moves the Counter to that marker's location.



Figure 23.17: The Marker Pop-up

Before creating any markers, the Marker pop-up contains items for **beginning**, **in point**, and **end of sequence**. These items, shown in parentheses, are not user-defined and do not appear in the Marker Display.

When the Counter reaches a marker's location, the Marker pop-up automatically displays the name of that marker.

To open a List Window for the current sequence's Meter track, click the Marker button (\mathbb{Z}) .

To add new markers, choose either **Do>Insert Bar Marker** or **Do>Insert SMPTE Marker** (see page 422), or use the Insert pop-up in the List Window to insert a marker (see page 271).

PUNCH AND LOOP CONTROLS




Figure 23.18: The Punch Controls in the Control Bar

Use these controls to enable and disable Punch and Loop modes, and to specify a range for playing, recording, and looping.

Punch Toggle



KEY EQUIVALENT: Type Shift-6 to toggle Punch mode.

Click the Punch toggle to enable or disable Punch mode. Punch mode allows you to record or play a precise portion of a sequence (based on the In Point and Out Point fields).

When Punch mode is enabled:

- The Play From Start button initiates playback from the In Point.
- Recording only occurs within the range specified by the In and Out Points—Vision disables recording before the Counter reaches the In Point, and after the Counter reaches the Out Point.

- You can manually enter record mode, during playback, by typing the Tab key or by clicking the **Record** button.
- If Options>Stop at Punch Out is checked, Vision automatically stops playback at the Out Point.

When Punch mode is disabled:

- The Play From Start and Record buttons always start playback from the beginning of the sequence.
- Recording with one of the "replace" modes replaces the entire track, regardless of how much recording was done.

Loop Toggle



KEY EQUIVALENT: Type Shift-7 to toggle Loop mode.

Click the Loop toggle to enable or disable Loop mode. When enabled, Vision continuously repeats the portion of the sequence determined by the In and Out Points (for both playback and recording).

During playback, Loop mode lets you take full advantage of Vision's real-time editing capabilities. You can listen to specific sections of a track, perform edits, and then immediately listen to the results— without stopping and restarting the sequence.


With overdub recording, you can use looping to build track data, without exiting record mode. This is effective when working with drum tracks, repeating musical patterns, and multi-timbral takes.

Following are some helpful features relevant to recording in Loop mode:

- Type the Enter key when satisfied with a performance—the material is saved to the track and Vision continues loop recording.
- If you make a mistake, type the Delete key to erase anything recorded since the last time Enter was typed.
- Type Command-Shift-↓ to recordenable the next track; use Command-Shift-↑ to record-enable the previous track.

For more information on Loop recording, see *Loop Recording (pg. 35)*.

In Point and Out Point Fields



KEY EQUIVALENT: You can set the In Point and Out Points by typing and then on your computer's numeric keypad.

The In and Out Points determine the range played or recorded when Punch and Loop modes are enabled.

These fields, which are always displayed as bars/beats/units, can be set by manually typing in the desired fields; or you can use the Set In and Set Out Point buttons to automatically set them.

When both Punch and Loop are disabled, the In Point and Out Point fields are grayed out.



Figure 23.19: In/Out Point fields, disabled

NOTE: When the **Punch Points follow Edit Points** option is enabled in the Settings Window, any changes made to the Edit In/Out points (when playback is stopped) are automatically entered into the In Point and Out Point fields.

Set In Point Button



KEY EQUIVALENT: Type to set the In Point.

Click this button during playback to set the In Point to the Counter location. When playback is stopped or paused, this button sets the In Point to that of the Edit In location.

Set Out Point Button



KEY EQUIVALENT: Type to set the Out Point.

Click this button during playback to set the Out Point to the Counter location. When playback is stopped or paused, this button sets the Out Point to that of the Edit Out location.

WINDOW BUTTONS




Figure 23.20: Control Bar Window buttons

Click one of Control Bar's Window buttons to open the Sequences, Tracks, Pulse, List, Graphic, or Notation Windows. If the window is already open, it is brought to the front.

Clicking any of the Window buttons is the same as choosing the corresponding command from the **Windows** menu.

CHAPTER 24: The Sequences Window

The Sequences Window lists all sequences and segments contained in the current Vision file. Also listed are the sequence templates stored in the Vision Setup file. These three items are listed in separate sections of the Sequences Window.

	▼ My Song						
‡ •	Name	Key	HIDI	References	Comments		
▼ Sequences						- 4	
 Ve 	erse	A	(none)	Song, Track 1, 1			
• Ci	horus	В	(none)	Song, Track 1.9			
• Br	ridge	c	(none)	Song, Track 1, 17			
 Se 	ong	D	♪ C1	.,	Chained sequences		
▼ Seg	ments						
• Dr	rum Loop			Verse, Track 1, 1			
• Ba	ass Riff			Verse, Track 2, 1			
• Pi	iano Loops			Verse, Track 3, 1			
▼ Ten	nplates	, i				L	
• Po	op Template	AA	(none)			,	
• R	ock Template	∠AΒ	(none)				

Figure 24.1: Sequences Window

Although sequences, segments, and templates share some common characteristics, there are important differences between the three:

Sequences are groups of up to 99 tracks. At their most basic, sequences can be viewed as single songs; however, with the use of sequence events, they can also be used as song sections or even music layers within a parent sequence.

Unlike segments, sequences can be triggered by a key equivalent or MIDI event.

Segments are just like sequences except they are usually made from existing track material (by choosing Edit>Make Segment/Loop). Unlike sequences, segments cannot be assigned a key or MIDI trigger. Also, segments have the option of being automatically deleted when no

being automatically deleted when no longer referenced by a parent sequence.

Segments can be turned into sequences by dragging them into the Sequences section.

 Templates are starting points for opening new sequences. If, for instance, you have a sequence (or segment) with useful track assignments, appropriate meter and tempo settings, or anything else, you can save it as a sequence template.

Templates cannot be opened directly for editing or playback. Instead, they are copied to a new sequence when double-clicked, or when invoked by their key or MIDI trigger.

SELECTING, MOVING, AND COPYING SEQUENCES

You can hide or view the items contained in each section of the Sequences Window by clicking the open/close triangle.




Figure 24.2: Templates section, closed and open

As discussed in *Selector Dots and Move Cursor (pg. 22)*, sequences and segments can be selected and highlighted with their selector dots. Once a sequence or segment is selected, it can be deleted, copied and pasted to another Vision file, copied and pasted as a sequence event into the Tracks or List Window, or modified with any of Vision's edit commands. In addition, they can be moved to another position within their section with the move cursor (1).

NOTE: Drag a segment into the Sequences section of the Sequences Window to turn it into a sequence. Sequences, in turn, can be dragged into the Segments section.

SEQUENCES WINDOW COLUMNS

The columns in the Sequences Window include Name, Key, MIDI, References, and Comments. As discussed in *Moving and Resizing Columns (pg. 23)*, these columns can be moved or resized as desired—allowing you to best utilize screen space.

Following is a description of each Sequences Window column:

Name

Although sequences are named automatically when created (segments can be named when they are made with the **Make Segment/Loop** command), they can be easily renamed from this column.

To enter or change a name, simply click in the field and type the new name; then type Enter, or click anywhere else in the window, to enter the new name.

Key

Use the Key column to assign a key equivalent to the sequence. Click in the field and type the key or key combination; keys in use by the program cannot be entered and you'll be prompted if you try to use a key already assigned to another sequence. If necessary, you can enter key combinations that use the Shift and Control keys.

Use the key trigger to initiate playback of the sequence, or to record it as a sequence event.

NOTE: Key and MIDI triggers cannot be assigned to segments. If you must assign a trigger to a segment, turn it into a sequence by dragging it to the Sequences section.

MIDI

Just like key equivalents, MIDI events can also trigger a sequence's playback. To assign a MIDI trigger, click in the column and send the desired event from your MIDI controller. If the MIDI column is resized large enough, you will see the event type and the device that sent it. To clear an assigned MIDI event, click in the column and type Delete.

The MIDI column lets you create and edit MIDIKeys for your sequences without opening the MIDIKeys Window (discussed on page 171).

You can also use the MIDIKeys Window to manually enter a MIDI event and device, or to edit an existing assignment. For details on using the MIDIKeys Window, see *The MIDIKeys Window* (pg. 171).

NOTE: The MIDI triggers for sequences are only available if **Setups>MIDIKeys Enabled** is checked.

NOTE: Key and MIDI triggers cannot be assigned to segments. If you must assign a trigger to a segment, turn it into a sequence by dragging it to the Sequences section.

References

When a sequence or segment is referenced by a parent sequence, information about the sequence event is displayed in the Reference column. The column lists the name of the parent sequence and track, and the measure location of the sequence event (see Figure 24.3).

NOTE: Sequence events describe how to play a sequence or segment from a parent sequence.



Figure 24.3: Pop-up of sequence event references

Although the column normally displays just the first reference, you can click in it for a complete pop-up listing of each track containing a reference (with the first bar shown), see Figure 24.3.

Comments

Use the Comments column to enter descriptive text about the sequence or segment. Resize the column, as necessary, to display more of the sequence's comments.

SEQUENCES WINDOW MENU

The following commands are available from the menu in the Sequences Window:




Figure 24.4: Sequences Window menu

NOTE: These commands are also available from the Do menu when the Sequences Window is the active window.

New Sequence (Command-N)

Creates a new sequence and automatically opens its Tracks Window. The new sequence is automatically named and assigned a key trigger.

New Generated Sequence

Creates a new generated sequence and opens its Tracks Window. These special sequences generate new and interesting music from existing notes and rhythms.

For more information, see *Chapter 14: Generated Sequences.*

Duplicate (Command-D)

Makes a copy of the selected sequence or segment. The new sequence is automatically named (based on the original) and assigned a key trigger.

NOTE: Segments are always duplicated as sequences and placed in the Sequences section.

Save as Template

Use this command to save the selected sequence or segment as a template. When saving a template, you are prompted to name the new template.

IMPORTANT: Sequences containing sequence events or digital audio events cannot be saved as sequence templates.

Remove Unused Segments

When chosen, all segments without references are deleted. This command is only available if the **Automatically Remove Unused Segments** item is unchecked.

Automatically Remove Unused Segments

Check this option if you want segments automatically deleted when no longer referenced by any parent sequences.

Set Default Location

Saves the location, size, and column configuration of the Sequences Window as default. These settings are then used for any new Vision files.

PART 6: Windows

CHAPTER 25: The Tracks Window




Figure 25.1: Tracks Window

The Tracks Window lists all tracks in a given sequence. In addition to having a variety of sequence and track controls, the Tracks Window also contains a "Track Overview" and Strip Chart for displaying and editing individual track data.

For information on edit tools and edit functions common to all of Vision's edit windows, see *Chapter 9: Basic Editing Procedures*. For information on navigating Vision's windows, see *Chapter 4: Navigating in Vision*.

TWO WINDOWS IN ONE

The Tracks Window is divided into two basic areas: the Track Columns and the Track Overview section. Vision responds differently depending on which area you are working in. This distinction is subtle, but crucial to working with Vision.




Figure 25.2: The Two areas of the Tracks Window

When selecting items in the track columns, or selecting tracks using the selector dots (left side of the window), Vision is in "Tracks" mode, indicated by the entire track line (Name, Length, Instrument, and Comments) becoming highlighted, as shown in Figure 25.2. In this mode, edit operations affect the selected track or tracks and their entire contents.

When selecting tracks or portions of tracks in the Track Overview (right side of the window), Vision is in "Events" mode, indicated by highlighted track blocks (*not* highlighted track lines). In this mode, edit operations affect only the events in the selected track regions.




Figure 25.3: Events mode selection

Track Overview Toggle



Click the Track Overview toggle to show or hide the Track Overview section.




Figure 25.4: Tracks Window, Track Overview hidden

Window Divider



Use this divider to specify how the Tracks Window divides its space between the Track columns and Track Overview area. When the mouse is positioned over the divider, the cursor changes into a resize cursor (++). The divider can be dragged, changing the size of both areas, which could cause the Track Overview area to cover Comments and other columns.




Figure 25.5: Resizing the Track Overview section

NOTE: You can also double-click the Window Divider to move it all the way to the left or right.

Expanded Info Area and Strip Chart



The lower portion of the Tracks Window can be expanded by clicking the open/close triangle. The lower-left area, when opened, displays expanded Play Quantize settings for selected tracks, or sequence event info for selected sequence event blocks. The lower-right area displays the Strip Chart.




Figure 25.6: Tracks Window with expanded info area and Strip Chart

For information on the info area's Play Quantize controls, see *Play Quantize* (pg. 72). For information about the Opts menu, see *Opts Menu* (pg. 262). For information on sequence event controls, see *Sequence Event Parameters* (pg. 96). And, for details on using the Strip Chart, see *Chapter 28: The Strip Chart*.

TRACK COLUMNS



Figure 25.7: Track columns in Tracks Window

As mentioned in *Moving and Resizing Columns (pg. 23)*, each of the track columns can be moved (and some resized) as desired—allowing you to best utilize screen space.

Each of the track columns are discussed in the following sections.

Select and Move

As discussed in *Selector Dots and Move Cursor (pg. 22)*, tracks can be selected and highlighted with their selector dots. Once a track is selected, it can be deleted, copied and pasted to another sequence, or modified with any of Vision's edit commands. In addition, they can be moved to another position within the Tracks Window with the move cursor (1).

Record

Click in this column to record-enable the track. Only one track can be recordenabled at a time. An "R" appears in the track's column when record-enabled. Clicking again disables the track for recording.

Type Command-Shift-↑ to enable recording on the previous track, or Command-Shift-↓ to enable recording on the next track.

Mute

Click in this column to mute playback for a track (or group of tracks). This lets you listen to and focus on other tracks within the sequence. An "M" appears in the track's column when it is muted.

Click on the **M** in the column head to toggle the mutes for all selected tracks. Command-click the **M** in the column head to unmute all tracks in the sequence.

Solo

Click in this column to hear only that track, or group of tracks. An "S" appears in this column when the track is soloed.

Click on the **S** in the column head to toggle the solos for all selected tracks. Command-click the **S** in the column head to unsolo all tracks in the sequence.

Track Name

To enter or change the name of a track, highlight this field and type the desired name, then type Enter or click anywhere else on the screen to enter the new name.

Length and Looping

These fields display the length of the sequence and tracks. Option-click to lock or unlock a length. To loop a track or sequence, click on either edge of this field.




Figure 25.8: Track and sequence lengths

Vision automatically sets the sequence length to that of the greatest track length. If all tracks are looped, the sequence length becomes infinity (∞). If this field displays a ">" or "<" symbol, the sequence doesn't end cleanly on the barline.

Locking a Track or Sequence Length

Option-click a track or sequence length to lock or unlock it. When a length is locked, a small padlock icon () appears, indicating that Vision cannot automatically change it—although you can do so manually by typing a new value into the field, or by clicking and dragging with the mouse.

Normally, track lengths are automatically updated, if necessary, after recording. And if you record a track that is longer than the sequence length, Vision lengthens the sequence automatically.

Looping a Track or Sequence

Set the loop option to play a track or sequence indefinitely by clicking either edge of the length field.




Figure 25.9: Setting a sequence to loop




Figure 25.10: Setting a track to loop

When a *track* loops, Vision plays the track's contents (beginning at the sequence start point) repeatedly, regardless of what the other tracks are playing. All tracks loop independently of each other. For example, if one track is set to loop every 2 bars, and another every 3 bars, the tracks coincide every 6 bars.

When a *sequence* loops, Vision restarts all tracks at the sequence Start Point, after it reaches the end of the sequence. This includes the Tempo and Meter tracks.

To loop or unloop several tracks simultaneously:

(1) Select the desired tracks.

‡ •	R	н	s	Track	1	Len	:	ø	Instrument
Þ				Drums	Т	4₽		ರ	LinnDrum
•				Bass	7:	16	:	Г	Prophet 5
Þ		9		Comp		32			Wavestation-1
Þ				Melody		32			MicroWave-8

Click in the **Length** column heading.

The loop mode for each selected track is toggled.



... to toggle the loop setting for each selected track

‡•	R	н	s	Track		Len		Ø	Instrument
Þ	9			Drums	18	40	E	Ø	LinnDrum
•				Bass	1:	16	:		Prophet 5
⊳				Comp	B	32	B		Wavestation-1
⊳				Melody	8	32	E		MicroWave-8

Drum (ತೆ)

Click in this column to specify that the track is a *drum track*, which allows it to be viewed and edited in the Pulse Window.

Drum Instruments do not allow a note to be retriggered until that note is finished playing. Also, notes on Drum Instruments don't play if playback begins after the note's onset. This is useful when working with drum loops on samplers, where it doesn't make sense to trigger the note anywhere except at the start. For example, a note beginning on beat 1 and ending

on beat 4 won't play if playback begins on beat 2. This concept applies to mutes and solos as well; if a drum instrument or track is soloed or unmuted on beat 2, a note beginning on beat 1 and ending on beat 4 won't play.

For more information about drum tracks, please see *Drum Tracks (pg. 223)*.

Instrument

The Instrument column displays the assigned Instrument for each track.

When recording a track, the current Thru Instrument (shown in the Control Bar) is automatically assigned to the track.

To change a track's Instrument assignment, choose a new Instrument from the pop-up that appears when clicking in the Instrument column for that track.


Multi Instruments

Although each track is usually assigned to a single Instrument for playback, tracks can contain events to be played on several Instruments (up to 16). "Multi" tracks can be created from one or more selected tracks by choosing **Edit>Combine Tracks** (see page 413).

Multi-tracks can also be created by recording on multiple channels into a single track via the Input Map. For details, see *Multi-Channel Recording* (pg. 46).

To reassign Instruments within a multitrack:

 Click in the Instrument column for the multi-track.



Vision displays a list of Instruments used by the track, plus a "Remap Instruments" option.



Choose the Remap Instruments option to open the following dialog.



 Click on an Instrument pop-up to reassign its data to a different Instrument.



Multi-tracks can be split into separate tracks by choosing **Edit>Separate Multi Track**. See page 413 for details.

Patch

The Patch column shows the name or number of the patch associated with the Instrument. For details on how Vision uses names, see *Chapter 33: The Names Window*.

NOTE: For multi-tracks, the patch column is blank.

The Patch column displays its contents in five different ways:

Patch name in normal type

There is a patch event residing in one of the sequence's tracks.

Patch name in italics

The patch isn't currently loaded in the Instrument, but there is a patch event specifying it in one of the sequence's tracks.

• Patch name in parentheses

There is no patch event for this Instrument anywhere in the sequence. The name shown in the Patch column is the last one sent to the Instrument (probably from the Control Bar's Current Patch pop-up).

"Various"

The word "Various" in the Patch column indicates that there is more than one patch event for that Instrument in the sequence (muted tracks are ignored).

Number

Instruments that aren't subscribed to a Patch Name document (see page 305) display a numerical representation of the current or stored patch.

Patch events can be changed by clicking the Patch column and choosing from the pop-up menu of patches associated with the track's Instrument. Option-clicking the column opens the Name Browser—see *Names Browser (pg. 321)* for a complete description. A patch can also be selected by typing the first few letters of its name, and typing Enter.

Clicking on a patch name in parentheses and selecting a patch from the pop-up inserts a patch event at the beginning of that track (and removes the parentheses). When selecting a patch, the Patch column changes even if the original patch event is located in another track.

The Patch column can reference a multitrack containing only patch events for multiple Instruments, such as that created by the Copy Patches command (see page 421). Each patch from the multitrack is displayed in the Patch column of tracks assigned to their corresponding Instruments. Changing patches in the Patch column simultaneously updates the multi-patches track. The Patch column also supports having a separate "setup" sequence that sends patches and perhaps sysex. After having played the setup sequence, the current patches displayed in the normal sequences will all be correct, though they are displayed in parentheses.

It is possible to make a window to monitor the current patches for several Instruments just by creating an empty sequence containing tracks assigned to those Instruments. As various patch events are played, the new current patches are displayed.

Comments

Type any text into this field to make notes or comments about any of the tracks.

METER AND TEMPO TRACKS

The Meter Track



Every sequence has a Meter track that can contain three types of information: meter changes, key signature changes, and markers. If a sequence has a constant meter, it is displayed in the Tracks Window, where it can be edited by clicking the top or bottom number and entering a new value. See Figure 25.11.



Figure 25.11: Setting the meter from the Tracks Window

Meter Changes

If a sequence contains more than one meter event, the Tracks Window displays "Meter Track" in the Meter field. In this case, editing the Meter track must occur from a List or Notation Window. To open a List Window of meter events, double-click the selector dot.



Figure 25.12: Meter Track in the Tracks Window

See also Changing the Meter in Notation Windows (pg. 279) and Inserting Meter Changes in a List Window (pg. 270). To automatically add meter changes, see Reclocking to a Click Track (pg. 144).

Key Signature Changes

Key changes must be viewed and edited from within a List or Notation Window. See *Changing the Key in Notation Windows (pg. 279)* and *Inserting Key Changes in a List Window (pg. 271)* for details.

Markers

Markers allow you to move quickly to different counter locations. For information on recalling markers, see *Marker Pop-up* (pg. 193). For information on inserting markers, see *Insert Bar Marker (Command-')* (pg. 422) in Chapter 43: The Do Menu, and Inserting Markers in a List Window (pg. 271).

The Tempo Track



The Tempo field shows the tempo for the sequence. A sequence's Tempo track contains only tempo change events. For a new sequence, the tempo track contains one tempo change event at the beginning of the sequence.

If a sequence's Tempo track contains just one tempo event, the value is editable from the Tracks Window. If the sequence contains more than one tempo event, "Tempo Track" is displayed in the Tempo field.



Figure 25.13: Tempo Track in Tracks Window

For sequences containing tempo changes, double-click the Tempo track's selector dot to open a List Window of tempo events.

Other tempo related topics:

• To use the Change Tempo dialog, see *Change Tempo (Option-') (pg. 422)*.

- To change the tempo in the Strip Chart, see *Tempo (pg. 250)*.
- To insert tempo changes in a List Window, see *Tempo Track List Windows (pg. 271)*.
- To record tempo changes in real time, see *Virtual Conducting—Recording Tempo Changes (pg. 137)*.
- To make the sequence play at the Master tempo setting in the Control Bar, see *Tempo Display (pg. 192)*.
- To allow simultaneously playing sequences to use their own Tempo tracks, see Sync Mode (pg. 212).
- To add tempo changes automatically while scaling time, see *Editing a Rubato Performance (pg. 144)*.
- To display the Tempo field with more resolution (4 decimal places), see *Clean Tempo Display (pg. 334)*.

SEQUENCE INFORMATION

Information Toggle

The Sync and Offset settings, if used at all, are usually set once and not used again. Choose **Show Info** from the Tracks Window menu to show and hide this information—or click the Information toggle.




Figure 25.14: Click the Information toggle to show and hide sequence information

SMPTE Offset

The **SMPTE Offset** sets the SMPTE start time of a sequence and is also used as the basis for computing SMPTE times displayed in List Windows.


SHORTCUT: Click the **Offset** button to grab the current SMPTE location from the Counter in the Control Bar. The SMPTE Offset field is updated automatically with the new location.

Sequence Start


Use the sequence **Start Point** to create a pickup for the sequence. Each sequence's Start Point can only be defined as $1 \cdot 1 \cdot 0$ or earlier (anywhere in Bar 0).

For example, to set an eighth note pickup for the sequence:

 Set the sequence Start Point to 0•4•240.



Opening an edit Window shows the sequence starting at 0.4.240, an eighth note earlier than bar 1.



NOTE: Setting a sequence's Start Point to somewhere in bar 0, shifts all existing events back by one measure. Events residing before the Start Point are played at the Start Point

Sync Mode



Figure 25.15: Sync Mode pop-up

Each sequence has its own Tempo track that usually determines its playback tempo. However, Vision also allows playback of several sequences simultaneously (see *Players (pg. 113)*). In these cases, you can specify whether the sequence uses the Master Tempo (and plays in sync with the other sequences), or whether it uses its own Tempo track.

The **Sync** mode pop-up allows selection of one of the following choices:

Off

The sequence plays independently of the Master Tempo (except when synced to MIDI Beat Clock). In this mode, Vision is substantially burdened with real-time computations; you should therefore only use this mode when you need to play simultaneous sequences with independent tempos.

Speed (default)

The sequence uses the Master Tempo. If a new sequence is triggered when other sequences are already playing, the new sequence starts playing immediately.

Start

The sequence uses the Master Tempo. When a sequence is already playing, triggering a new sequence causes a delay in playback until the Counter returns to the playing sequence's Start Point, thereby keeping both sequences in sync.

You cannot change the Sync mode while playing or recording.

TRACK OVERVIEW— VIEWING AND EDITING BLOCKS




Figure 25.16: Track Overview area of Tracks Window

If **Detailed Track Overview** is enabled in the Tracks Window menu, Vision displays actual MIDI data in the Track Overview area, using either a miniature piano roll or Strip Chart. The Strip Chart events are visible only if there are no note events occurring at the same time.

If a track contains both sequence events and MIDI data, the sequence event blocks will hide the MIDI data in the Track Overview.

NOTE: The Track Overview can display any part of the sequence at any horizontal zoom level, and with one of four vertical zoom levels. See Vertical Zooming (pg. 217).

Display Modes

The Track Overview has three display modes: Phrases, Blocks, and Tracks. In addition, there is an option for Markers Break Blocks.





Figure 25.17: Display Mode pop-up

NOTE: In all Display modes, a sequence event is displayed as its own block.

Phrases



Phrases mode groups MIDI events into blocks created from MIDI events occurring closely together in time, but separated from other MIDI events by *silence* longer than the value selected in the Silence pop-up (see page 215).

Blocks



Blocks mode displays blocks of equal size. The Block size is set using the Block Size pop-up (see page 215).

Tracks



In **Tracks** mode, the entire track is a single block. This allows the entire track to be selected with a single mouse click in the Track Overview.

Markers Break Blocks

Check this option and Vision will break the material in the Track Overview into blocks wherever it encounters a marker.

For example, when using Tracks mode with **Markers Break Blocks** checked, Vision breaks your Track Overview into blocks that correspond exactly with every marker.




Figure 25.18: Track Display Mode with Markers Break Blocks enabled

This has numerous uses. For example:

- Figure 25.18 shows a case where an EDL (Edit Decision List) was made using markers—the Markers Break Blocks option lets you quickly locate your individual musical passages visually in the Track Overview.
- If you record your entire song in a single sequence and use markers to define the sections (intro, verse, chorus, bridge), then by using the Markers Break Blocks option, you can easily locate to various portions of your song using only the visual feedback in the Track Overview.

If you display either Phrases or Blocks and check the Markers Break Blocks option, Vision continues to break up the Track Overview using the options set in either the Silence or Size selectors, but it further breaks the Track Overview at every marker.

NOTE: Markers are set, stored, and edited in the Meter track as described in Inserting Markers in a List Window (pg. 271).

You can also insert markers by selecting either Do>Insert Bar Marker or Do>Insert SMPTE Marker.

Cursor Display



The Cursor Display constantly reflects the placement of your cursor in the track overview.

This is useful when you prefer more specific numeric feedback to graphical feedback about your cursor's position. For example, when making selections, dragging, etc., it is often helpful to know exactly where your cursor is.


Clicking on the I-beam icon in the Cursor display (as shown in Figure 25.19) toggles a SMPTE display on and off.



Figure 25.19: Cursor display

The SMPTE display is especially useful when scoring to film or video; for instance, if you need to insert a sound effect at a specific SMPTE location, use the SMPTE cursor display to ensure that the data is entered accurately.

Block Size/Phrase Silence Size Pop-Up



When viewing tracks in Phrases or Blocks mode, the display resolution is specified in this pop-up. In Phrases mode, the value defines the amount of time that a track must be silent in order for Vision to break it into separate blocks. In Blocks mode, the value defines the size of the block.

Using the Arrow Tool in Track Overview

With the Arrow tool selected, clicking on blocks selects them. Shift-clicking additional blocks allows multiple, possibly discontiguous, blocks to be selected.

Using the Arrow tool selects *all types of MIDI data* in addition to notes.




Figure 25.20: Selected track blocks

Dragging a selection rectangle with the Arrow tool selects any block touched by the rectangle.




Figure 25.21: A selection rectangle with the Arrow tool

Using the Marquee Tool in Track Overview

Use the Marquee tool to select a time range of blocks in the Track Overview by dragging a rectangle around the block(s).

This selects *all types of MIDI data* in the tracks in addition to notes.




Figure 25.22: A selection rectangle with the Marquee tool

Using the I-Beam Tool in Track Overview

Use the I-Beam tool to select a time range in *all tracks in a sequence*, including the Tempo track.

This selects *all types of MIDI data* in the tracks in addition to notes.




Figure 25.23: Selecting all tracks with the I-Beam tool

Selecting in the Track Overview Ruler

When the cursor is moved into the Ruler (regardless of the selected tool), it turns into the I-beam tool. Dragging the cursor in the Ruler selects a time range in all tracks in the Track Overview. Clicking in the Ruler sets the Edit In point, but doesn't select all the tracks. This allows copying a selection, clicking in the Ruler to set a destination time, then pasting the data at the selected point. This method can considerably ease the task of locating the same data in other windows.

Dragging Blocks in Track Overview

Use the Arrow tool to drag blocks in the Track Overview. Dragging a block from one track to another merges the contents of the block with the contents of the destination track. The information is assigned to the Instrument of the destination track.

Dragging a block to a multi-track maintains the block's original Instrument assignment.




Figure 25.24: Dragging a block to a different track

Dragging a block horizontally changes its start time.




Figure 25.25: Changing the start time of a block

NOTE: When dragging blocks, Cursor Quantize helps position the block precisely on bar and beat lines. See Cursor Quantize (pg. 58) for more information.

Option-dragging blocks keeps the original block untouched while copying it to a new location.




Figure 25.26: Option-drag to make a copy while moving a block.

Vertical Zooming

Zooming vertically in the Tracks Window works a little differently than Vision's other edit windows.




Figure 25.27: Zoom buttons in Tracks Window

NOTE: With the Strip Chart open, the Tracks Window has an extra set of vertical Zoom buttons (located below those of the Track Overview).

To increase the display height for all tracks in the Track Overview, click the **Zoom In** vertical (+) button. This lets you see more track detail in each track block, but decreases the number of tracks visible in the Tracks Window.

SHORTCUT: Option-click the Zoom In button to zoom the Track Overview to its maximum height.

Click the **Zoom Out** vertical (-) button to decrease the display height for all tracks in the Track Overview. This lets you see more tracks in the Tracks Window, but decreases the amount of visible detail within each track block.

SHORTCUT: Option-click the Zoom Out button to zoom the Track Overview to its minimum height.

The Tracks Window supports four vertical zoom levels, shown in Figure 25.28. Select a zoom level that gives you the optimum trade-off between track detail and number of visible tracks.





Figure 25.28: Four vertical zoom levels for Track Overview in the Tracks Window

NOTE: When zooming vertically in the Tracks Window, Vision recalculates the window size, if necessary, so that partial tracks are not displayed.

TRACKS WINDOW MENU



Following is an explanation of the items in the Tracks Window menu:

Auto Scroll (Shift-4)

When checked, Vision follows the Counter and automatically scrolls the contents of the Track Overview section.

NOTE: If Auto Scroll Top Window Only is checked in the Editing section of the Settings Window, Vision only scrolls the top window.

Jump to Selection (Command-J)

Choose this command to automatically scroll the contents of the Track Overview to the Edit In point.

Zoom to Fit (Option-Z)

Choose this command to view the contents of the entire sequence in the Track Overview section.

Zoom Back (Option-B)

Choose this command to return to the previous zoom level (acts to "undo" the last zoom).

Tools

This item chooses from the Arrow, Marquee, and I-beam tools. Only one can be selected (checked) at a time. Selecting one deselects the others.

Choosing one of these items is identical to selecting the corresponding tool in the actual Tracks Window. For a description of the different tool types, see *Cursor Tools* (pg. 57).

Bar/Beat/Unit

Specifies that bars/beats/units are displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute SMPTE

Specifies that *absolute* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute time values are derived from adding the sequence's offset time to the actual event times.

NOTE: The offset time for a sequence references a SMPTE time (location) on tape, usually corresponding to the beginning of a song or musical passage.

Relative SMPTE

Specifies that *relative* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Relative time values represent the actual elapsed time from the beginning of the sequence—without adding the sequence's offset.

Set Default Location

Saves as default the current position and size of the Tracks Window. Any newly opened Tracks Windows use these defaults.

Show Offset Info

This option opens and closes the Information area of the Tracks Window. Checking this item is the same as clicking the Information toggle in the upper-left corner of the Tracks Window (see *Information Toggle (pg. 212)*).

Detailed Track Overview

When checked, Vision displays detailed MIDI information in the Track Overview area of the Tracks Window. You will be able to see the data in a piano roll or Strip Chart format (or audio where applicable).

When unchecked, Vision instead displays patterned blocks where data is present—which speeds screen redraws.

Show Vertical Line

When checked, Vision displays a scrolling vertical line in the Track Overview area, indicating the location of the Counter as the sequence advances.

CHAPTER 26: The Pulse Window

PULSE WINDOW

Vision's Pulse Window provides a visual and intuitive environment for creating and editing drum tracks. To open the Pulse Window choose **Windows>Pulse**, or click the Pulse Window button in the Control Bar




Figure 26.1: Pulse Window

As can be seen in Figure 26.1, the Pulse Window is in many ways very similar to the Tracks Window. For instance, the sequence's Tempo, Meter, and Length fields are included and displayed in the same place; in addition, Track columns are listed on the left with corresponding track data displayed on the right in the *Note Grid* area.

One important difference between the Tracks and Pulse Window is that only *drum tracks* (which are comprised of individual note lines) can be viewed in the Pulse Window. For an explanation of drum tracks, see *Drum Tracks* (pg. 223).

Features common to both the Tracks and Pulse Windows are discussed in *Chapter 25: The Tracks Window*. If necessary, go back and read that chapter for information on the following topics:

- Track column descriptions, page 205;
- Sequence Length and Looping, page 206;
- Meter and Tempo tracks, page 210;
- Sequence Information (Offset, Start Point, and Sync mode), page 212;
- Info area and Strip Chart, page 222.

Note Grid Toggle



You can show or hide the Note Grid area by clicking the Note Grid toggle, see Figure 26.2.




Figure 26.2: Pulse Window, Note Grid hidden

Window Divider



Use this divider to specify how the Pulse Window divides its space between the Track columns and Note Grid. When the mouse is positioned over the divider, the cursor changes into a resize cursor (++). The divider can be dragged, changing the size of both areas, which could cause the Note Grid to cover some of the track and note line columns.




Figure 26.3: Resizing the Note Grid area

NOTE: You can also double-click the Window Divider to automatically move it all the way to the left or right.

Expanded Info Area and Strip Chart



The lower portion of the Pulse Window can be expanded by clicking the open/close triangle. The lower-left area, when opened, displays expanded Play Quantize settings for selected drum tracks. The lower-right area displays the Strip Chart.




Figure 26.4: Pulse Window with expanded info area and Strip Chart

For information on the info area's Play Quantize controls, see *Play Quantize* (pg. 72). See *Opts Menu* (pg. 262) to learn about the Opts menu. And, for details on using the Strip Chart, see *Chapter 28: The Strip Chart*.

DRUM TRACKS




Figure 26.5: Drum tracks in Pulse Window

The Pulse Window displays all drum tracks contained in the sequence. To create a new drum track, choose **New Drum Track** from the menu in the Pulse Window. In addition, any existing track can be turned into a drum track by clicking in the Drum column from the Tracks Window (see Figure 26.6).

Track		Len	-	ď	Instrumer
ats	1	1	:	Ø,	LinnDrum
ridious filter	:	1	:	ľ	Prophet 5-1

Figure 26.6: Enabling a drum track from the Tracks Window

NOTE: When opening older Vision files, some tracks (those containing Drum Instruments or Instruments with note names) are automatically designated as drum tracks.

Drum tracks, like regular tracks, can be selected and highlighted with their selector dots, and moved to another position within the window with the move cursor (‡). See *Selector Dots and Move Cursor (pg. 22)* for details.

As in the Tracks Window, the Pulse Window has track columns for Record, Mute, Solo, Length and Loop, and Comments, which are discussed in *Track Columns (pg. 205)*.

NOTE: Instrument and Patch columns are part of the note line description.

Each of the track columns can be moved (and some even resized) as desired—allowing you to best utilize screen space. For details, see *Moving and Resizing Columns (pg. 23)*.

Playback

In most cases, making a track a drum track will have no impact on the way the track sounds during playback.

However, there is one exception to this rule. If playback of a drum track begins during a note, or if the track is unmuted or soloed during a note, that note will not sound. Only notes whose note on events occur after playback begins (or after the track is soloed or unmuted) will sound. Soloing or unmuting the Instrument that the track is assigned to does not demonstrate the same effect; it works just as if the track is not a drum track.

This feature can be useful in live playback situations where a user might want to mute and solo tracks but only trigger note events that occur after the time that the solo button is enabled or mute is disabled. For example, if the triggered note is a sample loop, you would probably want to hear only full instantiations of the loop.

Quantize settings

Unlike the Tracks Window, the Pulse Window has a **Play Quantize** column containing a Quantize Value pop-up and Play Quantize toggle. This column lets you easily view the Play Quantize status of each drum track. To enable Play Quantize, simply check or uncheck the toggle.




Figure 26.7: Play Quantize toggle (enabled)

The function of the **Quantize Value** popup changes depending on whether the track is using Grid or Groove for its Play Quantize:

- Command-click the pop-up to toggle between Grid and Groove Quantize;
- When in Grid mode, choose a note duration for the Quantize value;
- When in Groove mode, specify the source track for the Groove:
- When in Groove Mode, Shift-click on the pop-up to specify the source sequence for the Groove.

To access the complete list of Play Quantize parameters, select the desired track and click the open/close triangle in the info area (see *Expanded Info Area and Strip Chart (pg. 222)*).

Drum Note Lines

When creating a new drum track, it contains just one note line. Additional note lines are added by clicking the **Add** button in the Select & Move column.




Figure 26.8: Adding drum note lines

Each drum track can contain multiple drum note lines. Each note line corresponds to a single drum or percussion sound, which is defined with columns for **Note**, **Instrument**, and **Patch**.




Figure 26.9: Assigning a sound in the Note column

Click in the Note column to assign a sound to the note line. If the assigned Instrument is subscribed to a Patch Name document that contains note names, the Note column displays those names—as opposed to MIDI note numbers.

Drum tracks containing note lines assigned to different Instruments are "multi" tracks and are displayed as such in other Vision windows.

NOTE: When recording or inserting notes into a drum track from another window, drum note lines, corresponding to the new data, are automatically added.

Individual drum note lines can be selected for editing by clicking on their respective selector dots. When selected, all notes in the note line become highlighted, and can be modified with any of Vision's edit commands.




Figure 26.10: Selecting a drum note line

Selected note lines can also be dragged to a different position within a drum track, or to another track—drag beyond all current drum tracks to add a new track automatically.

To remove a drum note line, select it and choose **Edit>Clear Selection**.

NOTE: You can use **Separate Multi Track** to unmerge all note lines in a drum track to separate tracks.

NOTE: A drum track's Play Quantize settings affect all note lines contained in that track. If individual settings for Play Quantize and Play Shift are desired for a particular note line, simply drag it to a new drum track where it can have its own settings.

Using Separate Multi Track with Drum Tracks

If a drum track is selected, the **Separate Multi Track** command can be used to separate each note line on the track into its own track. Select the track in the Tracks window and choose Edit>Separate Multi Track to create an individual track for each note line.

NOTE GRID




Figure 26.11: Note Grid area

The Note Grid displays data for each of the note lines in each drum track. In addition to the normal methods of recording and inserting MIDI data, notes can be inserted and deleted in the Note Grid with the Magic Drumstick or Pencil tools. Data displayed in the Note Grid is restricted to notes.

The Note Grid is viewed in one of two modes as specified by the Display pop-up.




Figure 26.12: Display Mode and Grid Size pop-ups

Both display modes provide vertical grid lines that help illustrate the "beat" boundaries in the Note Grid. The number of grid lines, and their spacing, is based on the setting in the Grid Size pop-up (just to the right of the Display Mode pop-up).

Matrix Display Mode

The Matrix display mode is optimized to provide an evenly spaced grid for inserting and deleting notes.




Figure 26.13: Display mode set to Matrix with 16th note grid lines

In this mode, inserted notes are seen as small squares centered cleanly within each grid space. Although note durations are not displayed, and note start times are not always clearly represented, Matrix mode provides a good environment for building and editing rhythms and patterns.

You can zoom horizontally while in Matrix mode—with the Zoom buttons in the scroll bar, or by Option-clicking with the mouse. Changing the zoom levels, however, automatically adjusts the Grid Size pop-up to the appropriate corresponding resolution.

NOTE: When zooming out, groups of individual notes are displayed as single blocks equal to the Display mode's Grid Size.

Graphic Display Mode

Unlike Matrix, the Graphic display mode accurately displays where each note begins and ends (with relation to bar and beat lines). In this mode, the notes displayed are just like those used in the Graphic Window.




Figure 26.14: Display mode set to Graphic


This mode provides better horizontal zooming than Matrix mode—zooming in and out does not adjust the Grid Size and individual notes are almost always visible. Hence, the Graphic display mode provides an excellent environment for adjusting note durations and start times within the context of the Note Grid's vertical lines.

NOTE: When zooming out past a certain point while in Graphic display mode, the vertical grid lines disappear.

Inserting Notes with Magic Drumstick



To insert a note in the Note Grid, simply select the Magic Drumstick and click in the desired grid location. The Drumstick works as a toggle for inserting and deleting notes. To remove a note, just click on it with the Drumstick.



The Drumstick points in a different direction depending on its mode of operation (inserting or deleting).



Figure 26.15: Drag-entering with Magic Drumstick

A series of notes can be entered, or removed, by clicking and dragging with the Drumstick. The spacing, duration and velocity for the entered notes is taken from the settings in the Insert Note section of the Settings Window, see Figure 26.16.




Figure 26.16: Insert Note settings from Settings Window

The Spacing size can also be set from the note pop-up directly to the right of the Drumstick tool in the Pulse Window. And, if Duration is set to "Percent of Spacing" with 100% (in the Settings Window), adjusting the Spacing pop-up also sets the Duration value.

Notes can also be entered in the Note Grid area with the **Pencil** tool. It cannot, however, erase notes or click and drag a range of notes like the Magic Drumstick.

For a short tutorial on using the Magic Drumstick tool, see *Building a Drum Track (pg. 40)*.

NOTE: If a drum note line is set to display note velocities, the vertical placement of the mouse determines the velocity for the entered note. See Note Velocities (pg. 228) for details.

Note Velocities



In the Note Grid area, individual note lines can be displayed with or without velocities. A Velocity button, located just to the left of the Note Grid, toggles the display of velocities on and off for each line. Option-click on any one Velocity toggle to set all note lines to that velocity view.




Figure 26.17: Click Velocity toggle show and hide velocities for any drum note line

When enabling the Velocity toggle, the height of the display for that particular note line gets taller, thereby allowing the velocity range of its notes to be seen. In this mode, notes entered with the Drumstick or Pencil tools will have velocities based on the vertical placement of the mouse.

Adjusting Notes in the Note Grid




Figure 26.18: Dragging notes with Note Grid set to Matrix

With the Note Grid set to Matrix, you can drag notes to another grid space—forward or back in time, or up and down to another note line. Select the Pencil or Marquee tool, place your cursor near the desired note, and one of the following note edit cursors will appear:

- <+> Click and drag left or right with this cursor to change the note's location. Any other selected notes are dragged as well. You can only move notes horizontally with this cursor.
 - Dragging notes in this fashion (while set to Matrix) always moves them in increments of the note value defined in the Spacing pop-up—regardless of the Cursor Quantize setting.
- Click and drag up or down with this cursor to move the note to a different note line. Any other selected notes are dragged as well. You can only moves notes vertically with this cursor.

With the Note Grid set to Graphic, the note edit cursors work just like they do in the Graphic Window. See *Modifying Notes in the Graphic Window (pg. 236)* for details.

NOTE: You must choose either the Marquee or Pencil tool in order for the note edit cursors to show up in the Note Grid.

Editing Velocities in the Note Grid

If velocities are displayed for a note line, you can use the Marquee or Pencil tool to edit their values.




Figure 26.19: Changing velocities with Note Grid set to Matrix mode

With the Note Grid set to Matrix, place your cursor near the top of the note for the *Change Velocity* cursor to appear. Then click and drag up or down to set the new velocity value, see Figure 26.19.




Figure 26.20: Changing velocities with Note Grid set to Graphic Mode

If the Note Grid is set to Graphic, place your cursor near the center of the note. Once the Change Velocity cursor appears, click and drag up or down to set the new velocity value (see Figure 26.20).

NOTE: When viewing velocities for a note line, it is not possible to drag those notes to another drum note line.

TIP: You can adjust the velocities of entered notes on-the-fly with the Drumstick or Pencil tools. While viewing velocities, click a note into a grid space and hold down the mouse button; then drag up or down until the desired velocity is achieved—release the mouse button to enter the note.

Nudge




Figure 26.21: Nudge settings in the Pulse Window

Data contained in any drum track or note line can easily be nudged back or forward in time. This nudging capability provides an easy way to tweak the subtle timing of tracks or notes. To nudge a drum track or note line, simply select it and type Command→ (forward) or Command← (back). To see the notes actually move, you'll need to set the Display mode to Graphic.

The nudge amount, set from either the Pulse Window or the Settings Window, is defined by a number of bars, beats, units, seconds, frames, or bits.

NOTE: Unlike settings for Play Quantize or Play Shift, nudging tracks and notes permanently alters the data.


MULTIPLE PULSE WINDOWS

It is possible to have multiple Pulse Windows open for the same sequence, which is desirable if you'd like them set to different Matrix values.

With a Pulse Window active (in front), simply choose **Windows>Pulse**, or click on the Pulse button in the Control Bar, to open an additional Pulse Window.

With a Pulse Window in the background, you can also open additional Pulse Windows by Shift-double-clicking a drum track's selector dot or track block, or by Shift-clicking the Pulse button in the Control Bar.

PULSE WINDOW MENU



Following is an explanation of the items in the Pulse Window menu:

New Drum Track (Command-Shift-N)

Choose this command to add a new drum track to the current sequence.

NOTE: Only drum tracks can be viewed and edited in the Pulse Window.

Auto Scroll (Shift-4)

When checked, Vision follows the Counter and automatically scrolls the contents of the Note Grid.

NOTE: If Auto Scroll Top Window Only is checked in the Editing section of the Settings Window, Vision only scrolls the top window.

Jump to Selection (Command-J)

Choose this command to automatically scroll the contents of the Note Grid to the Edit In point.

Zoom to Fit (Option-Z)

Choose this command to set the size of the Note Grid to whole notes, which is the widest zoom level.

Zoom Back (Option-B)

Choose this command to return to the previous zoom level (acts to "undo" the last zoom).

Tools

This item chooses from the Marquee, Pencil, and Magic Drumstick tools. Only one can be selected (checked) at a time. Selecting one deselects the others.

Choosing one of these items is identical to selecting the corresponding tool in the Pulse Window's tool palette. For a description of the different tool types, see *Cursor Tools (pg. 57)*.

Bar/Beat/Unit

Specifies that bars/beats/units are displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute SMPTE

Specifies that *absolute* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute time values are derived from adding the sequence's offset time to the actual event times.

NOTE: The offset time for a sequence references a SMPTE time (location) on tape, usually corresponding to the beginning of a song or musical passage.

Relative SMPTE

Specifies that *relative* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Relative time values represent the actual elapsed time from the beginning of the sequence—without adding the sequence's offset.

Set Default Location

Saves as default the current position and size of the Pulse Window. Any newly opened Pulse Windows use these defaults.

Show Offset Info

This option opens and closes the Information area of the Pulse Window. Checking this item is the same as clicking the Information toggle in the upper-left corner of the Pulse Window (see *Information Toggle (pg. 212)*).

Play Edited Note

When checked, Vision plays any note clicked. Notes inserted with the Pencil and Magic Drumstick are also audible. When unchecked, note editing does not trigger any sound.

Show Vertical Line

When checked, Vision displays a scrolling vertical line in the Note Grid area, indicating the location of the Counter as the sequence advances.

CHAPTER 27: The Graphic Window

The Graphic Window displays and edits MIDI data in a "Piano Roll" format. The "piano keys," or pitches, are oriented at the left edge of the screen, descending in pitch from top to bottom. The display may be scrolled to display all 127 MIDI pitches. The horizontal direction, representing time flowing from left to right, is denoted by bars and beats. Although only one track can be displayed in a Graphic Window, many Graphic Windows can be open simultaneously.




Figure 27.1: Graphic Window

In Graphic Windows, notes are displayed graphically as rectangles (very short notes are displayed as X's). The vertical position of each rectangle denotes the pitch while the horizontal location of the left edge of the note marks the time at

which the note occurs. The duration is represented by the length of the rectangle. If the track contains multiple Instruments, the note color indicates the assigned Instrument.




Figure 27.2: Piano Roll area

For information on edit tools and edit functions common to each of Vision's edit windows, see *Chapter 9: Basic Editing Procedures.* For information on navigating Vision's windows, see *Chapter 4: Navigating in Vision.*

SELECTING NOTES IN THE GRAPHIC WINDOW

Click a note to select a it. Shift-click to select additional notes. Selected notes are hollow instead of solid. Shift-click to deselect a selected note.

NOTE: Once a note is selected, you can automatically select the previous or next note by typing the appropriate Arrow key (left or right) on your Macintosh keyboard. Hold down the Shift key and the previously selected notes remain selected.

In addition to selecting notes individually, they can also be selected in groups, as discussed in the following sections.

Using the Marquee Tool

Us the Marquee tool to select notes in a rectangular area. Choose the Marquee tool, click in one corner of the rectangle and drag to the other corner. All notes *beginning* within the drawn rectangle are selected.




Figure 27.3: Selecting notes with the Marquee tool

Make sure the cursor is a "cross" when beginning to drag the rectangle rather than a note edit cursor (indicated with small arrows, discussed at the end of this chapter). The note edit cursors appear when the cursor is located over a note, indicating that the note will either be dragged to a new pitch or location, depending on which part of the note the cursor is above.

Using the I-Beam Tool to Select a Time Range

Notes in a time range are selected with the I-beam tool by dragging across the time area within the Piano Roll. Unlike the Marquee tool, which allows a vertical component to the selection, using the I-beam tool in this manner selects *all* pitches in the selected time range (see *Using the I-Beam Tool to Select a Pitch Range (pg. 235)*).




Figure 27.4: Defining a time range in the Piano Roll

This method does not select pitch bend, modulation or controller events. To select these type of MIDI data, see *Selecting all Types of MIDI Data in a Time Range* (pg. 235).

Using the I-Beam Tool to Select a Pitch Range

By moving your mouse into the left margin of the Graphic Window, where the pitches are displayed, the cursor changes to a horizontal I-beam. This tool allows selection of all notes in a specified pitch range over the entire track length.




Figure 27.5: Defining a pitch range in the Piano Roll

Selecting all Types of MIDI Data in a Time Range

To select all MIDI data, position the cursor within the Ruler and drag horizontally. All MIDI data contained within the time range is selected (including notes, patch changes, pitch bend, etc.).




Figure 27.6: Click and drag in Ruler to select all data

The I-beam tool is available in the Ruler at all times, even if the Marquee tool is currently selected.

MODIFYING NOTES IN THE GRAPHIC WINDOW

There are three note edit cursors to modify notes in the Graphic Window. As the cursor moves over different portions of the note, the cursor changes to reflect the operation that occurs when the note is dragged. The following sections discuss these note edit cursors.

NOTE: Use the Cursor Display area (see page 58) to monitor changes to the note properties.

NOTE: When you are moving or transposing notes, you can hold down the Option key on your computer keyboard to copy the note before modifying it. This leaves the original data intact.

Moving Notes



Position the cursor over the left section of a note to get the **Move** cursor, which allows modification of the note's start point by clicking and dragging left or right. Any other selected notes are also dragged. The Move cursor changes only the start time of the note, not it's pitch or duration.




Figure 27.7: Moving a note with the Move cursor

Transposing Notes



Position the cursor in the middle of a note to get the **Transpose** cursor, which allows modification of the note's pitch by dragging up or down. The start time and duration of the note are not changed.




Figure 27.8: Transposing with the Transpose cursor

Changing a Note's Duration



Position the cursor over the right section of a note to get the **Duration** cursor, which allows modification of the note's duration. Dragging to the left shortens the note and dragging to the right lengthens it.



Figure 27.9: Changing duration with the Duration

GRAPHIC WINDOW MENU



Following is an explanation of the items in the Graphic Window menu:

Auto Scroll

When checked, Vision follows the Counter and scrolls the contents of the Graphic Window.

NOTE: If Auto Scroll Top Window Only is checked in the Editing section of the Settings Window, Vision only scrolls the top window.

Jump to Selection (Command-J)

Choose this command to automatically scroll the contents of the Graphic Window to the Edit In point.

Zoom to Fit (Option-Z)

Choose this command to view the contents of the entire track in the Graphic Window.

Zoom Back (Option-B)

Choose this command to return to the previous zoom level (acts to "undo" the last zoom).

Tools

This item chooses from the Marquee, I-beam, and Pencil tools. Only one can be checked at a time. Selecting one deselects the others.

Choosing one of these items is identical to selecting the corresponding tool in the actual Graphic Window. For a description of the different tool types, see *Cursor Tools (pg. 57)*.

Bar/Beat/Unit

Specifies that bars/beats/units are displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute SMPTE

Specifies that *absolute* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute time values are derived from adding the sequence's offset time to actual event times.

NOTE: The offset time for a sequence references a SMPTE time (location) on tape, usually corresponding to the beginning of a song or musical passage.

Relative SMPTE

Specifies that *relative* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Relative time values represent the actual elapsed time from the beginning of the sequence—without adding the sequence's offset.

Set Default Location

Saves as default the current position and size of the Graphic Window. Any newly opened Graphic Windows use these defaults.

View (Option-V)

Choose this menu item to open the View dialog. It specifies which Instrument events are displayed for the selected track in the Graphic Window.



Figure 27.10: Graphic Window's View dialog

Choose from the following radio buttons:

- **all**Displays all Instruments.
- only
 Displays only the selected Instruments.
- all except

Displays only the Instruments not selected.

The View dialog not only determines which data is displayed, but also which data is editable. Data not displayed, therefore, cannot be selected, edited, or modified.

Play Edited Note

When checked, Vision plays any note clicked. If transposing a note, the different transposition values are audible as the note is dragged. Notes inserted with the Pencil tool are also audible. When unchecked, note editing does not trigger any sound.

Show Vertical Line

When checked, Vision displays a scrolling vertical line in the Graphic Window, indicating the location of the Counter as the sequence advances.

Both the bouncing ball and vertical line may be displayed simultaneously.

Show Piano Keyboard

Check this option to display a graphic keyboard in the left margin of the Graphic Window (instead of pitch and note names).

PART 6: Windows

CHAPTER 28: The Strip Chart

WHAT IS THE STRIP CHART?

The Strip Chart is a powerful editing tool found in the Tracks, Pulse, Graphic, and Notation Windows. It provides graphic viewing and editing of a variety MIDI data. The Strip Chart can also be used to insert events, and in the process, create many interesting musical effects like decrescendo, accelerando, or vibrato.

The following event types can be viewed and edited in the Strip Chart:

- velocity
- · release velocity
- duration
- tempo
- markers (view only)
- patches
- text events (view only) including lyrics and copyrights
- · aftertouch and poly aftertouch
- pitch bend
- MIDI Controllers (volume, pan, sustain, mod wheel, etc.)
- automation events (including volume, pan, mute/solo, send levels, EQ enable, and phase inversion)
- EQ band parameter events
- · Plug-in parameter events

Each event in the Strip Chart is displayed as a rectangle. The height of the rectangle determines the value, the left edge signifies the start time, and the width determines the duration of the event.




Figure 28.1: The Strip Chart

The Strip Chart consists of the following items:

- **●** I-beam tool
- Pencil tool
- **3** Variable pop-up
- Edit Shapes pop-up
- **6** Strip Chart toggle (shown enabled)
- **6** Strip Chart contents
- Density setting
- **8** Exact toggle (shown disabled)

Opening the Strip Chart

To open the Strip Chart in the Graphic Window, click the Strip Chart toggle at the bottom of the Window (see Figure 28.2). In addition, choosing an event type from the Strip Chart Contents pop-up will automatically open the Strip Chart.



Figure 28.2: Clicking the Strip Chart toggle

To open the Strip Chart in the Tracks and Pulse Windows, click the open/close triangle in the lower-left corner of the Window (see Figure 28.3).



Figure 28.3: Opening Strip Chart in Tracks Window

KEYBOARD EQUIVALENT: Type Shift-3 on your computer keyboard to toggle the Strip Chart between open and closed.

Defining the Strip Chart Contents

To choose the event type displayed in the Strip Chart:

Click on the Contents pop-up and select the desired event type.




Figure 28.4: Defining the Strip Chart Contents

Event types contained within the track are displayed in **bold** text in the Contents pop-up. This provides immediate feedback on which types of data are contained in the track. If a track contains only note data, the Contents pop-up displays only three event types in bold: Velocity, Release Velocity, and Duration.

NOTE: Choosing No Strip Chart from the Contents pop-up closes the Strip Chart.

STRIP CHART CONTENTS

Modifying Events in the Strip Chart

In the Graphic and Notation Windows, the Strip Chart displays information only for the track in that window. In this case, inserting new events in the Strip Chart places the data in the displayed track (even if other tracks are selected in the Tracks or Pulse Window).

In the Tracks and Pulse Windows, the Strip Chart displays information for all selected tracks. In this case, inserting new events in the Strip Chart places the data in each selected track.

However, modifying existing events in the Strip Chart modifies all events of that type in *all* selected tracks for the selected time range. This is the case for the Strip Chart in each edit window (despite the absence of these track events in the Graphic and Notation Windows).

THE STRIP CHART TOOLS Strip Chart I-beam tool Edit Shapes pop-up Variable pop-up Pencil tool (selected)

Figure 28.5: Strip Chart tools

The I-Beam Tool (Select)



Use this tool to click and drag over a selected time range in the Strip Chart. The I-beam tool in the main window's tool palette works similarly, but each tool operates independently.

The Strip Chart I-beam tool is also independent from the Marquee tool in the main window's tool palette.

The Pencil Tool



The Pencil tool allows drawing a new set of values for a selected event or group of events. It works with the Shapes defined in the Edit Shapes pop-up (see page 246).

The Variable pop-up



Figure 28.6: Variable pop-up in the Strip Chart

The Variable pop-up, providing access to several types of tools with special functions, works in conjunction with the Edit Shapes pop-up.

Strip Chart toggle (enabled)

Scale

χ

 Using the Scale tool, Strip Chart data can be modified by a factor ranging from 25% to 400%, labelled in the left margin. Vision multiplies the value of each event by the Scale factor. The resulting value is confined to limits imposed by the event type.




Figure 28.7: Scale Tool with Straight shape

Add Amount



The Add Amount tool causes values to be added to or subtracted from the values of the event according to the points on the line drawn.

For example, drawing a sloping line from 10 to 20 in the time range of notes having a velocity of 64, increases the values from 74 to 84.

Max/Min Limit



The range of values created by Strip Chart edit operations can be limited by setting the Variable pop-up to either Max or Min Limit.

For example, values greater than 48 can be reduced to 48 by selecting Max Limit and drawing a line at 48 across the desired time range, leaving all values less than 48 unchanged.




Figure 28.8: Max Limit with Flat shape

Legato



In Legato mode, the ending times of selected notes are changed with respect to their proximity to the next note. The duration is changed but not their start times.

For example, using Legato on durations with a value of 100%, extends each note until the beginning of the next note.

NOTE: Legato is grayed out when the Strip Chart displays anything other than note durations.

NOTE: The Legato tool in the Strip Chart uses the setting in the Select & Modify Window (for Change Duration, Set Legato to) when deciding the gap size over which notes are not affected. For details, see Change Methods (pg. 126).

Thin



Using Thin eliminates some controller data to require fewer events to achieve a similar effect. This saves memory and speeds up operations. Aftertouch, pitch bend, and volume controllers are notorious for clogging up MIDI transmissions with high data densities.

For example, if a sequence is mixed and a track contains too much volume controller data:

- ① Choose the **Thin** tool from the Variable pop-up.
- ② Set the Density to a small amount (perhaps 3%).

The **Density** field is located to the left of the Exact mode toggle.

3 Drag across the control data to thin.

NOTE: By using **Undo**, different Density settings can be auditioned to find the smallest setting that produces the desired effect.

The Density setting can also be *increased* from the current setting, creating interpolated values to "smooth out" overly noticeable controller changes.

Compress



The Compress tool compresses and expands Strip Chart data while keeping the relationships between existing events proportional.

For instance, Figure 28.9 shows the Compress tool expanding a range of key velocities. Notice that the basic shape of the data remains similar, but its range is expanded to fit the height of the drawn rectangle.




Figure 28.9: Expanding data range in Strip Chart with Compress tool

To compress the data, draw a rectangle around the events with a narrow range—the events increase or decrease as necessary to fit within the new data range.

The Compress tool affects all events in the time region of the dragged rectangle, even if they are above or below it. Events at the bottom of the data range are assigned a new value corresponding to the bottom of the rectangle, events at the top of the range are assigned a new value corresponding to the top— all others get proportional new values somewhere inbetween.

The Edit Shapes Pop-up



Figure 28.10: Edit Shapes pop-up

Straight



The Straight shape draws a line in any direction, making linear changes to Strip Chart events.

Free



The Free shape draws a freehand line and is especially helpful when using the Pencil tool, Min Limit, or Max Limit.

Parabola



The Parabola shape draws a parabolic curve from left to right (steeper at right) or from right to left (steeper at left).

The shape and size of the parabola is defined by the direction and amount dragged:




Figure 28.11: Four parabolas drawn differently, arrows indicating the mouse direction

The Parabola is especially useful when creating fade outs:

- (1) With the Strip Chart open, choose **Volume** from the Contents pop-up.
- ② Select the Pencil tool.
- 3 Choose Parabola from the Edit Shapes pop-up.
- 4 Drag a parabola from the top of the Strip Chart to the bottom, starting at the time to begin fading, and stopping at the end of the track.

Flat

The Flat shape draws straight, horizontal lines. All affected data either assumes the value drawn, has a constant amount added, or is scaled by a constant amount, depending on the modification tool selected from the Variable pop-up.

This is especially useful with the Percent tool to scale all events by the same percentage.

Random



The Random option drags a rectangular selection around the events to randomize. Vision randomly chooses values falling within the range of the rectangle and applies the changes to the selected events. When the Variable pop-up is set to Add Amount, Vision adds a random amount between values outlined. When using Scale, Vision chooses random values for scaling the selection.




Figure 28.12: Using Random on key velocities

The Random option is useful in "humanizing" notes step-recorded with constant velocities.

Oscillator Shapes



Use the Oscillator shapes to insert or shape data with periodic waveforms. The available waveshapes include Sine, Square, Triangle, and Sawtooth. These shapes can be used to draw in expression data for filter sweeps, or volume data for tremolo effects—and they can be in perfect sync with your sequences.

Figure 28.13 shows controller events inserted with the Sawtooth waveshape.




Figure 28.13: Drawing events with Sawtooth waveshape

The height of the drawn events is determined by how far up or down you drag the mouse after the initial click. The direction of the waveform is determined by whether the mouse was dragged up or down.

The **Waveform Period** is set in the Strip Chart & Nudge section of the Settings Window, see Figure 28.14, and determines the length of each cycle for the Oscillator shape. The period can be specified as a number of bars, beats, units, seconds, frames, or bits.




Figure 28.14: Strip Chart & Nudge settings

The Waveform Period pop-up also has an option called **Use Meter**. Check this item when using "bars" as the period; this ensures that the bar's size is based on the Meter for the affected track region. **Use Meter** is checked by default.

Use the Waveform Period along with Cursor Quantize to ensure that the waveshapes are drawn cleanly on the desired beats.


NOTE: When using an Oscillator Shape in the Strip Chart with the Pencil tool selected, you can click the Pencil tool to automatically open the Settings Window —where the Waveform Period may be specified.

NON-CONTINUOUS EVENTS IN THE STRIP CHART

The Strip Chart can display many noncontinuous types of events, including Mute, Solo, Plug-In Bypass, EQ Enable, etc. In these cases, events drawn in the top half of the Strip Chart result in an "On" event and events drawn in the bottom half of the Strip Chart result in an "Off" event.

Regardless of where you position the pencil tool when inserting these events, On events will be drawn at the very top of the window and Off events will be drawn

at the very bottom of the window. This results in a situation where Off events themselves cannot be seen in the Strip Chart, except as the "end" of an on event.



As a rule of thumb, if you see a colored rectangle in the Strip Chart, the parameter selected in the Strip Chart contents pop-up is On. If you do not see a colored rectangle, the parameter is Off.

USING THE STRIP CHART

This section describes how to use the Strip Chart to view and change various event types.

NOTE: When editing data in the Strip Chart, holding down the Shift-key affects only previously selected events.

NOTE: During operations that add to or subtract from Strip Chart data, Vision automatically limits the resulting values to their legal minimum or maximum bounds.

Velocity and Release Velocity

The Strip Chart displays two types of velocity:

- velocity (key velocity)
- · release velocity

Since Velocity is not displayed in the Graphic or Notation Windows, the Strip Chart provides viewing and editing for these important events.

When either type of velocity is selected from the Strip Chart's Contents menu, the Strip Chart displays a vertical bar for each note's velocity value. The values are shown on the left side of the Strip Chart.

An audio event's velocity setting affects the playback volume of the audio event; the higher the number is, the louder the event will be.

NOTE: While most keyboards and MIDI devices send and respond to key velocity, few send or respond to release velocity. Vision's default release velocity value is 64; if Vision does not receive a release velocity setting while recording from a MIDI controller, it sets the release velocity parameter to 64.

Duration

Note Durations can be viewed and modified in the Strip Chart.

When viewing durations in the Strip Chart, vertical bars are displayed denoting the duration for each note. The value of the bar is shown on the left side of the Strip Chart. The scale maximum is a whole note except when Add Amount is the selected tool. The scale is then denoted by - J to J indicating that a maximum value of J may be added to or subtracted from a note duration.




Figure 28.15: Viewing Durations in the Strip Chart

Tempo

Although tempo events are stored in the Tempo track of each sequence, the Tempo track is directly editable from the Strip Chart—simply choose Tempo from the Contents pop-up.

Editing or inserting tempo events in the Strip Chart automatically updates the sequence's Tempo track.





Figure 28.16: Viewing tempo events in the Strip Chart

NOTE: When using the Straight tool to draw an accelerando or ritardando in the Strip Chart, Vision draws a curve instead. Linear changes to tempo are not perceived as linear, or smooth.

Markers

Markers are stored in the Meter track, but can be viewed in any track's (MIDI or Audio) Strip Chart. For example:

If the Markers in your Meter track look like this...





Patches

Insert a Patch Change in the Strip Chart by using the Pencil tool to click at the desired time for the Patch Change. A popup menu appears listing the patches available for the track's Instrument.




Figure 28.17: Patch Events in the Strip Chart

If the Instrument doesn't have names assigned in the Names Window, a dialog appears allowing numeric entry for bank select and program change values:



Text-type submenu




Figure 28.18: Text-type submenu

Text-type events allow storage of text comments, copyright information, descriptions of Instruments, lyrics, or cue points in tracks, along with MIDI information.

The Strip Chart displays each text event on its own horizontal text line. When enough text events have been displayed to fill the entire strip chart (vertically), display begins again at the top of the window. The Strip Chart can only display the first 62 characters of any text-type event. Text-type events may actually occupy several lines in the Text Edit dialog but only the information that fits is displayed in the Strip Chart.

Text-type events include:

Text

Can be used for any text including comments, reminders etc.

Copyright

Provides a place to store a copyright notice.

Instruments

Verbal descriptions of Instruments can enable subsequent orchestration in a different MIDI environment.

Lyrics

Words may be exported to notation programs supporting this feature.

Cue Points

Typically describes action taking place on film or video occurring at a specific SMPTE time.

Inserting a new text-type event opens the Text Edit dialog allowing display and editing for the entire event. Any text can be typed in, and cut, copy, and paste operations can be performed by typing Command-X, Command-C, and Command-Y, respectively (these commands are not available from the **Edit** menu). When finished, type the Enter key to insert the text into the track.

MIDI submenu




Figure 28.19: MIDI submenu

MIDI events include:

Pitch Bend

Pitch Bend events can have values from -8192 to +8191. They are displayed as events above and below a horizontal line. Events above the line have positive values, and events below the line have negative values.




Figure 28.20: Pitch bend events in the Strip Chart

Aftertouch

Aftertouch events can have values between 0 and 127.

Poly Aftertouch

When using the Strip Chart to display and edit Poly Aftertouch, a note number appears in the second pop-up next to the Strip Chart's Contents pop-up. The Strip Chart displays and edits Poly Aftertouch events for one note at a time. To select a different note, click the Note pop-up and change it using either the mouse or a MIDI controller.




Figure 28.21: Viewing Poly Aftertouch in the Strip Chart

Velocity Scale

Velocity Scale events can have values between 0 and 127. For more information about Velocity Scale, see *Velocity Scale (pg. 297)*.

MIDI Controllers

A general **Controller** option and all eight **Favorite Controllers** are available from the **MIDI** submenu. To define your Favorite Controllers, see *Favorite Controllers* (pg. 336).

Choosing any of these items gives you a second pop-up containing all controller types.

When one of the eight favorite controllers is selected, the name and number of the controller appears in the second pop-up (to the right of the Strip Chart's Contents pop-up). When "Controller" is selected, the second pop-up displays Controller 7 (Volume) by default.

In both cases, *any* new controller may be selected from the second pop-up.




Figure 28.22: Controller pop-up in the Strip Chart

Fine Controls

Vision allows controllers numbered 0-63 to be in Fine or Coarse mode. In Coarse mode, Vision displays and edits values in a range of 0-127. In Fine mode, controllers 32-63 are interpreted as "fine tuning" for controllers 0-31. In this case, the combined value limits are 0 to 16383. Fine Controls are enabled from the Settings Window (see page 331 for details).

NOTE: Most MIDI devices don't use Fine controls. Consult your device manual to find out if this feature is available.

Automation submenu




Figure 28.23: Automation submenu

Audio Volume

Values can range from negative infinity to +24 dB. For details, see your *Audio Reference Manual*.

Audio Pan

Values range from <100.00 (left) to 100.00>(right).

Mute

Events drawn in the top half of the strip chart will result in a "Mute On" event, and events drawn in the bottom half will produce a "Mute Off" event.

Unlike most of the other commands in this menu, **Mute** can affect Audio *or* MIDI Instruments. Keep in mind that these events affect Instruments rather than tracks.

For details, see your *Audio Reference Manual*.

Solo

Events drawn in the top half of the strip chart will result in a "Solo On" event, and events drawn in the bottom half will produce a "Solo Off" event.

Unlike most of the other commands in this menu, **Solo** can affect Audio *or* MIDI Instruments. Keep in mind that these events affect Instruments rather than tracks.

For details, see your *Audio Reference Manual.*

• Send (1-4) Level

These options can write Send Level events for each specific send. Values range from negative infinity to +24 dB.

Plug-in (1-4) Bypass

Plug-in Bypass events can have Off and On values. When set to Off, the plug-in will be applied to the audio signal. When set to On, the plug-in will be bypassed.

Events drawn in the top half of the strip chart will result in a "Plug-in Bypass On" event, and events drawn in the bottom half will produce a "Plug-in Bypass Off" event.

• Phase Invert

Events drawn in the top half of the strip chart will result in a "Phase Invert On" event, and events drawn in the bottom half will produce a "Phase Invert Off" event.

EQ Enable

Events drawn in the top half of the strip chart will result in an "EQ Enable On" event, and events drawn in the bottom half will produce an "EQ Enable Off" event.

For more information about these automation events, please see your *Audio Reference Manual*.

EQ Band Parameter submenu

EQ Band Parameter			
EQ Band 1 Freq	EQ Band 2 Freq	EQ Band 3 Freq	EQ Band 4 Freq
EQ Band 1 Gain	EQ Band 2 Gain	EQ Band 3 Gain	EQ Band 4 Gain
EQ Band 1 Width	EQ Band 2 Width	EQ Band 3 Width	EQ Band 4 Width
E0 Band 1 Tupe	EO Band 2 Tupe	EO Band 3 Tupe	EO Band 4 Tupe
EQ Band 1 Enable	EQ Band 2 Enable	EQ Band 3 Enable	EQ Band 4 Enable

Figure 28.24: EO Band Parameter submenu

Frequency

Controls the frequency of the specified EQ band. Values can range from 20.00 Hz to 20000.00 Hz.

Gain

Controls the gain of the specified EQ band. Values can range from - 18.00 dB to +18.00 dB.

Width

Controls the width of the specified EQ band. Values can range from 0 to 4.00 octaves.

Type

Allows you to change the EQ type for the specified band.

Enable

Events drawn in the top half of the strip chart will result in a "EQ Band Enable On" event, and events drawn in the bottom half will produce a "EQ Band Enable Off" event for the specified band.

For more information about these automation events, please see your *Audio Reference Manual*.

Plug-in Parameter submenu

The **Plug-in Parameter** submenu lists the plug-ins that are assigned to the selected track's Audio Instrument. For example:




Figure 28.25: Plug-in Parameter submenu

After you select a plug-in, another pop-up menu appears to the right. This menu displays the selected plug-in's parameters. For example, if you select opECHO, you will see the following:



Open the plug-in edit window for opECHO, and you will see that the parameters listed in the pop-up menu correspond to the parameters of the opECHO plug-in.



Plug-in parameters

Vision can automate up to 1024 parameters per VST plug-in.

For more information about these automation events, please see your *Audio Reference Manual*.

Using the Density Setting

When choosing the Pencil or Thin tools to edit continuous automation data, the Density setting appears next to the second Strip Chart pop-up.




Figure 28.26: Density setting in the Strip Chart

NOTE: The Density setting can also be set from the Settings Window. See Strip Chart Settings (pg. 332) for details.

MIDI is capable of communicating approximately 1000 events per second. If pitch bend was entered at this maximum speed, MIDI wouldn't have time to transmit anything but pitch bend. The Density setting, scaled from the maximum MIDI transmission rate, allows restriction of this data to levels that are musically meaningful. The minimum density is 0.1% of MIDI capacity.

The goal is to achieve a musical effect with controller data, without hearing individual steps, while using a minimum Density setting.

Use **Undo** to audition different Density settings to find the smallest setting that provides a satisfying musical effect.

When entering pitch bend for a patch whose pitch bend range is a whole step, a Density of 1% is adequate. If the pitch bend range is two or three octaves, a Density of 20% is appropriate.

MULTIPLE TRACKS AND CHANNELS IN THE STRIP CHART

The Strip Chart in the Tracks and Pulse Windows can simultaneously display and edit data for more than one track. This is helpful for scaling or thinning data on several tracks at the same time, or for inserting identical volume and pan events across several tracks.

Figure 28.27 shows pan data from two separate tracks being displayed in the Strip Chart. Viewing related data from separate tracks is useful for checking their relationship.




Figure 28.27: Pan data from two separate tracks

Inserting data in the Strip Chart for the Tracks and Pulse Windows places the data in *all* selected tracks. If a track is a "multi" and contains several channels, a copy of the data is inserted for each channel.

Although the Strip Chart in the Graphic Window cannot display data for multiple tracks, it can display data for multiple channels if the displayed track is a "multi" track. However, it can only insert data on one channel at a time (see Figure 28.28). Edits, on the other hand, affect all displayed channels.



Figure 28.28: Specifying Instrument for inserted Strip Chart events


RESIZING AND ZOOMING THE STRIP CHART

The Strip Chart in the Tracks and Pulse Windows can be resized and vertically zoomed for greater detail and data resolution.


Resizing the Strip Chart

To resize the Strip Chart in the Tracks and Pulse Windows:


- Open the Strip Chart by clicking the open/close triangle in the lower-left corner of the Tracks or Pulse Window.
- ② Place your cursor at the top of the Strip Chart area so the resize cursor (1) appears.



③ Click and drag up to resize the Strip Chart area.



Once the desired size is reached, release the mouse button to resize the area.



The contents in the Strip Chart are redrawn to take advantage of the larger edit area.

4 If necessary, resize the entire Tracks (or Pulse) Window to make room for the larger Strip Chart.

Zooming Vertically in the Strip Chart

Normally, the entire value range for events fits into the height of the Strip Chart. You can, however, zoom vertically for greater resolution, which can be important for inserting and editing data.

To zoom vertically in the Strip Chart, click the Zoom buttons in the lower-right corner of the Tracks (or Pulse) Window. Make sure not to confuse the vertical Zoom buttons for the Strip Chart with those of the Track Overview, see Figure 28.29.




Figure 28.29: Vertical Zoom buttons and scroll bar for Strip Chart

When viewing zoomed data in the Strip Chart, use the vertical scroll bar to navigate up or down.

Figure 28.30 illustrates the Strip Chart at three different zoom levels. The more you zoom vertically, the smaller the displayed data range becomes. View the left margin of the Strip Chart for the actual range of the displayed data.




Figure 28.30: Strip Chart data, zoomed vertically

CHAPTER 29: The List Window

The List Window displays a chronological list of all events in a track as text and numbers. List Windows are used for the following track types:

- Performance track (normal track)
- Tempo track
- Meter track

List Windows for normal tracks may contain events for notes, patch changes, digital audio, text-type, pitch bend, controllers, aftertouch, poly aftertouch, automation (plug-in and EQ parameters, etc.), system exclusive, and sequence events.




Figure 29.1: List Window

List Windows for Meter tracks contain events for meter changes, markers, and key signatures.




Figure 29.2: Meter track List Window

List Windows for Tempo tracks contain events for tempo changes.




Figure 29.3: Tempo track List Window

OPTS MENU



In previous versions of Vision, a **Seqs** menu appeared in the List window and Tracks/Pulse window expanded info area for tracks with sequence events in them. The menu is now called **Opts**, and it contains an additional command that can apply to any track, regardless of whether or not the track contains sequence events. For that reason, the menu appears in the List window (and Tracks/Pulse Window expanded info area) for all performance tracks.

Song Track

Song Track is available only when the List window displays a performance track containing sequence events.

Check this option to copy the tempo information from the referenced sequences (in that track) to the parent sequence. This lets the parent sequence play back with the tempo of the referenced material.

The parent sequence's Meter and Tempo tracks are updated automatically if any changes are made to the sequence events contained in the *Song Track*.

Each sequence can only have one Song Track. If you already have Song Track enabled for one track, enabling it for another track disables the option for the previous track.

Keep Sequences End-to-End

Keep Sequences End-to-End is available only when the List window displays a performance track containing sequence events.

When both Song Track and Keep Sequences End-to-End are checked, Vision keeps sequence event blocks neatly together, one after another (the end point of one sequence event is the start point of the following sequence event). This is a handy option when chaining together sequences to make songs.

Dragging, resizing, or changing the number of repeats for any sequence event block (as well as inserting or deleting sequence events), causes existing sequence events to move accordingly.



Also, the Meter *and* Tempo tracks of the parent sequence automatically change to match those of the sequence events residing in the Song Track. All meter, tempo, key, and marker events in the referenced

sequences therefore end up in the parent sequence. In addition, a marker is automatically inserted at the beginning of each sequence event with the name of the referenced sequence or segment.

IMPORTANT: In order for a parent sequence to use both the Meter and Tempo tracks of the sequence events in the Song Track, both options in the Sequence Event pop-up must be checked.



Figure 29.4: Sequence Event pop-up in List Window

Lock Event SMPTE Times

Lock Event SMPTE Times is available for all performance tracks.

When checked, this option locks the SMPTE time of each event in the track so that even if you change the tempo of the sequence, each event in the track will play at the appropriate SMPTE time.

This is especially useful if you are scoring a film and want to set up a "sound effects" track. Simply check **Lock Event SMPTE Times** in the **Opts** menu for that track, and you can freely change the tempi of the music in the sequence without affecting the sound effects.

You can check **Lock Event SMPTE Times** for any number of performance tracks.

INSERTING EVENTS



Choose an item from the Insert Events pop-up to insert it into the track at the Edit In point. The available event types depend on the type of List Window currently active.

After inserting a particular event type into the List Window, you can click the Insert Events icon like a button (without highlighting the event type in the pop-up) to insert the same event type again.

Performance Track List Windows




Figure 29.5: Insert Event pop-up for performance Track

Notes

Note events display the pitch (note number), duration, velocity, and (optionally) release velocity.


Durations are displayed as quarter notes and units. Durations, pitch and velocity are editable using the mouse or computer keyboard. Pitch and velocity are also editable by selecting the item and playing a MIDI controller.

Audio Event

Choosing **Audio Event** automatically opens the **Import Audio** dialog box. The audio event(s) inserted will be placed at the current insertion point.

For more information about **Import Audio**, see your *MIDI Reference Manual*.


Patch



Patch events can be displayed as numbers or names. After being inserted with the Insert Events pop-up, they can be changed by clicking them and selecting a new patch from the Patch pop-up that appears.

Unless you use the Names Window to assign a Patch Name document to a device, it will display its patch changes as numbers. For more information, see Chapter 33: The Names Window.

The rightmost part of the patch line contains a pop-up menu.



NOTE FOR MIDI NOVICES: The maximum number that can be sent in a MIDI program change message is 127. However, double program change and bank select messages can be used to access patches beyond the "127" limit.

Using this menu accesses the five different types of patch change messages. The different types allow patch changes on synths that have more than 128 patches via bank select messages, or multiple program change messages. In all cases, there will be numericals next to the boxed icons that can be set to the appropriate values. If you are using the OMS Name Manager to provide patch names, you won't need to set the numericals manually; they will be filled in automatically whenever a patch is selected.

Following is a description of the five types of patch change messages:

- PC: Sends a program change message only.
- PC PC: Sends two program changes in rapid succession. Some synths use the first message to set the hundreds digits and the second message to set the tens and ones digit. For example, PC 105 PC 38 would set the channel to program 538.
- B0 PC: Sends a bank select 0 message followed by a program change.
- B32 PC: Sends a bank select 32 message followed by a program change.
- B0 B32 PC: Sends a bank select 0 message, a bank select 32 message, and a program change.

Check your synthesizer's documentation to find out which patch change messages it supports.

Text-type



Text-type events allow storage of text comments, copyright information, descriptions of Instruments, lyrics, or cue points in tracks, along with MIDI information. The List Window displays as much of the text event as fits on one line. Text-type events may actually occupy several lines in the Text Edit dialog but only the information that fits is displayed on one line in the List Window.

Text-type events include:

Cue Points

Typically describes action taking place on film or video occurring at a specific SMPTE time.

Lyrics

Words may be exported to notation programs supporting this feature.

Instruments

Verbal descriptions of Instruments can enable subsequent orchestration in a different MIDI environment.

Copyright

Provides a place to store a copyright notice.

Text

Can be used for any text including comments, reminders etc.

Inserting a new text-type event, or clicking on an existing one, opens the Text Edit dialog allowing display and editing for the entire event. Any text can be typed in, and cut, copy, and paste operations can be performed by typing Command-X, Command-C, and Command-Y, respectively (these commands are not available from the **Edit** menu). When finished, type the Enter key to insert the text into the track.

Pasting markers from the Meter track into a normal track converts bar markers to text-type events, and SMPTE markers to cue point events. This process may also occur in reverse with cue points and text-type events pasted into the Meter track.

MIDI




Figure 29.6: MIDI Submenu

Pitch Bend

Pitch Bend: -1143
Pitch Bend events display the bend

amount as a number from -8192 to +8191.

Aftertouch

After Touch: 98

Aftertouch events are displayed as an editable number between 0 and 127.

Poly Aftertouch

C#2 After Touch: 89

Polyphonic Aftertouch events display the pitch and controller amount (0– 127). The pitch is edited by selecting it and either playing a new note on a MIDI controller, or by using the mouse or computer keyboard.

Velocity Scale

Velocity Scale 127

Velocity Scale events are displayed as a number from 0 to 127. For more information about Velocity Scale, please see page 297.

Controllers

Breath Ct1 (2) 127

Controller events display the controller name, number and value (in that order). The eight Favorite Controllers (as defined in *Favorite Controllers* (pg. 336)) and a generic "Controller" item are available in the MIDI pop-up menu. When "Controller" is selected, a Volume event (MIDI Controller #7)

is inserted by default. You can then click on "Volume" and select a new controller from the pop-up that appears.

Controller events previously inserted are also changed by clicking them and selecting a new controller from the pop-up that appears.

If Fine Controls is checked in the Settings Window, values for pairs of controllers are shown as numbers from 0 to 16383.

Automation submenu




Figure 29.7: Automation submenu

Audio Volume

Volume -19 .085 dB

Values can range from -∞ to +24 dB. For details, see your *Audio Reference Manual*.

Audio Pan

Pan ← 36.000

Values range from <100.000 (left) to 100.000>(right).

Mute

Mute Off

Mute events can have values of Off and On. The value is toggled by clicking on the word "Off" (or "On").

Unlike most of the other commands in this menu, **Mute** can affect Audio *or* MIDI Instruments. Keep in mind that these events affect Instruments rather than tracks.

For details, see your *Audio Reference Manual*.

Solo

Solo Off

Solo events can have values of Off and On. The value is toggled by clicking on the word "Off" (or "On").

Unlike most of the other commands in this menu, **Solo** can affect Audio *or* MIDI Instruments. Keep in mind that these events affect Instruments rather than tracks.

For details, see your *Audio Reference Manual*.

• Send (1-4) Level

Send 1 Level 0 .000 dB

These options can write Send Level events for each specific send. The number of the Send that will be effected is displayed in the left column. Values range from negative infinity to +24 dB.

• Plug-in (1-4) Bypass

opBOXDLY Bypass On

Plug-in Bypass events can have Off and On values. When set to Off, the plug-in will be applied to the audio signal. When set to On, the plug-in will be bypassed. The value is toggled by clicking on the word "Off" (or "On").

In the List window, these events appear with the name of the effected plug-in on the left, followed by the word "Bypass", followed by the On/Off status.

Phase Invert

Phase Invert Off

Phase Invert events can have values of Off and On. The value is toggled by clicking on the word "Off" (or "On").

EQ Enable

EQ Enable Off

EQ Enable events can have values of Off and On. The value is toggled by clicking on the word "Off" (or "On").

For more information about these automation events, please see your *Audio Reference Manual*.

EQ Band Parameter submenu

EQ Band Parameter	•		
E0 Band 1 Freq	E0 Band 2 Freq	EQ Band 3 Freq	E0 Band 4 Freq
EQ Band 1 Gain	EQ Band 2 Gain	EQ Band 3 Gain	EQ Band 4 Gain
EQ Band Width	EQ Band 2 Width	EQ Band & Width	EQ Band 1 Width
E0 Band 1 Type	E0 Band 2 Type	EO Band 3 Type	EO Band 4 Type
EQ Band 1 Enable	EQ Band 2 Enable	EQ Band 3 Enable	EQ Band 4 Enable

Figure 29.8: EQ Band Parameter submenu

Frequency

EQ Band 1	Freq	125	Hz

Controls the frequency of the specified EQ band. Values can range from 20.00 Hz to 20000.00 Hz.

Gain

EQ Band 1 Gain	0 .000 dB
Controls the gain of the	specified EQ
band. Values can range	from -


18.00 dB to +18.00 dB.


Width

EQ Band 2 Width	2 .000 oct	
Controls the width of the specified		
EQ band. Values can r	ange from 0 to	

Type

4.00 octaves.





Enable

E	EQ Band 1	Enable	Off

EQ Band Enable events can have values of Off and On. The value is toggled by clicking on the word "Off" (or "On").

For more information about these automation events, please see your Audio Reference Manual.

Plug-in Parameter submenu

The **Plug-in Parameter** submenu lists the plug-ins that are assigned to the selected track's Audio Instrument. For example:




Figure 29.9: Plug-in Parameter submenu

After you select a plug-in, another pop-up menu appears to the right. This menu displays the selected plug-in's parameters.


For example, if you select opECHO, you might see the following:



"Dry/Wet" is the default parameter because it is the first parameter of the selected plug-in. Clicking on "Dry/Wet" will produce a pop-up menu that contains the selected plug-in's parameters.



If you open the plug-in edit window for opECHO, you will see that the parameters listed in the pop-up menu correspond to the parameters of the opECHO plug-in.



Vision can automate up to 1024 parameters per VST plug-in.

All plug-in parameters, regardless of their ranges in the plug-in edit window, will have values between 0.0000 and 100.0000 in the list window. The plug-in's range of possible parameters in the plug-in edit

window is mapped onto this scale. When the events are played back, they are mapped the opposite way; plug-in automation will still have appropriate values in the plug-in edit windows.

For more information about these automation events, please see your *Audio Reference Manual*.

System Exclusive

SysEx (60): F0 41 10 16 12 10 00 00 3F 08

The number in parenthesis indicates the length of the event, in bytes. To edit the system exclusive data, click on the actual event.

When inserting a System Exclusive event, the Sysex Edit dialog appears, allowing viewing and editing of the sysex data.




Figure 29.10: System Exclusive dialog

In this dialog, entry is limited to valid hexadecimal characters. Each byte (2 hex characters) is separated by spaces. NOTE: There are 16 possible hex digits: 0-9, and A–F (corresponding to 10–15). Consult a MIDI reference text to learn more about hex numbers and their use in MIDI applications

You can cut, copy, and paste within the Sysex Edit dialog by typing Command-X, Command-C, and Command-Y, respectively (these commands are not available from the Edit menu). When pasting into the Sysex Edit dialog, all non-hexadecimal characters are removed. Click **OK** to exit the dialog box. The computer beeps to indicate invalid entries and highlights them for correction. Of course, clicking **Cancel** exits without changing any events.

Sequence Events submenu



There are five different types of sequence and transpose events. See *Sequence Events in the List Window (pg. 103)* for more information.

Meter Track List Windows

When the List Window of a Meter track is active, there are three event types available from the Insert Events pop-up menu. see Figure 29.11. Changes to meter and key signature affect every track in the sequence.



Figure 29.11: Insert Event pop-up in Meter track List Window

Inserting Meter Changes in a List Window

Meter change events can be located only at the beginning of a measure. Both the top and bottom numbers of the meter are editable. The metronome click rate and the number of measures the meter will be active are also editable.




Figure 29.12: Meter Change Event

Inserting Key Changes in a List Window

After inserting a key change event by choosing Key Signature from the Insert Events pop-up, the key can be edited by clicking the key and selecting from a pop-up of available keys. Clicking the word "major" or "minor" toggles the value back and forth.




Figure 29.13: Key Change Event

Inserting Markers in a List Window

There are two types of markers—SMPTE markers and bar markers. When you insert a marker, the default type is bar marker. You can change this to a SMPTE marker by clicking the icon. Click in the name field and type a new name.




Figure 29.14: Two Different types of Markers

NOTE: SMPTE Markers retain their SMPTE times, even if you change the tempo or SMPTE offset of the sequence using any method. However, they will move if you use Move Events—they are not "locked."

Markers are displayed in the Marker popup in the Control Bar (see page 193), and in the Tracks Window ruler.

Tempo Track List Windows




Figure 29.15: Insert Event pop-up in Tempo track List Window

Inserting a tempo change affects the tempo for all tracks in the sequence. The Insert Event pop-up for the Tempo track contains Tempo as its sole entry.



Figure 29.16: Tempo Change Event

LIST WINDOW MENU



Following is an explanation of the items in the List Window menu:

Auto Scroll (Shift-4)

When checked, Vision follows the Counter and scrolls the contents of the List Window.

NOTE: If Auto Scroll Top Window Only is checked in the Editing section of the Settings Window, Vision only scrolls the top window.

Jump to Selection (Command-J)

Choose this command to automatically scroll the contents of the List Window to the Edit In point.

No SMPTE

Turns on and off SMPTE display for event times, Edit In/Out points, and track length. Bar/beat/unit times are always displayed in the List Window.

Absolute SMPTE

This item specifies that *absolute* SMPTE times are displayed. Absolute time values are derived from adding the sequence's offset time to actual event times.

NOTE: The offset time for a sequence references a SMPTE time (location) on tape, usually corresponding to the beginning of a song or musical passage.

Relative SMPTE

This item specifies that *relative* SMPTE times are displayed. Relative time values represent the actual elapsed time from the beginning of the sequence—without adding the sequence's offset.

Set Default Location

Saves as default the current position and size of the List Window. Any newly opened List Windows use these defaults.

View (Option-V)

Choose this menu item to open the View dialog. It specifies which events are displayed in the List Window. And, if the track is a "multi," containing events assigned to more than one Instrument, you can use this dialog to choose which Instruments are displayed.




Figure 29.17: List Window's View dialog

For each type of criteria, choose the radio button that makes the most sense:

all

Displays all events or Instruments.

only

Displays only the selected events or Instruments.

all except

Displays only the events or Instruments not selected.

The View dialog not only determines which data is displayed, but also which data is editable. Data not displayed, therefore, cannot be selected, edited, or modified.

There are two checkbox options at the bottom of the View dialog. Checking either option lets you apply changes in the dialog to:

- · all open List Windows
- · all new List Windows

Play Edited Note

When checked, notes are sounded when clicked, or when changing their pitch.

Show Event End Times

When checked, end times for note and audio events are displayed, instead of event durations.

Show Event Durations

When checked, durations for note and audio events are displayed, instead of end times.

Show Release Velocities

Turns on and off the display of release velocities for note events. Most MIDI devices don't respond to release velocities, so you may wish to suppress viewing them.

EDITING EVENTS IN THE LIST WINDOW

To select events for modification in a List Window, click on the event's selector dot at the far left. The selector dot becomes an open triangle, signifying that the item is selected. The entire event description is also highlighted.

When changing the bar of an event in the List Window, the beat and unit are set to the beginning of the bar. This makes it easy to enter events at bar or beat locations. To change one of the bar/beat/unit numbers without affecting the others, Command-click the number.

To select a group of adjacent events, click on the first event's selector dot and drag up or down across the events.

To select many events, click on the first event, scroll to the last one, and Shift-click. All events between them are selected.

To select several non-adjacent events, hold down the Command-key while clicking on each of the events.

Clicking on the time or description of an event deselects all currently selected events and selects the new event.

NOTE: Use the Select submenu commands in the **Do** menu to utilize rules that aid specific selection. For a complete description of these commands, see The Select Submenu (pg. 423).

Event Times and Moving Events

After moving any event in the List Window, the window scrolls to display the event.

Edit the event time to move an individual event. Click the bar/beat/unit fields and type the desired values (or use the mouse).

After entering event times, click elsewhere or type the Enter key. The event moves to its new location, scrolling the window if necessary.

Re-ordering Simultaneous Events

Due to MIDI transmission rates (and possibly computer processor speed), large numbers of simultaneous events can't all be sent at once. If some notes (i.e. drums) require more rhythmic precision than other notes, move the less important notes a unit or two later in time. Since it usually takes MIDI about one unit of time to send a MIDI event, several simulta-

neous events are already being transmitted over a period of several units. Changing some events by a few units changes their "priority," but generally doesn't delay them by a musically significant amount.

Several events occurring at the same time can be re-ordered to be transmitted sequentially by changing the units field of the events. Typing the Enter key displays the event in the new order. Use the playback quality as a guide indicating whether this process is necessary.

CHAPTER 30: The Notation Window

Vision Notation Windows display MIDI information using standard music notation. The displayed track's note range determines which clefs are used. Multiple tracks can be viewed in a Notation Window, and several Notation Windows may be open simultaneously. The contents of the Notation Window determine which tracks are printed.

For information on edit tools and edit functions common to all of Vision's edit windows, see *Chapter 9: Basic Editing Procedures.* For information on navigating Vision's windows, see *Chapter 4: Navigating in Vision.*

SELECTING NOTES IN THE NOTATION WINDOW

Notes can be selected individually or in groups (note heads are hollow):

- To select a single note, click on the note head.
- Use Shift-click to select additional notes.
- Shift-click to de-select selected notes.

When selected, note heads are hollow instead of solid.

NOTE: Select notes connected by ties by clicking on the first note of the group. The note edit cursors appear over the first notehead, not for the subsequent noteheads.

Selecting Tracks in a Notation Window

When selecting notes in one or more tracks in the Notation Window, the Tracks Window updates to show currently selected tracks.

Although the Notation Window shows multiple tracks, only one can be the "current track," indicated by a small triangle, as shown in Figure 30.1.







Figure 30.1: Current Track Indicator

For more information on showing multiple tracks in a Notation Window, see *Showing and Hiding Tracks in the Notation Window (pg. 21)*.



Notation Window

Using the Marquee Tool

Select notes using the Marquee tool by clicking and dragging a rectangular area. The area highlights signifying that all notes *beginning* within the highlighted rectangle are selected.

NOTE: The first note in Figure 30.2 is not selected because the beginning of the note does not occur within the selection rectangle.

Pitch bend, modulation, or controller events are not selected with the Marquee tool (see *Selecting all Types of MIDI Data in a Time Range (pg. 277)*).




Figure 30.2: Selecting notes in the Notation Window using the marquee tool

NOTE: When using the Marquee tool, note that the cursor is a cross when starting to drag the rectangle. If its one of the note edit cursors, the note will instead be modified.

Using the I-Beam Tool to Select a Time Range

Select notes in a time range using the I-beam tool by dragging across the relevant time area. All notes in displayed tracks, *beginning* within the highlighted area, are selected.




Figure 30.3: Selecting notes within a specified time range in the Notation Window

Using the I-Beam Tool to Select a Pitch Range

Select a specific pitch range, for the entire track length, using the I-beam tool. The horizontal I-beam is available at the left of the Notation Window.



Figure 30.4: Defining a pitch range in the Notation Window

Selecting all Types of MIDI Data in a Time Range

Select all MIDI data by positioning the cursor within the Ruler and dragging a selection. This selects all MIDI data contained within the highlighted time range.

This I-beam tool appears whenever the cursor is moved into the Ruler, even if another tool is selected.




Figure 30.5: Dragging in the Ruler select all MIDI data

MODIFYING NOTES IN THE NOTATION WINDOW

By positioning the cursor over different parts of the note head, three note edit cursors appear—indicating that the pitch, start time, or duration will change if the note is dragged.




Figure 30.6: The Transpose, Move, and Duration cursors

When you are moving or transposing notes, you can hold down the Option key on your computer keyboard to copy the note before modifying it. This will leave the original data intact.

Transposing Notes



The Transpose cursor appears over the center of a note-head. Clicking and dragging a note up or down changes the pitch without changing the duration or start time. All selected notes are transposed the same amount.



Figure 30.7: Transposing a note in the Notation Window

Moving Notes



The Move cursor appears over the left side of the note head. Clicking and dragging a note to a different location alters the start time without changing the pitch or duration. All selected notes are moved the same amount.




Figure 30.8: Moving a note in the Notation Window

Changing a Note's Duration



The Duration cursor appears over the right side of the note head. Clicking the mouse opens the duration pop-up, allowing selection of a new duration. The pitch and start time are unchanged.




Figure 30.9: Changing duration in the Notation Window

NOTE: When moving or transposing, Option-clicking the note copies the note before modifying it, leaving the original data unchanged.

Rests are automatically inserted by Vision in the absence of notes and cannot be explicitly modified using the techniques discussed in the previous sections. To change or eliminate a rest, modify the notes around the rest.

For example, lengthening a note the duration of a neighboring rest eliminates the rest. Setting a larger Notation Resolution can also decrease the number of rests.

For information on reducing rests see *Notation Resolution (pg. 280)*. For other tips on improving score appearance, see *Tips for Good-Looking Scores (pg. 289)*.

CHANGING KEY AND METER

Changing the Meter in Notation Windows

To change the meter in a Notation Window, click on the upper or lower element of the time signature. To change the top number, select it and enter a new number. To change the bottom number, click on it and select a new value from the pop-up that appears (see Figure 30.10). Vision automatically changes the meter in the Meter track, affecting all subsequent bars. *New* meter changes are inserted in the List Window.




Figure 30.10: Changing the meter in a Notation Window

Changing the Key in Notation Windows

To change the key in a Notation Window, choose a new key signature from the Key Signature pop-up. Vision automatically changes the key in the Meter track, affecting all subsequent bars. To insert a new key change, use the List Window.

When positioning the mouse over the key signature, the cursor changes into a sharp (‡), indicating that the key signature can be changed.

Ch Ahm
Gh Ehm
Gh Ehm
Ch Ahm

To set the Notation Resolution, select a note value from the Notation Resolution pop-up.



Figure 30.11: Music with Notation Resolution set to 16th notes



The same music with Notation Resolution set to

CHANGING APPEARANCE WITHOUT CHANGING DATA

ITHOUT CHANGING DATA eighth notes

Notation Resolution



The **Notation Resolution** pop-up allows changing the quantization level for notation displayed in the Notation Window, without affecting playback or the stored MIDI data. This technique is very helpful for creating clear scores because there are often subtle differences between the way music is played and how it should appear in a written score.

Octave Display Area



The octave for tracks displayed in a Notation Window is set by positioning the cursor under the staff. When the cursor changes into an "8," clicking causes a popup to appear containing the options for octave display. See *Shifting the Music by Octaves (pg. 290)* for more information.

NOTATION WINDOW MENU



Following is an explanation of the items in the Notation Window menu:

Auto Scroll

When checked, Vision follows the Counter and scrolls the contents of the Notation Window.

NOTE: If Auto Scroll Top Window Only is checked in the Editing section of the Settings Window, Vision only scrolls the top window.

Jump to Selection (Command-J)

Choose this command to automatically scroll the contents of the Notation Window to the Edit In point.

Zoom to Fit (Option-Z)

Choose this command to view the contents of the entire track (or tracks) in the Notation Window.

Zoom Back (Option-B)

Choose this command to return to the previous zoom level (acts to "undo" the last zoom).

Tools

This item chooses from the Marquee, I-beam, and Pencil tools. Only one can be checked at a time. Selecting one deselects the others.

Choosing one of these items is identical to selecting the corresponding tool in the actual Notation Window. For a description of the different tool types, see *Cursor Tools (pg. 57)*.

Bar/Beat/Unit

Specifies that bars/beats/units are displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute SMPTE

Specifies that *absolute* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Absolute time values are derived from adding the sequence's offset time to actual event times.

NOTE: The offset time for a sequence references a SMPTE time (location) on tape, usually corresponding to the beginning of a song or musical passage.

Relative SMPTE

Specifies that *relative* SMPTE is displayed for the Edit In/Out points, and for the event times in the Cursor Display.

Relative time values represent the actual elapsed time from the beginning of the sequence—without adding the sequence's offset.

Set Default Location

Saves as default the current position and size of the Notation Window. Any newly opened Notation Windows use these defaults.

View (Option-V)

Choose this menu item to open the View dialog. It specifies which Instrument events are displayed for the selected track in the Notation Window.



Figure 30.12: Notation Window's View dialog

Choose from the following radio buttons:

- all
 Displays all Instruments.
- only
 Displays only the selected Instruments.
- all except

Displays only the Instruments not selected

The View dialog not only determines which data is displayed, but also which data is editable. Data not displayed, therefore, cannot be selected, edited, or modified.

Play Edited Note

When checked, Vision plays any note clicked. If transposing a note, the different transposition values are audible as the note is dragged. Notes inserted with the Pencil tool are also audible. When unchecked, note editing does not trigger any sound.

Show Vertical Line

When checked, Vision displays a scrolling vertical line in the Notation Window, indicating the location of the Counter as the sequence advances.

Both the bouncing ball and vertical line may be displayed simultaneously.

CHAPTER 31: The Print Preview Window

Vision can print any number of tracks in standard music notation. Printing commands are available only when a Notation Window is active. The contents of the active Notation Window determine which tracks will print.

THE PRINT PREVIEW WINDOW

Open the Print Preview Window by choosing **File>Print Preview**. Print Preview allows the addition of a title, comments, author name, as well as changes to basic page layout. The score prints exactly as depicted in the Print Preview Window.




Figure 31.1: Print Preview Window

The tracks in the current Notation Window determine which tracks appear in the Print Preview Window. Showing or hiding tracks in the Notation Window automatically updates the Print Preview Window. See *Showing and Hiding Tracks in the Notation Window (pg. 21)* for details.

Page Properties

The top of the Print Preview Window contains fields that determine how Vision prints your music.

Title Space

This field determines the amount of space between the top of the page margin and the top of the first staff.




Figure 31.2: Title Space

System Spacing

Use this field to specify the amount of space between systems for each page.



Figure 31.3: 2-Staff System and System Spacing

Staff Spacing

Use this field to specify the distance between staves within the same system.



Figure 31.4: Staff Spacing

Staff Indentation

This field specifies the amount of space each staff is indented from the left and right page margins.




Figure 31.5: Staff Indentation

Bars per Line

This field sets the number of measures displayed and printed per system.



Figure 31.6: Two bars per line



Figure 31.7: Three bars per line

Systems per Page

This is the number of systems displayed, and printed, per page. You cannot change this number directly—it is determined by the numbers you chose for the Title Space, System Spacing, and Staff Spacing.

Number of Pages

This field displays the number of pages that comprise the current score. You cannot change this number directly—use it to see how changing other properties affects the number of printed pages.

Current Page

Use this field to specify the currently displayed page.

Show Bar Numbers

Check this option to display and print bar numbers. Bar numbers are displayed every measure, and are placed directly above the barlines.

Barline thru System

When checked, the barline extends between each staff in the system. If unchecked, the barline stops at each staff. Extending a barline through a system can make an instrument grouping more apparent.



Figure 31.8: Barline thru System on



Figure 31.9: Barline thru System off

Show Page Numbers

When checked, page numbers are displayed and printed in the lower right corner of each page.

Title Font

This field displays the selected font for the three text blocks

Units of Measurements

All measurements can be viewed in either inches or centimeters. Click on the unit to toggle between inches and centimeters.



Figure 31.10: Changing inches to centimeters

Adding Text to a Page

Three text blocks can be used to add text to the top of the first page. To add text, click in one of the text blocks and type whatever you wish. The text blocks appear only on the first page.



Figure 31.11: The three text blocks

Changing the Font of the Text

You can change the font of all three text blocks by selecting a font from the **Font** menu.

PAGE SETUP

Choose **File>Page Setup** to open the Page Setup dialog box, which is used to change the orientation or percentage size of the printed pages.

The Page Setup dialog looks different depending on the type of printer being used. Consult your printer's documentation for details.

A BRIEF DISCUSSION OF NOTATION TERMS

The following sections define terms that are necessary to understand Vision's notation features as they apply to printing.

Grand Staff

When a track containing low notes is displayed in a Notation Window, Vision uses a bass clef. When a track contains high notes, Vision uses a treble clef. If the track contains both high and low notes, Vision uses a **grand staff**, consisting of both treble and bass clefs.

Vision uses a grand staff if the track contains notes higher than F above middle-C and notes lower than G below middle-C. Figure 31.12 illustrates the criteria for grand staff usage.




Figure 31.12: The Grand Staff

Part

Each Vision track normally constitutes one **part**. Printing music for musicians to read and play usually requires separate parts.

To accommodate piano players and any other instruments capable of playing multiple parts, multiple tracks can be combined to create a single part. For example, a bass and melody track can be combined into a single piano part, and displayed on a grand staff.

System

A **system** consists of all tracks displayed in the active Notation Window. A system can consist of one staff or it can include many staves if multiple tracks were selected when the Notation Window was opened.

Voice

When notating a track, Vision analyzes the notes to detect different rhythmic patterns occurring simultaneously. These independent rhythms are called **voices**. Vision attempts to separate voices and notate them with stems pointing in opposite directions to avoid collisions and enhance readability. Figure 31.13 shows a 2 voice staff created from one track and displayed in one part.



Figure 31.13: Two-voices in one track

TIPS FOR GOOD-LOOKING SCORES

Vision contains powerful mechanisms to enhance the appearance of printed music. This section explains these features and concludes with *Notation Troubleshooting* (pg. 291), answering common questions about notational problems.

Changing the Order of Notation Tracks

Tracks print in the same order as they appear in the Tracks Window. To change the order that tracks print, change their order in the Tracks Window. The Print Preview and Notation Windows automatically update to reflect the new order.




Figure 31.14: The relationship between track order and printing

Shifting the Music by Octaves

Notated tracks containing very high or low notes can be hard to read due to an excess of ledger lines. The **octave shift** feature changes the octave used to notate the music without changing the actual MIDI data.

1) Position the cursor underneath the clef of the staff to shift.

The cursor changes into an "8."

(2) Click the mouse.

The Octave Shift pop-up menu appears.

3 Select one of the five Octave selections in the pop-up.




Figure 31.15: The Octave Shift pop-up menu.

Different octaves can be used for each track. Each octave shift option is explained below:

• 15ma

The music is notated two octaves lower than it actually sounds.

• 8va

The music is notated one octave lower than it actually sounds.

loco

The music is notated in the same octave it is played.

8va bassa

The music is notated one octave higher than it actually sounds.

15ma bassa

The music is notated two octaves higher than it actually sounds.

Notation Troubleshooting

Problems with Vision Notation

"I have too many extra voices."

Use the Graphic Window to find where extra voices have been generated. If the track doesn't require a second voice to play correctly, then realign the note locations to become either sequential notes or chords. Lowering the notation resolution sometimes helps alleviate extra voices. By elongating notes to the beginning of the next note, the **Legato** tool in the Strip Chart (page 244) can also help clear up ambiguous note overlaps that sometimes yield extra voices.

"I'm playing swing, and all my eighth notes are showing up as triplets."

If swung eighth notes turn out as triplets and you want straight eighths, try moving the second note of each group a little to the left in the Graphic Window, or try quantizing the music to eighth notes.

"Notes are printing off the page."

Before printing, check the Print Preview Window for notes appearing outside the margin or covering the page number.

"When trying to print, I get a dialog box telling me there's a printing problem"

Check to make sure that the printer port isn't being used for MIDI communication.

Also, if your printer requires AppleTalk, check to see if AppleTalk is on or off. If it's off, use the **Chooser** to turn it back on (you can turn it back off when you're finished printing and need to resume using MIDI).

"It's barely more than a page. Can't I make it fit?"

Use the **Bars per Line**, **Title Space**, **System Spacing**, and **Staff Spacing** fields in the Print Preview Window to fit the music on one page. This may cause adverse effects such as note collisions.

If you can't fit the desired number of bars to the line without collisions, try the settings in the Page Setup dialog box to print either landscaped or scaled.

"There's a rest between every note!"

You may need to adjust the Notation Resolution (see page 280). Use the minimum resolution necessary to accurately notate the track. If a track contains primarily and but has one then the notation resolution should be set to .

The **Legato** tool in the Strip Chart elongate notes to the beginning of the following note, erasing rests between notes (see page 244). *Quantize Durations* (pg. 132) can also change the way rests and notes are notated, which usually improves the notation.

"Why are there so many ledger lines?"

If notes are generally way above or below a staff, try using 8Va (see page 290).

"If my music looks good it sounds terrible, and vice-versa."

There are some cases where a good sounding piece cannot be accurately notated without considerable editing. A reasonable solution involves using two copies, one for printing, the other for playing:

- Optimize one copy for notation using quantization and other techniques discussed in this section to simplify the notation.
- ② Edit the second copy to fix only minor playback errors. Leave the timing and duration of notes as raw as possible to preserve the original performance.

Problems with Other Notation Applications

NOTE: Each notation application has its own rules for converting real-time created performance data to notation. Opcode does not take any responsibility for how other music notation programs implement this very complex process. Vision exports the data correctly!

Following are some techniques that can help clean up tracks in Vision prior to exporting them to another application.

"There are many small notes and tuplets tied together."

Use a larger quantize setting before exporting. Also consider using *Quantize Durations (pg. 132)*.

"Large sections appear to be missing from the score."

Sequences must be captured before being exported. Vision ignores sequence events that aren't captured during export, and this could cause large sections to "disappear" from the score. Use **File>Export to Clipboard**, paste to a sequence, then export that sequence to automatically capture the tracks.

"I have chords covering many octaves in a single staff."

Use **Do>Split Notes** to split the MIDI information into different tracks before exporting it. See page 424 for more information on splitting notes.

CHAPTER 32: The Instruments Window

Vision tracks are not directly assigned to specific MIDI channels. Instead, they are assigned to *Instruments*, which, in turn, are assigned to MIDI channels of devices contained in the current OMS Studio Setup.




Figure 32.1: MIDI Instruments Window

This scheme of assigning tracks to Instruments, and Instruments to devices offers several advantages:

- Tracks can be assigned to Instruments with descriptive names, instead of just channels.
- Several MIDI channels can be assigned to a single Instrument to create layers and splits.
- Velocities can be scaled and notes transposed on a per Instrument basis.
- Individual Instruments can be muted and soloed instead of tracks.

The Instruments Window is extremely useful when working with sequences that contain lots of sequence events. Rather than making changes to tracks contained within the referenced sequences and segments, you can instead make global changes with the controls in the Instruments Window.

INSTRUMENTS WINDOW

Choose **Windows>Instruments** (or type option-I) to open or activate the Instruments Window.

The following sections discuss each column found in the Instruments Window.

Select and Move



As discussed in *Selector Dots and Move Cursor (pg. 22)*, Instruments or groups of Instruments can be selected and highlighted with the selector dots. Once selected, an Instrument can be deleted, copied and pasted to another Instrument, or even moved to another position within the window.

Instrument



The Instrument column shows the name and color assignment for each Instrument.

Instrument Names

Instruments are automatically named according to the devices and channels in your OMS Studio Setup. You can, however, enter your own custom names for each Instrument; to do so, simply click in this field and type in the new name. To revert back to the default name, highlight the custom name and delete it.

Instrument names are displayed wherever an Instrument is referred to, such as in the Thru Instrument pop-up, each of the edit windows, the Faders and Consoles windows, the Input Map Window, and many other locations.

Instrument Colors

An Instrument's color is used when displaying track data in the various edit windows. To change an Instrument's assigned color, click on the color square and choose from the pop-up menu of colors.

Vision's available colors can be customized by choosing **Setups>Colors**. The colors can also be reinitialized to their default values by choosing **Initialize Colors** from the Instruments Window menu.

Mute and Solo



Click in the Mute column to mute one or more MIDI Instruments, thereby ceasing MIDI transmission to those Instruments.

Click in the Solo column to "solo" one or more MIDI Instruments, thereby restricting MIDI transmission to only those Instruments.

NOTE: Muting and soloing of Instruments affects not only track playback, but also MIDI routing to the Thru Instrument and Input Maps.

NOTE: Instruments can also be muted and soloed from a Console Window (and, in Acadia mode, the EQ and Plug-in Edit windows).

Muting and Soloing Tracks vs. Muting and Soloing Instruments

Muting or soloing an instrument is not the same as muting or soloing a track, although in many cases it produces the same audible effect. Muting or soloing an instrument will mute or solo all note events assigned to that instrument (in all tracks). Muting or soloing a track will mute or solo all events (of any kind) in that track.

Muting an instrument does not mute all events assigned to the instrument; specifically, all automation events assigned to a particular instrument will play even if the instrument is muted (or unsoloed).

Muting instruments and tracks is cumulative. If you mute both an instrument and a track assigned to a different instrument, the track and all note events assigned to that instrument will be muted.

Solo events are also cumulative, but the effect is different. If you solo both an instrument and a track assigned to a different instrument, you will hear nothing. This is because the instrument solo mutes all events that aren't assigned to that instrument, and the track solo mutes all events that aren't on that track. Since there are no events assigned to the instrument *and* on the track, no events will sound.

Transpose Maps and Drum Instruments



There are several transpose options for Instruments. The easiest is a simple octave or chromatic transposition. Since this can be done separately for each line of an Instrument, these settings are located in the right half of the Instruments Window (see *Transpose (pg. 298*).

In addition to these simple transpositions, each Instrument can use a **Transpose Map**, allowing more complex transpositions. When clicking in this column, the Transpose Map dialog appears, allowing arbitrary transpositions. For details, see *Transposing with Vision Instruments* (pg. 83).

Drum Instruments

The Drum Instrument setting (③) prevents notes assigned to that Instrument from being changed with Vision's **Transpose** command. Transposing most drum tracks usually results in a somewhat random reassignment of drum sounds—something that most users will wish to avoid.

To turn an Instrument into a Drum Instrument, move the cursor over the column and click the mouse button—a small picture of a snare drum appears in the column. Click again to make it a normal transposing Instrument (the snare drum disappears).



Figure 32.2: Defining a Drum Instrument

Even when an Instrument is assigned as a Drum Instrument, Vision still uses the Transpose Map. This lets you use a Transpose Map to map drum sounds from one device to another.

Drum Instruments do not allow a note to be retriggered until that note is finished playing. Also, notes assigned to Drum Instruments don't sound if playback begins after the note's onset. This is useful when working with drum loops on samplers, where it doesn't make sense to trigger the note anywhere except at the start. For example, a note beginning on beat 1 and ending on beat 4 won't play if playback begins on beat 2. This concept applies to mutes and solos as well; if a drum instrument or track is soloed or unmuted on beat 2, a note beginning on beat 1 and ending on beat 4 won't play.

Instrument Line Settings

The Columns to the right of Transpose Map pertain to each line (or layer) within an Instrument and are called *Instrument Line* settings. To add a line to an Instrument, see page 300.

Mode



Figure 32.3: A multi-line Instrument set to Overflow

If an Instrument has more than one line, its mode is shown on the second line, just below the name. The mode can be either **Layered** or **Overflow**. Click the word to toggle between them.

Layered

A **Layered** Instrument transmits data to each device in each of its lines simultaneously. Each layer can play on a different channel, allowing the creation of a large "stacked" sound using different patches. Another useful option involves playing layered Instruments on the same channel but transposed an octave higher or lower.

Overflow

An **Overflow** Instrument can link several synthesizers with limited voices to function as a single synthesizer. For each line of an Overflow Instrument, set the MIDI device, channel, and the number of voices that the synthesizer can produce. Voices are entered in the far right column of the Instruments Window and are only active when Overflow mode is selected.

You can use an Overflow Instrument to simulate a monophonic patch. This is useful if you have a track that should only play as if it were on a mono patch, but you want to hear it on some patches that may be polyphonic.

- Set the desired device and channel for the first line and set its number of Voices to 1.
- ② Add a second line and set its number of Voices to 0.

Vision limits itself to sending only one voice to the first line, and when it tries to overflow onto the second, it cuts itself off.

Output (Device and Channel)



The Output column specifies the Device and Channel for each line in the Instrument

The **Device** determines which OMS device is used to transmit events for this Instrument or line. Devices shown in *italics* are not defined in the current OMS Studio Setup document, and will not play. Click the italic text and choose a defined device from the pop-up menu.

The **Chan** determines which MIDI channel is used to transmit events for the Instrument or line. The available channels are those defined in the current Studio Setup for the selected device. If the chan-

nel is shown in *italics*, it is not defined in the current Studio Setup and nothing will play on that channel. Click the italic text and choose a defined channel from the pop-up menu.

Reassigning undefined devices and channels affects only the current Vision file. The process must be repeated for any other Vision files referencing the same undefined devices and channels.

Instead of manually reassigning undefined devices and channels, you can choose **Setups>Undefined Channels**. This opens the Undefined Channels dialog, which controls remappings for all Vision file objects that use device and channel assignments (such as MIDIKeys, Input Maps, faders and consoles, etc.). The remappings can then be applied to any Vision file opened in the future. See *Undefined Channels (pg. 431)* for details.

Velocity Scale



The **Velocity Scale checkbox** allows enabling and disabling of velocity scaling for a particular instrument. If the box is checked, velocity scale events assigned to the selected instrument will be followed. If the box is unchecked, those events will be ignored.

This box is particularly useful if you've been working with velocity scale and suddenly find that you can't hear an instrument. A very low velocity scale setting could cause that scenario. You can simply uncheck the Velocity Scale checkbox in the Instruments window to determine whether this is the cause of the problem.

The **Velocity Scale** % number ranges from 1% to 250% and controls the scaling of velocities for the Instrument or line.

The default value is 100% and does not change note velocities during playback. Numbers less than 100% reduce outgoing velocities and numbers greater than 100% increase them. This still affects the velocities even if a fader is controlling them, so several lines can be controlled by the same fader, each with different scalings.

Faders from the Faders and Consoles Windows can be used to control velocity for the Instrument. A fader value of 127 equals the full scaled velocity level. For example, a note recorded at a velocity level of 64, with **Velocity Scale** % set to 50, results in a velocity level of 32 (50% of 64) with the fader at 127. Changing the percentage to 150, but keeping the fader at 127, outputs the same note with a velocity level of 96 (150% of 64). See *Using Faders to Control Instrument Velocities* (pg. 346) for further information.

Transpose



The **Oct** column shows the number of octaves transposed for the Instrument or line. It may be set to any value from -5 to +5.

The column on the right sets the number of semitones the Instrument or line is transposed. This may only be between -5 (down a fourth) and +6 (up a tritone). Changes outside this range spill over into the Octave transpose column.

Range (key)



The **Range** column specifies the range of notes played by the Instrument or line. Notes outside this range are not played. Valid ranges are between C-2 and G8 (the full 127 note MIDI range) and are expressed by the note name followed by the octave number.

AVAILABLE INSTRUMENTS

Vision can store up to 512 Instruments for use at any one time. The following sections discuss various methods for Instrument assignment and storage.

OMS Studio Setup Document Instruments

Each Vision Instrument is associated with a particular device channel. When Vision is first started, it creates one Instrument for each receiving MIDI channel in your OMS Studio Setup. These Instruments have the same names as the devices in the current OMS Studio Setup. For example, if the only device in your OMS Studio Setup is named "Synth" and is receiving on MIDI channels 1-4, Vision creates four Instruments named "Synth-1" through "Synth-4".

You can change an Instrument's name, and other parameters as well. Renamed Instruments are called "custom" Instruments.

Vision Setup File Instruments

Custom Instruments can be saved in the **Vision Setup** file and, like other file objects, are applied to any newly opened Vision files. New Instruments can be created and unused Instruments can be deleted.

Custom Instruments saved in the Vision Setup file take precedence over the automatically generated Instruments made from the OMS Studio Setup document.

For more information, see *Vision Setup* (pg. 157).

INSTRUMENTS WINDOW MENU

New Instrument
Add Line to Instrument

Remove Line from Instrument

Make from Studio Setup...

Select Unused Instruments

Show Use of Selected Instruments...
Clear Clip & Undo
Initialize Colors

Figure 32.4: Instruments Window menu

Following is a description of the items in the Instruments Window menu:

New Instrument

To create a new Instrument:

- Click an existing Instrument's selector dot.
- ② Choose New Instrument from the menu in the Instruments Window.

A duplicate of the selected Instrument appears at the bottom of the Instruments Window (you may have to scroll in order to see it).

3 Rename the duplicate by clicking its name and typing in a new, custom name that distinguishes it from the other Instrument on the same device and channel.

Add Line to Instrument (Option-=)

Adding lines to an Instrument allows it to either play on more than one channel (Layered mode), or to overflow to another device when the first device's maximum polyphony is exceeded (Overflow mode).

NOTE: Click the desired Instrument's selector dot before choosing Add Line to Instrument.

Most Instruments have only one line, indicating that they play through one MIDI channel. You can add lines, each line playing through a different MIDI channel to create "stacked" Instruments.

See *Chapter 22: Custom Instruments* for details on creating multi-line Instruments.

Remove Line from Instrument

To remove an Instrument line, click on any parameter of the desired Instrument line and choose **Remove Line from Instrument** (from the menu in the Instruments Window).

Make from Studio Setup

Choosing **Make from Studio Setup** opens the following dialog:



Figure 32.5: Make from Studio Setup dialog

Clicking **Make** creates one Instrument for each device's channel in the current OMS Studio Setup. Instruments are retained only if they're being used by the sequence. All *non-custom* Instruments that are not in used by sequence are removed if they don't correspond to defined devices.

Since unused custom Instruments are not deleted by **Make from Studio Setup**, naming an Instrument ensures that it will remain in the sequence.

Vision automatically makes Instruments from the current OMS Studio Setup document the first time the program is launched. Thereafter, whenever the current Studio Setup changes (and if the **Always Make from Studio Setup** option is checked), Vision prompts you to update the Instruments to match those in the OMS Studio Setup.

Making Instruments from your Studio Setup has the disadvantage of losing all non-custom Instruments not used by the current sequence, or not associated with a device in the current Studio Setup. Regardless of where an Instrument comes from, unused, undefined Instruments are removed from the Instruments Window after using Make from Studio Setup.

If Instruments are not made from the OMS Studio Setup document and the Vision Setup file contains Instruments that don't match Instruments created from the Studio Setup, then the device channels need to be remapped. See *Undefined Channels* (pg. 431) for more information on remapping undefined channels.

NOTE: Working with Instruments is usually less complicated by saving them with each sequence file, rather than using the Vision Setup file for this purpose.

Always Make from Studio Setup is checked by default.

Select Unused Instruments (Command-A)

Choose this command to quickly delete unused Instruments. If an Instrument is in use by the current sequence, it can not be deleted. You can use the **Show Use of Selected Instruments** command to find out where it's being used so you can go to the source and clear or change it.

Show Use of Selected Instruments

Choose **Show Use of Selected Instruments** to reveal where the selected Instruments are used.

Instruments can be used by tracks, the Thru Instrument, the metronome sound, Input Maps, faders, the Clipboard, or the Undo buffer.

Clear Clip & Undo

Choosing **Clear Clip & Undo** clears the Vision Clipboard and the Undo buffer. This is helpful to remove an Instrument that Vision considers "in use" by the sequence only because it is stored in the Clipboard following an edit procedure.

NOTE: You cannot undo this command.

Initialize Colors

This sets the Instrument colors to the Vision defaults.

GLOBAL INSTRUMENT SOLO INDICATOR

The Control Bar displays a Global Instrument Solo Indicator whenever any Instrument (Audio or MIDI) is soloed.




Figure 32.6: Global Instrument Solo Indicator

If no Instruments are soloed, then the Control Bar displays the standard Instrument button ().

Why have a Global Solo Indicator?

Numerous Vision windows let you solo an Instrument, including:

- MIDI Instruments Window
- Audio Instruments Window
- Console Windows
- EQ and Plug-In Edit Windows
- Graphic Window (Audio Instruments only)

With so many windows letting you control Instrument soloing, it's easy to accidentally leave an Instrument soloed, resulting in unexpected playback problems. The Global Instrument Solo Indicator reminds you that an Instrument is soloed somewhere in Vision.

NOTE: The **Solo** column in the Tracks Window solos entire tracks, not individual Instruments, so it does not turn on the Global Instrument Solo Indicator.

Using the Solo Indicator

The Solo Indicator *lights* whenever any MIDI Instrument or Audio Instrument is soloed in any window.

Once lit, the Solo Indicator *blinks* whenever a sequence plays, or whenever Vision transmits MIDI data, such as when

- you play an external MIDI controller and Vision is in Keyboard Thru mode (Setups>Keyboard Thru is checked).
- you edit MIDI notes and the Do>Edit Window>Play Edited Note option is checked.
- you scrub across MIDI data.

Finally, you can click the Solo Indicator to open any windows that contain soloed Instruments (as discussed in the next section).

Automatically Unsoloing Soloed Instruments

All soloed instruments (MIDI and Audio) can be automatically unsoloed by option-clicking on the Global Instrument Solo Indicator.

Finding Soloed Instruments

The Global Instrument Solo Indicator goes beyond reminding you that an Instrument is soloed—it helps you find the soloed Instrument(s).

In the Control Bar, click the Global Instrument Solo Indicator.

Vision opens any window that contains a soloed Instrument.

Specifically:

- If a MIDI Instrument is soloed, clicking the Solo Indicator automatically opens the MIDI Instruments Window, so you can turn off any soloed Instruments.
- If an Audio Instrument is soloed, clicking the Solo Indicator automatically opens the Audio Instruments Window, so you can turn off any soloed Instruments.
- If both MIDI Instruments and Audio Instruments are soloed, clicking the Solo Indicator automatically opens both the MIDI Instruments Window and the Audio Instruments Window.

PART 6: Windows

CHAPTER 33: The Names Window

Choose **Windows>Names** to open the Names Window, which is a component of the OMS Name Manager.

The Name Manager integrates patch documents from a variety of sources:

- Galaxy Bundles
- Typed-in Patch Name documents
- Documents from other OMS-2 compatible librarians

Once you set up the Name Manager, Vision displays patches, notes and controllers by name, as opposed to just numbers. The Name Manager also takes care of the housekeeping involved when you open a file that uses a different set of patch names.

TERMINOLOGY

Every MIDI device manufacturer seems to use different terminology to describe similar features in their devices. For example, different synthesizer manufacturers use the terms "patch," "voice," "part," "program," or "sound" to mean the same thing—a collection of programmable parameters that work together to create a unique sound.

Because Opcode has no way of knowing which MIDI devices you own, we must describe certain Name Manager functions generically. The following mini-glossary lists the terms we'll use in describing the Name Manager.

Patch

A collection of parameters in a device that define the sound played when recalled. For example, one patch might create a trumpet sound and another might create a guitar sound.

Bank

A collection of patches stored in a MIDI device. Most modern MIDI devices have storage for hundreds (or even thousands) of different patches. However, the MIDI specification only provides program change messages for 128 patches. In order to access more than 128 patches, a device must store them in *banks*, which are accessed via *bank select* messages. The actual bank select messages vary from device to device.

Mode

The state of a device that determines how MIDI program changes are interpreted.

Imagine a synthesizer with three different modes:

- Patch Mode: Individual sounds, such as "Electric Piano," "Acoustic Guitar." or "Flute."
- **Effect Mode**: Effects programs such as "Hall Reverb," "Slap Delay," or "Flange."
- Performance Mode: A combination of several individual sounds with an effects patch, such as an "Electric Piano" patch layered with a "Flute" patch and assigned to a "Hall Reverb" effect.

Usually devices access the different modes by interpreting patch change messages differently for different channels. For instance, General MIDI devices have "patch" channels and "drum" channels. Sending program change #1 to a channel in "patch mode" calls up a piano, whereas sending program change #1 to a channel in "drum mode" calls up a standard drum kit.

By using different device modes, OMS applications can display and select any patch type contained in your MIDI device.

Do not confuse modes with banks; a bank of patches for one mode might contain an entirely different number of patches than a bank for a different mode.

Patch Name Document

A document that stores and provides patch names and device modes for one or more devices. There are subtle differences in the way the Name Manager handles different types of documents; these will be noted throughout the rest of this chapter.

Current Patch Name Document

If a Patch Name document is *current*, OMS thinks that the patches in the document are loaded into the device. You can manually make a document current, or a librarian program like Galaxy might automatically do it for you when sending sounds to a device.

Patch Name Provider

An application that can create a Patch Name document readable by the OMS Name Manager.

Name Setup

A mapping that associates each MIDI device in your current OMS Studio Setup document with a specified Patch Name document. There is only one Name Setup active at a time, and it "lives" inside OMS, not the application.

Since the Name Setup is handled by OMS, changes made to the Name Setup in Vision affect the names seen in other OMS 2.0-compatible applications.

When you save a Vision file, the current Name Setup is saved along with it.

NAMES WINDOW

To open the Names Window, choose **Windows>Names**.




Figure 33.1: Anatomy of the Names Window

Names Window Anatomy

As you can see in Figure 33.1, the Names Window contains numerous elements:

Device column: This column shows the name of each MIDI device contained in your current OMS Studio Setup document. You cannot edit the contents of this column. Its contents change whenever the current Studio Setup document changes.

Devices stored in a Name Setup but not defined in the current Studio Setup appear in *italics*.

- **2 Patch Name Document column:** This column shows the Patch Name document referred to by each of the devices. For more information, see *Patch Name Document Column* (pg. 308).
- **MIDI Channel column**: Some MIDI devices let you select different modes on different MIDI channels. This column shows which MIDI channel uses the mode shown in the **Device Mode** column. For more information, see *Channel and Device Mode Columns* (pg. 310).
- **Device Mode column**: If a device supports multiple modes, then this column shows which mode it is using. You can change the mode directly in this column's pop-up menu.
- **Solution**Name Setup control: Use this popup menu to determine how changes made in other applications affect the Name Setup. For more information, see *Name Setup Control (pg. 309)*.

The information contained in this window is saved with the Vision file when using the **File>Save** or **File>Save As** commands.

The following sections discuss the Names Window in greater detail.

Patch Name Document Column

Use this column to select which Patch Name document or Galaxy bundle is referenced by each MIDI device. This is called *subscribing* to a document. To subscribe to a Patch Name document or Galaxy bundle:

- Click in the Patch Name Document column next to a MIDI device.
- ② Choose Names>Subscribe.
 A standard Open dialog box appears.
- ③ In the following dialog, navigate to and select the desired Patch Name document or Galaxy bundle. Then click OK.

The column now shows the Patch Name document or Galaxy bundle to which you subscribed.

NOTE: If you don't know where to find Patch Name documents, read the following section.

Where To Find Patch Name Documents

There are three sources for Patch Name documents:

- The Name Manager recognizes Bundles created by Galaxy and other OMS-2.0 compatible librarians as Patch Name documents.
- You can create your own "typed-in" Patch Name documents directly from the Name Manager.

To do so, double-click in the Patch Name column to open the Patch Name Editor. Use the Patch Name Editor to create or edit a Patch Name document as described in *Patch Name Editing (pg. 313)*.

Performances						
	MIDI	Number	Patch Name	6M Equiv	Note:	Cntls
•	_	-	Default			1
۰	0	0	About That	Other		
•	1	1	La Verite	Other		
•	2	2	Solution	Other		
۰	3	3	Create	Other		1
۰	4	4	The Sleeper	Other		l i

Figure 33.2: Blank Patch Name Editor Window

Opcode supplies a collection of "factory" Patch Name documents for many popular synthesizers. If there is a factory Patch Name document for your device, choosing Names>Use Factory/GM Names enables it. See Use Factory/General MIDI Names (pg. 311).

Current and Missing Documents





Figure 33.3: Name Setup showing current and missing documents

The Patch Name Document column displays additional information about subscribed documents by using italicized text and the small diamond icon:

- A small diamond appears before the name of each current Patch Name document. A current Patch Name document is the document that the Name Manager uses to supply names to all OMS 2.0-compatible applications. For more information, see Name Setup Control (pg. 309).
 In Figure 33.3, the MU80's Patch Name document is not current. This means that the patches actually resident in the MU80 don't match those currently subscribed.
- The Patch Name document is italicized if the Name Manager can't locate the document. In Figure 33.3, the document for the Wavestation SR is missing.

Name Setup Control



Since the OMS Name Manager only references one Name Setup at a time, changes made to the Name Setup in other applications can affect Vision. Use the Name Setup control to determine what happens when changes are made to the Name Setup:


- Always use current patches:
 Making Patch Name documents current in another application changes the Name Setup in Vision to match.
- **Keep using these patches**: "Locks in" the current Name Setup. Subscriptions can't be changed in Vision by changing them in another OMS 2.0-compatible application.

This setting is not remembered between sessions. Whenever you open Vision, the control is reset to **Always use current patches**.

Channel and Device Mode Columns

The **Channel** and **Device Mode** functions are interrelated and are described here together.


If a device supports multiple device modes, then the **Device Mode** column contains a pop-up menu listing all possible modes.



Since each MIDI channel can access a different device mode, the **Ch** (Channel) column displays which MIDI channels access which device modes. You can view *every* enabled MIDI channel or just a *summary* of all MIDI channels by clicking the desired device's selector icon, then choosing **Names>Show Channels**.

Show Channels is a toggle whose value is changed by choosing it repeatedly.

 When Show Channels is checked (on), the Names Window displays a separate row for every MIDI channel in that device (as defined in the OMS Studio Setup document). You can then select a device mode for each MIDI channel.



 When Show Channels is not checked (off), the Names Window displays a single row for that MIDI device and the Ch column is labeled all. Changing the device mode affects all channels simultaneously.





Figure 33.4: Channel mode indicators

Editing Device Modes when Show Channels is Off

If **Show Channels** is off and every MIDI channel is set to the same device mode, then that mode appears in the Device Mode column.



If **Show Channels** if off and different MIDI channels use different device modes, then the device mode column displays **various**, indicating more than one device mode is active for this device (see Figure 33.4).

Editing Patch Name Documents for Multi-Mode Devices

If different MIDI channels reference different device modes, there is only one way to edit each mode's Patch Name document:

1 Double-click a number in the **Ch** column.

A Patch Name Editor opens for that MIDI channel's mode. Patch Name Editing is discussed in Patch Name Editor Anatomy (pg. 314).

IMPORTANT: This is the only way to edit the patch names for a device with multiple modes.

NAMES MENU

The **Names** Menu is available whenever a Names Window is active.

Names	
Subscribe	₩U
Use Factory/General MIDI N	lames
Copy Subscription	ЖC
Paste Subscription	æυ
Clear Subscription	₩B
Make Current	жм
Use Current Instead	
New Patch Document View/Edit Patch Names	₩N
Tell Patch Provider	+
Show Channels	

Figure 33.5: Names Window menu

The following sections describe each command in the **Names** Menu.

Subscribe

This command selects a Patch Name document to which all selected devices are subscribed.

Use Factory/General MIDI Names

If you're using a General MIDI synth, choose this command to subscribe to the General MIDI Patch Name document located in the Factory Names folder (in the OMS Folder inside the System Folder).

OMS also provides Factory Name documents for many popular instruments. If your device is supported, this command subscribes to these names.

If the device doesn't have an associated Factory Name file, the General MIDI patch names are used instead.

Copy Subscription

This command copies the subscription for the selected device(s) to the Clipboard.

Paste Subscription

This command pastes subscriptions from the Clipboard onto the selected device(s). Any previous subscription is replaced and the new Patch Name document becomes current.

Clear Subscription

Removes the subscription information from selected device(s).

Make Current

When choosing this command, the following alert appears:



Clicking **Don't Make Current** retains the previous subscription.

If the **Send the patches** option is available and checked, the Name Manager attempts to transmit the patches to the device when you click the **Make Current** button. The application that created the Patch Name document must be capable of this operation. For example, names obtained from a Galaxy Bundle can be sent (if Galaxy is available on your system), but typed-in Patch Name documents cannot and the **Send the patches** option won't appear in the alert.

Use Current Instead

Use Current Instead replaces the selected device(s)' non-current subscriptions with subscriptions to the current Patch Name document(s).

New Patch Document

Creates a blank, untitled Patch Name document for the selected device(s).

View/Edit Patch Names

Selecting a device and choosing this command is equivalent to double-clicking a device's Patch Name document column.

Tell Patch Provider

This menu item contains a sub-menu listing the commands that can be sent to the Patch Name provider.

Open Patch Document... Find Patch... #F Send Patches to Device...

If the Patch Name Provider understands the selected message, it performs that action. For example, if patch names come from a Galaxy Bundle and **Send Patches to Device** is the selected command, Galaxy sends the bundled patches to the selected device.

Show Channels

Show Channels controls whether the Names Window displays one row per MIDI channel or a single row representing all MIDI channels. To assign different device modes to different MIDI channels, this option must be enabled (checked). For more information, see *Channel and Device Mode Columns (pg. 310)*.

PATCH NAME EDITING

Use the Patch Name Editor to display or edit Patch Name documents.

To open the Patch Name Editor:

 In the Names Window, double-click in the Patch Name Document column next to a device.




Figure 33.6: Double-click to open the Patch Name Editor

The Patch Name Editor opens for that Patch Name document. The Editor shows all the Patch Names for that device.




Figure 33.7: Typical Patch Name Editor

If you open a Patch Name Editor for an unsubscribed device, a blank Patch Name Editor opens, which you may use to create a Patch Name document. Documents created this way are called "typed-in" Patch Name documents.

NOTE: If a Patch Name document contains multiple device modes, the Patch Name Editor displays names only for the selected channel's current device mode. For more information, see Channel and Device Mode Columns (pg. 310).

Patch Name Editor Anatomy

Figure 33.7 shows the various elements in the Patch Name Editor. These are:

o MIDI Program Number: The MIDI column in the Patch Name Editor displays MIDI representations of patches in the form bank0/bank32/patch number (0-127). For example, if the current bank requires a bank32 message with value "1" to be sent to access the patches, each patch will have "1/x" as its program number, where x is the number within the bank.

Bank0 and bank32 are each omitted when not used, which is the case for the default first bank. Consult your synthesizer's documentation to determine how bank0 and bank32 messages affect patch selection.

These numbers can't be changed directly, and if the Patch Name document comes from an external librarian, they can't be changed at all. If the document in question is a typed-in Patch Name document, the

numbers are affected by settings in the Bank Select/Numbering dialog box. See *Bank Select/Numbering* (pg. 319).

2 Device Program Number: This column shows how the MIDI device's *internal* program numbering corresponds to the actual MIDI program number.

For example, some devices number their internal programs 1-128, which corresponds to MIDI programs 0-127. This results in the pattern shown in Figure 33.8 in the MIDI and Numbers column.

The device shown in this example, organizes its programs in banks of 50, which are numbered 0-49.

This column numbers patches as they appear in the actual device.

	MIDI	Number	Patch			
۰	0/0	0	Ski Jam			
۰	0/1	1	Entropy			
۰	0/2	2	Pinger			
۰	0/3	3	Reswack			
۰	0/4	4	LeadRor			
۰	0/5	5	Softw			
۰	0/6	6	Casca			
۰	0/7	7	Blow			

Figure 33.8: MIDI and device numbering

9 Patch Name: This column shows the name of each patch. New patch names can be typed directly into this column if this Patch Name document was created in the Name Manager (Galaxy and other librarian documents can't be edited from here). These names appear wherever patch names are seen in any OMS 2.0-compatible application.

GM Equivalent: If this patch corresponds to a General MIDI patch, choose the relevant GM patch from the pop-up menu in this column. The Name Manager applies all attributes and benefits of General MIDI groupings to that patch.

For example, assume you have a piano sound in your Patch Name document, and you assign "GrandPno1" as its GM Equivalent. Then, if you choose to display patch names by General MIDI Groups, this piano sound appears whenever you ask to see all the piano sounds in your MIDI device. For more information about selecting patches by General MIDI Groups, see *Using Patch Groupings* (pg. 321).

6 Note Name Indicator: The OMS Name Manager can store custom MIDI note names along with patch names. Custom note names have many uses. For example, names can be assigned to the notes in a drum kit patch, causing edit windows to display notes named "kick" and "snare," instead of "C3" and "D3."

This column uses a small note icon to indicate that a patch has custom note names. The Note Name Editor can be opened by double-clicking in this column. For more information, see *Note and Control Names (pg. 320)*.

6 Control Name Indicator: The OMS Name Manager allows storage of custom MIDI control names along with the name of the patch. Custom control names have many uses. For example, a MIDI effects device might use MIDI control numbers to edit its

internal parameters. By entering custom control names, edit windows display controls named "Reverb Time" and "Pre-Delay," instead of "Control 48" and "Control 37," making it easier to edit these devices within OMS 2.0-compatible applications.

This column indicates that a patch has custom control names if it contains a small knob icon. The Control Name Editor can be opened by double-clicking in this column. For more information, see *Note and Control Names (pg. 320)*.

Program Selector Dot: If you are pasting names into a typed-in Patch Name document, you can select the range where the names will be pasted by Shift-clicking or dragging over the Program Selector dots. If no dots are selected, names are pasted starting at the top and working down until the names on the Clipboard are exhausted. See Paste Name List (pg. 317) for more information.

Patches Menu

The **Patches** menu is available whenever a Patch Name Editor is active.

Patches	
Save	₩S
Save As	
Copy Name List	жc
Paste Name List	₩ U
Clear Name List	≆B
Add Mode	
Remove Mode	
Mode Name	
Default Modes	
Add Bank	
Remove Bank	
Bank Select/Num	bering

Figure 33.9: Patches menu

NOTE: Most of these menu items apply only to typed-in Patch Name documents; they're disabled for Patch Name documents that come from other applications, such as Galaxy.

Save

Choose this command to save any changes you've made to the current Patch Name document. If you've previously saved a document, then the **Save** command replaces the old document with the new version. If you haven't yet saved the active document, choosing **Save** opens the Save As dialog box, in which you can name the document and select a location in which to store it.

This command behaves differently depending on where the document comes from:

- Typed-in Patch Name documents are saved normally.
- Documents from Galaxy or other OMS-compatible Patch Name providers are converted to typed-in Patch Name documents. For this reason, the **Save** command is not available when you are in a librarian's document. In this situation, only the **Save As** command is available.

Save As

Use this command to save a copy of the active document using a different name. Choosing **Save As** opens the Save As dialog box, in which you can name the document and select a location in which to store it.

Saving Note/Control Names

If Note or Control Names have been added to a document created by another application, the **Save Note/Control Names** command becomes available.
This command adds the note and control name information to the saved Patch Name document.

Copy Name List

Choose **Copy Name List** to copy the list of patch names from a Patch Name document onto the Clipboard.

Names are copied to the Clipboard as text, and can be pasted into other applications. For example, you can paste names into a word processor or database to format, search, or print name lists. Each line is copied as:

Patch Number <tab> Patch Name

Paste Name List

Choose **Paste Name List** to copy text from the Clipboard into the Patch Name Editor. If the lines of text contain tabs, they are interpreted as:

Patch Number <tab> Patch Name

Otherwise, each line of text becomes a patch name. If you have access to a scanner and OCR (optical character recognition) software, you can scan patch name lists for your synthesizers, convert them to word processing files, then paste them into the Patch Name Editor.

If any patches in the Patch Name Editor are selected (that is, their selector dots are black), then pasting names overwrites only the selected patches. For example, if you have ten patch names on the Clipboard, but select only three patches, only the first three names on the Clipboard are used (see Figure 33.10).

	MIDI	Number	Patch Name
-	0/0	0	Ski Jam
•	0/1	1	Entropy
•	0/2	2	Pinger
•	0/3	3	Reswacker
۰	0/4	4	LeadRockGuitar
۰	0/5	5	Softwaves
۰	0/6	6	Cascade Falls
۰	0/7	7	Blow The Bottle
۰	0/8	8	Magic Guitar
۰	0/9	9	Will I Dream?
۰	0/10	10	Fire Dance

Figure 33.10: Only patches 1-3 will be pasted, regardless of the Clipboard's contents

Clear Name List

This command erases the currently selected name list, should you wish to start with a "clean slate."

Add Mode


Choose **Add Mode** to create an entirely new device mode for the document, and open a new window to display it.

Remove Mode

Choose **Remove Mode** to delete the device mode displayed in the active window.

Mode Name

Choose **Mode Name** to name (or rename) the device mode displayed in the active window. The mode name appears on the top line of the window.



Default Modes

Choose **Default Modes** to open a window in which you select a default mode for each channel. Whenever this Patch Name document is subscribed, the channels are set to the modes designated in this window.

For example: General MIDI devices have two modes: **standard** and **drums**. Channel 10 is always in drums mode, and all other channels are in standard mode. Figure 33.11 shows the default mode screen setup for a General MIDI device.




Figure 33.11: Default Mode Window

Add Bank

Choose **Add Bank** to create a new bank of 128 patches following the bank containing the currently selected patch, or at the end of the document if there is no selected patch. When you choose this command, the Bank Select/Numbering dialog box opens as discussed in *Bank Select/Numbering (pg. 319)*.

Remove Bank

Choose **Remove Bank** to delete the bank in which the selected patch resides.

NOTE: If the device has less than 128 patches in a bank, leave the unused patches blank—blank patches won't be displayed in patch selection menus and dialog boxes.

Bank Select/Numbering

Adding a bank or choosing the **Bank Select/Numbering** command opens the Bank Select/Numbering dialog box:




Figure 33.12: Bank Select/Numbering dialog box

Figure 33.12 displays the various elements in the Bank Select/Numbering dialog box. Specifically:

A Bank Select message may be specified by checking one or both of the Bank Select checkboxes, and by entering a bank select value in the box to the right. Consult your synthesizer's documentation to determine the appropriate values for these boxes.

IMPORTANT: Each bank must have a unique combination of bank select messages. A warning message appears if two banks have the same bank select combination.

- ② If the Automatically number patches in bank option is checked, the patches are automatically numbered according to the selected numbering convention:
 - **0-127**: Used for synthesizers with a "0 based" numbering convention.
 - **1-128**: Used for synthesizers with a "1 based" numbering convention.
 - **A11-B88**: Used for synthesizers with a "bank based" numbering convention (most Roland devices use this scheme).
- Patch prefixes can be entered in the Prefix box. For example, a synth may use banks with names such as "RAM1." The patches could be numbered "RAM1-0" thru "RAM1-127" by entering "RAM1-" in the Prefix box and selecting 0-127.




Figure 33.13: Using the Prefix feature

If the Assign GM equivalents to all patches option is checked, each patch is assigned a General MIDI patch equivalent. This sets each patches' number equal to the GM equivalent. This is useful to configure a bank to match the GM defaults without changing the names.

Note and Control Names

Double-click the **Cntls** column in the Patch Name Editor to open a Control Names Window. Similarly, double-click the **Notes** column to open a Note Names Window.



Figure 33.14: Note Names Window

Saving note names or control names adds them to the Patch Name document, regardless of whether it is typed-in or from another application.

Note names are useful for drum machines or samplers. For example, it's easier to edit MIDI data for a drum machine if notes appear named "Kick" and "Snare" rather than "C2" and "D2." Similarly, if you're using a sampler to trigger sound effects, notes named "Crash" and "Gunshot" are more useful than notes named "G3" and "D5."

Control names are useful if you perform real-time edits to synthesizer or effects patches. For example, it's easier to edit controllers named "RevTime" and "HPFiltr" than controllers named "Control 41" and "Control 73."

Default Note and Control Names

At the top of every Patch Name document is a line marked **Default**. You can add a set of default note and controller names to a Patch Name document by double clicking in the appropriate column and typing names into the Note Names or Control Names Window. These default Names are used for every patch that doesn't specifically override them.




Figure 33.15: Default Note and Control Names

In Figure 33.15, there is a set of default Note Names. All the patches in this bank use these note names. However, the note icon in the row for patch number 2 indicates that it has its own set of Note Names that override the defaults.

SELECTING NAMES

Once the Name Setup is configured properly, Vision displays names in all appropriate places (such as in the Current Patch pop-up in the Control Bar, or in the Patch column of the Tracks Window).

There are two ways to choose names:

- A simple pop-up menu of choices, either sorted alphabetically or numerically. This appears when you click on a name field.
- The Names Browser is a more sophisticated window where you can view names numerically or alphabetically—or even group them by keyword or patch type. The Names Browser Window appears when you Command or Option-click a name field.

Figure 33.16 shows the pop-up menu that appears when you click on a patch name field.




Figure 33.16: Pop-up Patch Name menu

Names Browser

If you Option or Shift-click on a name field, the Browser Window opens:




Figure 33.17: Patch Name Browser

The Name Manager sends the necessary commands (program change/bank select) each time a patch is selected. The **By number/By name** radio buttons sort the list by number or name; this is global and applies to pop-up menus as well.

Using Patch Groupings

The Grouping pop-up menu allows you to choose a grouping assignment for the current Patch Name document. For example, the General MIDI patch names contains the groupings **None**, **General MIDI**

Groups and **General MIDI Patches**. If you select General MIDI Groups from the Grouping pop-up menu, you will be presented with this list of groupings in the Browser Window:




Figure 33.18: General MIDI Groups

Selecting an item from this list narrows the list of available patches to show only those patches that belong to the selected group. For example, patches in the Piano group include Grand Piano, Brite Piano, and so forth.

An additional advantage to using groupings is that patch selection menus display their contents hierarchically; that is, arranged by group (as shown in Figure 33.19).




Figure 33.19: Hierarchical Patch Selection

You can create your own groupings with Galaxy, Opcode's patch librarian application. Also, Galaxy automatically provides groupings for certain synthesizers. You cannot create groupings with typed-in Patch Name documents.

Browser Menu




Figure 33.20: Browser menu

When you use the Names Browser, the menu shown in Figure 33.20 becomes available.

Sort by Number/Sort By Name

These commands duplicate the function of the "By Name/By Number" buttons in the Browser Window.

Show Patches In Any/All Selected Group(s)

With "any selected group" selected, Shiftclicking multiple groupings in the Browser displays patches that belong to any of the selected groups (if you have programming experience, think of this as the "or" condition).

With "all selected groups" selected, Shiftclicking multiple groupings in the Browser only displays patches that belong to all of the groups (programmers can think of this as the "and" condition).

As an example, imagine you have a grouping for "bright" and a grouping for "piano." With "all selected groups" chosen, you would see only bright pianos listed, whereas with "any selected group," you would see all bright patches and all piano patches listed together.

Edit Selected Patch

Tells the patch provider to open an edit window for the selected patch, if the application supports the command.

OPENING FILES WITH DIFFERENT NAME SETUPS

Vision saves Name Setups in its sequence files. When you open a file that references a different Name Setup, you have to answer some questions to let the Name Manager know how you want to handle the different assignments. This section discusses the possible options.

First, you see the following dialog box:




Figure 33.21: Different Name Setups, first dialog box

You have two choices at this point. The following sections describe these choices.

Make Current

This choice overrides all current Name Setup information with the information in the file being opened. Usually if you want to change subscriptions, you also want to send the new patches to your synthesizers, and the Name Manager assumes that this is what you want to do. You will see a dialog box similar to the following, letting you know that transmission is going to start:



Figure 33.22: "Getting Ready To Send" dialog box

Typed-in patch documents have an asterisk (*) next to their name, letting you know that they can't be sent automatically. You should load up your devices with these patches in whatever manner is appropriate.

Documents that can't be found are displayed in *italics*.

When you are ready, you can click...

- Send: to send the bundles to the devices.
- Don't Send: to proceed without sending any data.
- Go Back: to return to the previous dialog box.

Don't Make

Clicking **Don't Make** leaves the current patches *current*. However, you still have a choice to make: do you want to change the document being opened to use the current Name Manager subscriptions, or do you want to leave the file alone?



Figure 33.23: "Don't Make Current" dialog box

If you click...

- Keep: the document is unchanged.
- Change: the document is updated to use the current Name Manager subscriptions. If you save the file without changing its name, any record of the old subscriptions is lost.
- Go Back: returns to the previous dialog box.

CHAPTER 34: The Input Map Window

The Input Map Window allows reassignment of MIDI events received from an Instrument, defined by a device and channel, to a different Instrument. Reassigned events can also trigger and transpose sequence playback.

□ 🔻 Input Map 🖳 🖽								
Input Device C	han	Rar Lo	ige Hi	Base	Thru/Trigger	Sequence	Player	
Wavestation	1	C-2	C2	C3	MicroWave-1			_
Wavestation	1	C#2	68	C3	S1000-2			Н
Wavestation	2	C-2	68	C3	Transpose			
Wavestation	3	C-2	68	C3	Trigger	Verse	1	
Wavestation	4	C-2	G8	C3	Cont Trig	Chorus	1	L
Wavestation	5	C-2	G8	C3	Gated	Bridge	1	v
Wavestation	10	C-2	68	C3	S1000 (GM Kit)	· ·		1

Figure 34.1: The Input Map Window

INPUT MAP DISPLAY

Each line in the Input Map controls the mapping for a range of notes on a MIDI device and channel to an Instrument or a trigger mode. Vision compares each incoming MIDI event to each line in the Input Map, beginning with the top line. If the event is in the specified range of notes and it's on the specified device and channel, then the MIDI event is reassigned. If more than one line matches, the first one is used. If no line matches, the event is routed to the Thru Instrument set in the Control Bar.

Input Device and Channel

Selecting a MIDI device and channel defines the source for incoming events. Vision intercepts MIDI signals from this device and channel, and remaps them to the Instrument or trigger defined in the Thru/Trigger field.

The available devices are determined by the Input Devices defined in the current OMS Studio Setup document.

Range

These columns allow specification of the note range, on the selected device and channel, that will be remapped. Notes outside this range are not affected by the Input Map. MIDI note numbers can be entered from the numeric keypad or by selecting the field and playing a note on a MIDI controller.

NOTE: Notes assigned in MIDIKeys have precedence over the Input Map. For example, a note falling within the note Range in the Input Map, but having an assignment in MIDIKeys, will not be processed by the Input Map.

Base

The **Base** is the note that acts as middle C for the remapped keyboard zone. This is useful when splitting a keyboard into two or more zones. For example, assuming C3 is middle C, setting the Base to C2 transposes each note up an octave before being remapped or routed to the Thru Instrument.

The Base also acts as a reference point for the transpose and trigger modes.

NOTE: Middle C can be either C3 or C4, depending upon what has been specified in the Settings Window.

Thru/Trigger

Clicking here gives you the same Instrument pop-up as the Thru Instrument popup in the Control Bar. You can choose either an Instrument to assign to this line's zone, or you can choose a trigger or transpose mode.

If you want to assign a trigger mode, you can then set the sequence and Player number. This is discussed below and in *Trigger and Transpose Modes (pg. 326)*.

Sequence and Player

When selecting a trigger mode for a line, these fields allow specification for both the sequence played and the Player it's played on.

Unlike the Thru Instrument setting, where the trigger mode requires you to hit a letter key to make a sequence triggerable, Vision will start a sequence when it receives a MIDI signal from the device and channel in this line.




Figure 34.2: Choosing a Sequence to trigger

For more information, see Chapter 15: Players and Input Effect.

TRIGGER AND TRANSPOSE MODES

Although the trigger and transpose modes can also be set using the Thru Instrument pop-up menu, the operation is effective only until sequence playback stops. The Input Map settings remain active between playback sessions.

Transpose Mode

Transpose mode remaps valid incoming MIDI notes to transpose sequences currently playing, without playing the incoming notes. Transpose mode doesn't affect sequences being recorded.

Notes played within the selected note Range transpose playing sequences relative to the Base note. For example, if the Base note is C3 and a D3 is played (and D3 falls within the note Range), all playing sequences are transposed up a whole step. The D3 is not played but acts only as a transposition value and signal.

If two keys are played simultaneously, and both fall within the note Range, both notes affect their own transpositions relative to the Base note.

Trigger Modes

The trigger modes allow notes falling within the note Range to trigger sequence playback for the sequence specified in the Sequence field. Each valid note starts playback for one copy of the sequence. The sequence is also transposed according to the rules discussed in the previous section. Multiple valid notes, played simultaneously, transpose and play separate copies of the sequence.

Trigger Mode

Trigger mode stops and restarts the selected sequence, using the relative transposition, upon receiving valid trigger notes. Notes played simultaneously start and transpose separate copies of the sequence.

Continuous Trigger Mode

Continuous Trigger mode does not stop currently playing sequences when valid notes are directed to that sequence. After the sequence finishes playing, it is restarted and transposed according to the note previously received.

Gated Mode

Gated mode plays and transposes the sequence, when receiving notes within the note Range, only while notes are held down. This can provide an interesting interactive environment for creating interwoven lines.

INPUT MAP WINDOW MENU




Figure 34.3: Input Map Window menu

Input Map Enabled

When this toggle is enabled, Vision routes incoming MIDI signals to the Input Map. If the MIDI note doesn't apply to any line in the Input Map, the signal is routed to the Thru Instrument. When the toggle is disabled, Vision routes incoming MIDI signals directly to the Thru Instrument, bypassing the Input Map.

Add Line (Option-=)

Choosing this item creates a new line in the Input Map. Selecting an item on an existing line, before choosing **Add Line**, duplicates that line below the line containing the selected item.

Remove Line (Option---)

Selecting any parameter in a line and choosing **Remove Line**, removes that line from the Input Map.

Make One Line per Channel

Choosing this command sets up one Thru/Trigger Instrument for each device enabled for MIDI Input in the Studio Setup document. Instruments appear in the same order as in the Instruments Window.

To quickly add one line per channel for a specific device, choose **Setups>Enable Input Devices** and disable all input devices except the specific device being added to the Input Map. Then choose **Make One Line per Channel**. Disabled devices may then be enabled without disturbing the Input Map.

Load From

This opens a standard open dialog box allowing the Input Map from another Vision file to become the active Input Map for the current file. The **Load From** command loads *only* the Input Map from the Vision file. This mechanism allows the creation of templates for commonly used Input Maps.

Clear All

The **Clear All** command deletes all lines from the Input Map and cannot be undone. If your use of Vision doesn't require an Input Map (see *When to Use an Input Map (pg. 328)*), you should keep the Input Map clear. This allows your controller keyboard to use the Thru Instrument setting, which can be changed more easily than the Input Map.

WHEN TO USE AN INPUT MAP

For those using Vision with a single controller keyboard, Input Maps are not essential and their inadvertent use can create confusing routing problems. Choosing **Clear All** from the Input Map Window pop-up clears all lines from the Input Map and disables all assignments (page 328).

The following examples suggest several common uses for the Input Map:

- The OMS Studio Setup has more than one MIDI controller;
- Permanent assignment of MIDI notes to trigger certain sequences (see Trigger and Transpose Modes (pg. 326));
- Enable recording from another sequencer;
- Split the controller keyboard.

Multi-Channel Recording

Several MIDI channels can be recorded simultaneously from a separate sequencer into Vision by using the Input Map to assign each incoming MIDI channel to a different Vision Instrument. See *Multi-Channel Recording (pg. 46)* for details.

Multiple Keyboards and Keyboard Splits

To set up a split controller keyboard, clear the Input Map by choosing **Clear All** from the menu in the Input Map Window. Then, for each zone on the keyboard:

- ① Choose **Add Line** from the Input Map's Window menu.
- ② Make sure the Input Map's device and channel assignments match the controller's output assignments.
- 3 Click in the low Range note field in the new line, and play the low note of the range on your keyboard controller.
- 4 Click on the high Range note field and play the high note of the range on your keyboard controller.
- Set the Base note for the zone to the note that will function as C3.

CHAPTER 35: The Settings Window

The Settings Window contains preference settings for a number of different edit and display options. The Settings Window displays a different set of preference items based on the selection in its pop-up menu, see Figure 35.1.

Insert Note Strip Chart & Nudge Editing Real-Time Controllers Appearance

Figure 35.1: Settings Window pop-up menu

Changes in the Settings Window take effect immediately. In fact, you can keep this window open, making changes as needed, while continuing to use Vision.

Any changes made in the Settings Window are remembered when relaunching Vision. Information from the Settings Window is saved to the *Vision Prefs* file (located in the Preferences folder inside your System Folder).

The following sections discuss each of the preference groups accessed from the Settings Window.

INSERT NOTE




Figure 35.2: Insert Note settings

The Note Settings allow precise control over the duration, spacing, and velocity of notes entered with the Pencil and Magic Drumstick. You can use standard note durations, tuplets, or construct arbitrary durations.

The Note Settings can be opened automatically by double-clicking the Pencil or Magic Drumstick tools.

Spacing

Specifies the spacing of notes inserted when dragging with the Magic Drumstick. For details on using the Spacing pop-up and Tuplet option, see *Spacing* (pg. 337).

Duration

Specifies the duration of notes inserted with the Pencil and Magic Drumstick. For details on the Duration parameters, see *Duration (pg. 339)*.

Velocity

Specifies the velocity of notes inserted with the Pencil and Magic Drumstick.

STRIP CHART & NUDGE



Figure 35.3: Strip Chart & Nudge settings

Strip Chart Settings

Density

Sets the density of continuous controller events inserted in the Strip Chart. This value can also be changed in the Strip Chart area. For more details, see *Using the Density Setting (pg. 256)*.

Waveform Period

Sets the period length for the Strip Chart's Oscillator Shapes. This length can be based on a number of bars, beats, units, seconds, SMPTE frames, or SMPTE bits. For more details, see *Oscillator Shapes (pg. 247)*.

The Waveform Period also has an option called **Use Meter**. Check this item when using "bars" as the period; this ensures that the bar's size is based on the Meter for the affected track region.

Nudge Settings

Move Amount (\leftrightarrow)

Determines how far events are nudged left or right. This amount can be based on a number of bars, beats, units, seconds, SMPTE frames, or SMPTE bits.

The Move Amount also has an option called **Use Meter**. Check this item when using "bars" as the nudged amount; this ensures that the bar's size is based on the Meter for the edited track region.

Transpose Amount (])

Determines the type of transpose used when nudging notes up or down. This value can be based on a number of semitones, octaves, or scale degrees. The Transpose Amount also has an option called **Use Key Signature**. Check this item when using "degrees of scale," which ensures that the transposition is in the Key Signature used by the edited track region.

EDITING




Figure 35.4: Editing settings

Auto Scroll Top Window Only

Check this option to restrict Auto Scrolling to the top window. This can free up processing power for slower computers. If unchecked, all windows for the current sequence scroll.

Set Insertion Point to End of Paste Region

When checked, the Insertion Point is automatically moved to the end of a pasted region—which makes it easier to cleanly paste another copy. This option is also used with Insert Blank Time, Insert Clipboard, Merge, and Repeat Paste.

When unchecked, pasted events remain selected (so they can be modified, if desired).

Clear Beat/Unit when Entering Bar

If checked, typing into a field for bar, beat, hours, minutes, or seconds clears all fields to the right.

If unchecked, typing into any of these fields leaves fields to the right unaffected—typing the Period key, however, moves the cursor to the next field and clears it.

Punch Points follow Edit Points

When checked, any changes made to the Edit In/Out points (while playback is stopped or paused) are automatically echoed to the Punch In/Out Points.

Clean Tempo Display

When checked, tempos are displayed with 2 decimal points. Uncheck this option to display tempos with four decimal points.

NOTE: Not all four digit tempos are possible, but you will be able to access Vision's full tempo accuracy.

Define Middle C

This pop-up menu specifies whether "middle C" (MIDI note number 60) is displayed as C3 or C4. Most instruments define "middle C" as C4. Yamaha instruments, on the other hand, use C3.

Default Edit Window

This pop-up specifies the edit window opened when double-clicking a track from the Tracks and Pulse Windows (regardless of the type of data contained in the track).

If Graphic or Notation is specified, Option-double-clicking a track opens the List Window. If List is chosen, Optiondouble-clicking opens the Graphic Window.

In all cases, double-clicking a drum track from the Tracks Window opens the Pulse Window.

Modify Window Option

This pop-up specifies what happens to the Select and Modify Window after an action is performed. You can specify that the window: stay in front, go behind the target editing window, go behind all windows, or close after invoking the Select & Modify command (by either clicking the Modify button or typing Return).

REAL-TIME




Figure 35.5: Real-Time settings

Silent when Paused

When checked, all notes are turned off when playback is paused. If unchecked, all notes are sustained when paused, which can be used as a "fermata" effect.

Sustain Notes across Segments

When checked, notes playing back from a sequence event play for their full duration, even if the referenced segment or sequence stops playing.

Sustain Audio Across Segments

When checked, audio events played from a sequence event last for their full duration—even if the referenced segment or sequence stops playing.

If you uncheck this option, the audio will stop playing when the sequence event ends, or when it reaches the loop end point (if it is set to repeat).

Aftertouch Sets Effect Velocity

When checked, aftertouch affects the velocities of notes played with the Input Effect (Repeat or Arpeggiate).

System Exclusive Thru

When checked, Vision routes system exclusive messages from your MIDI controller to the Current Thru Instrument (or with the Input Map, if enabled).

If unchecked, Vision receives the information but does not route it.

Solo Audio and MIDI independently

When checked, soloing of one or more Audio Instruments will not mute MIDI Instruments, and soloing of one or more MIDI Instruments will not mute Audio Instruments. Instruments can be soloed from the Instruments or Audio Instruments window, Consoles, Plug-in edit windows, and EQ edit windows.

This does not apply to audio or MIDI tracks, however. Soloing tracks still behaves as it always has; if one or more tracks are soloed, only the soloed tracks can be heard (regardless of whether they are MIDI, audio, or multi tracks).

If unchecked, soloing an Instrument (Audio or MIDI) will mute all remaining instruments (Audio or MIDI).

Audio edits occur...

Select "immediately" from this pop-up menu to have audio edits reflected almost instantaneously for playback. Choosing this option does, however, cause audio edits to interrupt audio playback briefly.

If you instead select "smoothly," edits are reflected more slowly, but with no disruption in audio playback.

Record Quantize Source

The settings used for Record Quantize can be the Quantize settings residing in the Select & Modify Window or Input Effect Windows or the Play Quantize settings of the record-enabled track

The default choice for this pop-up is "track," which (when selected) represents no change in the way Record Quantize in previous versions of Vision.

From the Real-Time section of the Settings Window, choose either "track," "Modify," or "Input Effect" from the Record Quantize source pop-up to specify the Record Quantize source.

Maximum Playable Tracks

This is the maximum number of tracks (parent sequences and sequence events included) that Vision can play at any one time.

Decreasing this number frees up more memory for recording and editing.

CONTROLLERS




Figure 35.6: Controllers settings

Favorite Controllers

These pop-ups specify the eight continuous controllers you use most often. These controllers appear in many of Vision's dialogs and windows, wherever you must make a controller selection.

Fine Controller Values

When checked, continuous controllers 0-31 use a finer range of controller values (0-16383, as opposed to 0-127). Also, the Strip Chart generates "fine" controller data for any inserted values.

If unchecked, all MIDI controllers are treated equally as having a range of 0-127. Consult your user manual to see if your devices support "fine" mode.

APPEARANCE




Figure 35.7: Appearance settings

Window Background

This pop-up menu determines the graphic background patterns used in Vision's windows and dialogs.

Fader Slots in Instrument Color

Check this option to display Instrument colors in the fader and console slots.

CHAPTER 36: The Step Window

The Step Window specifies how notes are step recorded. It opens automatically when entering step record mode. For details on step recording, see *Step Recording (pg. 42)*.





Figure 36.1: Step Window

The Step Window is divided into three sections: Spacing, Duration, and Velocity. The following sections discuss these three components of the Step Window.

SPACING

Spacing determines the amount of time the Counter advances each time you play a note. The value is displayed as both a note duration and number of units (there are 480 units per quarter note). It also can affect the duration of the note.

One of the easiest ways to set the Spacing value is to choose a note value from the note pop-up. The units field is automatically updated with the selected note value.



You can also click in the units field and type a new value, or click and drag with the mouse.



If you enter a value in the units field that is not an equal subdivision of the beat, the note pop-up shows a ">" or "<" symbol along with the current note size, which indicates the approximate value.



Figure 36.2: Approximate note sizes



Figure 36.3: Exact note sizes

Tuplet Checkbox

If using complex timing divisions, use the Tuplet checkbox to define the Spacing. With it you can specify, for instance, 5 notes in the space of 1 for quintuplets.

To enable the Tuplet, click its checkbox and enter the values for each of its fields. Vision calculates the Spacing size and the units field is updated automatically.



Figure 36.4: Tuplet enabled for Spacing

In Figure 36.4, the Spacing specifies three notes within the space of an 8th note. In this instance, the Counter advances a third of an 8th note (80 units) for each step.

Using Keystrokes to set the Spacing

Perhaps the fastest way to change the Spacing size is by typing keys on your computer keyboard. This only works if the Step Window is open.

The following table summarizes the keystrokes:

Key	Function
1	o
2	o
4	
8	•
6	,
5	,
3	Toggle triplet setting on or off
. (period)	Toggle dot on or off
+ (plus)	Add the next value to the current value
- (minus)	Subtract the next value from the current value

The following mnemonics may be useful in remembering the keystroke for each note duration:

- 1: One whole note per measure.
- **2**: Bottom number of 1/2 note.
- **4**: Bottom number of 1/4 note.
- **6**: "6" teenth note.
- **5**: $2^5 = 32$ for 32nd note.
- **3**: triplet has 3 notes.

Adding and Subtracting Durations

The "+" and "-" keys can help calculate the Spacing value, for example:

- ① With the Spacing value set to 8th notes (240 units), type 🗐.
 - Make sure the note is not highlighted. Click on any inactive window area or on another field to de-select the Size pop-up.
- 2 Next type 1 to add a 16th note (120 units) to the 8th note.

The Spacing's note pop-up switches to a dotted 8th note (360 units).

You can also use the "+" key for long notes— type "1 + .4" to create a whole note tied to a dotted quarter note. As you can imagine, with one hand on the computer keyboard, and one on your MIDI controller, you can step record music very efficiently.

DURATION

The Duration section of the Step Window determine the lengths of step recorded notes. The Duration pop-up menu offers the following four options:

Independent



Independent sets the note durations to a length independent of the Spacing size. To set the Independent duration, choose a value from the note pop-up or change the value in the units field; changing either of these items updates the other automatically.

Independent ensures all recorded notes are of uniform length, even if the Spacing size changes. Figure 36.5, for example, illustrates the Spacing size varying while the Duration stays constant with Independent set to 16th notes.




Figure 36.5: Independent set to 16th notes

Spacing Minus Gap



Spacing Minus Gap specifies the size of the "gap" (rest) between each step recorded note. As a result, the actual length of the recorded notes is equal to the Spacing size minus this Duration size. In this mode, the gap between the recorded notes is constant, even if the Spacing size changes.





Figure 36.6: Spacing Minus Gap, 8th notes

Figure 36.6 illustrates step recorded notes with Spacing Minus Gap set to 8th notes. Even though the Spacing size changes, the gaps between the notes remain constant.

Percent of Spacing



Percent of Spacing calculates the durations based on a percentage of the Spacing size. To enter staccato notes, use smaller percentage values such as 50%. To enter legato notes, use percentage values near 100% or even larger.




Figure 36.7: Spacing set to quarter notes, Percent of Spacing set to 60%

As Played (Duration)


As Played step records durations as you actually play them, with respect to the current tempo setting of the sequence—even though the metronome doesn't sound while step recording.

The Counter still advances based on the Spacing setting but the actual duration entered can be arbitrarily long or short.

VELOCITY

The Velocity section of the Step Window determines the velocities of step recorded notes. The following two options are available:

Constant



Constant specifies that all step recorded notes are entered with a specified value. To change the Constant velocity, highlight the field and use the mouse or keyboard to change the value.

As Played (Velocity)



As Played step records velocities as you actually play them on your MIDI controller. This method ensures more natural sounding velocities than with Constant.

CHAPTER 37: The Faders Window




Figure 37.1: The Faders Window

ABOUT FADERS

Vision supports up to 800 faders that are divided into two categories:

- Faders 1-32 are controlled from the Faders Window, as shown in Figure 37.1.
- The sixteen Console Windows, each represented as a mixing board, control the other 768 faders.

NOTE: Each Console Window can contain up to 24 channels, and each channel contains 2 faders. The fader that appears to be a pan control is, in fact, fully assignable, as is the main fader. Each fader can be set to send any MIDI controller (except pitch bend and aftertouch) or volume or pan for any audio Instrument, Bus, Input, or Output. Each fader can be controlled directly with the mouse or by an external MIDI controller. Faders can also be grouped and controlled from the same external MIDI controller. One fader can control tempo.

When a fader's movements are recorded and its window is open, the results are audibly and visually represented during playback. These movements are recorded as automation events in the recordenabled track. These events can be viewed and edited in either the List Window (see page 261) or the Strip Chart (see page 241). Specific events can be selected for editing or remapping using the Select & Modify Window (see page 119).

Vision handles automation events identically whether they originate from the Faders or Console Windows. Although this chapter discusses the Faders Window, feel free to consult *Chapter 38: The Console Windows* and the *Automation* chapter of your *Audio Reference Manual* to correlate ideas between these related features.

THE FADERS WINDOW

The Faders Window can be displayed in a single column consisting of 16 faders, beginning with either Fader 1 or Fader 17; or in two columns, showing all 32 faders. This display option is controlled in the bottom right of the window.

To the left of the display options, at the bottom of the Faders Window, is a toggle that controls what the window displays:

- Send: The controllers the faders are sending data to
- Rcv: The external controllers the faders are controlled from

Fader Values

The field to the right of the fader name (F1, F2 etc.) shows the numerical value for that fader. Clicking and dragging up or down in the fader value numerical allows the value to be precisely set. Values may also be typed in from the computer keyboard. The range of values is 0-127.

Although Console faders assigned to certain parameters may have different value ranges, faders in the Faders window will always have a range of 0-127. These values are automatically remapped to appropriate values when recording, and vice versa. For example, if you set the **Maximum Fader Position** value to +6 dB, record a fade from 127 to 0 on a fader assigned to Audio Volume, and then view those events in the List window, the

values for the events will be between +6 dB and $-\infty$. Playing those events (with +6 dB to $-\infty$ values) will still result in the fader numerical displaying values between 0 and 127.

Fader Sliders

The fader's slider may be dragged to change the value in the numerical field. Faders that are controlled by external devices move automatically in response to their assigned controller. Dragging the slider sets the fader to even-numbered values (and 127).

If the **Fader Slots in Instrument Color** option is checked in the Settings Window, the fader slots are displayed in the color of the assigned Send Instrument.

Instrument, Device, Channel Number and Controller

When the Faders Window is showing the Send settings, the Instrument and Controller pop-ups determine where the fader sends its data.

When the Receive settings are shown, the Device, Channel and Controller pop-ups determine the source of the fader's control.

Tempo Fader Assign

One fader can be set to control the tempo. See *Using a Fader to Record Tempo Changes (pg. 138)* for more information.

Tempo Fader Range

These numericals determine the range available to the Tempo fader.

Send/Receive Settings Display

Clicking this field toggles the Faders Window display between the **Send** and **Rcv** settings.

Send Settings

Each fader can be used to send an automation event to a selected Instrument, Bus, Input, or Output:

- 1) Set the Send/Receive toggle to Send.
- ② Activate the desired fader by clicking on its selector dot.

The selector dot changes into a hollow triangle.

- 3 Select an Instrument, Input, Output, or Bus from the Instrument pop-up menu.
- 4 Select a controller from the Controller pop-up menu.

Volume (7) is the default that is initially displayed. Pitch bend and aftertouch are not available.

If an Audio Instrument, Input, Output, or Bus is selected, the only available send destinations are Volume and Pan. Clicking on the setting alternates between the two options. Whenever the fader is moved, the assigned automation events are sent to the selected Instrument. Moving a fader while recording causes Vision to record the automation events for the recordenabled track.

One fader can control the volume of several MIDI channels by setting up an Instrument with several layers, each layer set to one of the desired MIDI channels, and then selecting that Instrument to receive the fader's volume information.

Receive Settings

To control a fader using an external MIDI controller such as a modulation wheel, MIDI fader unit, or continuous pedal:

- ① Select **Fader Remotes Enabled** from the menu in the Faders Window.
 - This allows the information from remote MIDI controllers to reach the faders.
- 2 Set the Send/Receive toggle to Rcv.
- ③ Enable the fader by clicking its selector dot.

The device, channel and controller number are displayed that currently provide external control for that fader.

Each numerical can be individually set using any of Vision's standard procedures.

An easier method is to click on each field and then move the external MIDI controller that controls that fader. The information is automatically transmitted to the selected field.

This process results in the external MIDI controller moving the fader to which it is assigned. The fader, in turn, sends the automation information assigned in the Send mode to the assigned Instrument, Input, Output, or Bus. Multiple faders can be controlled from a single external MIDI controller.

Fader Display Mode

Three different display modes are available for the Faders Window by clicking the **1**, **17** or **32** fields in the bottom right corner of the window:

- 1: The Faders Window consists of 16 faders in one column beginning with Fader 1.
- 17: The Faders Window consists of 16 faders in one column beginning with Fader 17.
- 32: The Faders Window consists of 32 faders in two columns beginning with Fader 1.

FADER FUNCTIONS

Using Faders to Remap MIDI Controllers

Faders can remap a MIDI controller's function by selecting one controller type to control the fader (with the Rcv setting) while assigning a different controller type to be sent by the fader (with the Send setting).

Using Faders to Control Instrument Velocities

Most MIDI synthesizers respond to MIDI Volume (control #7) but certain older synthesizers do not. Vision allows a pseudovolume mix by using faders to control Instrument velocities instead of volume. Since velocity normally corresponds to note amplitude on most synthesizers, varying a note's velocity is similar to varying channel volume.

NOTE: Although velocity usually corresponds to note volume, it may also affect the timbral aspects of the sound as well. Check the synthesizer manual for details.

Each Instrument layer can modify the velocities of the notes it plays. Two columns in the Instruments Window control this action:

- Velocity Scale checkbox: Any of Vision's 800 faders can be assigned to control Velocity Scale for any instrument. This checkbox enables the instrument to respond to Velocity Scale messages. Unchecking this box will cause the instrument to ignore Velocity Scale information assigned to it.
- **Velocity Scale** %: The amount can range from 1% to 250%.

At the fader's maximum level (127), the velocity output is the recorded velocity multiplied by the scaling factor. These settings affect all note velocities played by that Instrument layer.

For example, if a note is recorded at a velocity level of 64 and the Velocity Fade Amount is set to 50%, then a fader level of 127 equals a velocity of 32 (50% of 64).

Moving the fader while the sequence is playing changes the velocity of notes assigned to that Instrument. Fader movements can now be recorded and used as pseudo-volume controllers for MIDI devices that don't respond to Volume (control #7).

For more details, please see *Velocity Scale* (pg. 297).

Copying Fader Settings

When the Fader Window is active, choosing **Edit>Copy Faders** places an automation event for each defined fader's current value onto the Clipboard. The fader events can then be pasted into a track, creating a "snapshot" of the current fader values.

This is particularly useful for creating a mix at the beginning of a sequence. To ensure that your sequence begins with the correct mix, it is a good idea to place a fader snapshot at the beginning of the sequence. This process is very important, but it is often overlooked.

For example, you might use volume faders to create a "fade out" at the end of a song, with each instrument's volume setting ending at 0. The first time the sequence is played, it sounds correct. After the sequence ends, you press play again, but can't hear anything. If you let the sequence play long enough, you'll hear only the fade out.

This happens because, at the end of the song, each instrument receives a volume setting of 0. If there's no volume data at the beginning of the sequence, the instrument doesn't know to change its volume until the first volume event of the fade out. Creating a set of initial volume settings (a "snapshot" of the Console and Faders windows) will alleviate this problem.

Copy Faders now automatically inserts Mute and Solo automation events for MIDI Instruments in addition to any other MIDI controller events that are assigned in the Faders or Console windows.

For more information about the **Copy Faders** command, please see *Saving a Mixer Snapshot (pg. 89)*.

CHANGES IN THE WAY VISION HANDLES FADERS

Removal of "fader events"

In previous versions of Vision, faders were a type of interface between you and your MIDI controller data.




Figure 37.2: The old way

Faders still act as an interface, but now they generate data directly. Instead of creating a fader event assigned to another parameter (such as a controller), faders now create controller (or automation) events.




Figure 37.3: The new way

In short, we've "eliminated the middleman" by completely removing "fader events".

Visual and Audible Effect

In most cases, the visual and audible effects of recorded fader movements will not change. In fact, faders themselves have become much more flexible. For example:

① Open the Faders window and assign the first fader to control pan for a MIDI instrument.

This example uses JD-800-1.




(2) Record enable a track.



(3) Press the Record button.




4 Click on the fader and drag it back and forth to record pan information.



(5) Press the Stop button and open the List window.

You can see the pan events in the list window.




Notice that these are not fader events assigned to pan; they are pan events.


6 Press Play

Watch the first fader move just as you recorded it.

⑦ Disable the first fader by clicking on its selector dot.



8 Enable a different fader and set it to JD-800-1 Pan.



Press Play.

Now the new fader moves to the recorded pan events.

You could also assign a Console channel to JD-800-1 and the pan fader in that console would move in unison as well.

Notes About Audio Volume and Pan

As in previous versions of Vision, audio volume and pan can be displayed in the Faders window and controlled by its sliders.

Audio pan now has a range of -100.00 to 100.00, and audio volume now has a range of -∞ to the Maximum Fader Position (as set in the Audio Preferences dialog box). However, displayed fader values in the Faders window are still 0-127.

These values are mapped to the appropriate range of values (for the selected parameter). In the case of audio pan, 0 corresponds to -100.00 (left) and 127 corresponds to 100.00 (right). For audio volume, 0 corresponds to -∞ and 127 corresponds to the Maximum Fader Position.


If you wish to see the correct numeric values for these parameters, use the Consoles rather than the Faders window.

For more information, see your *Audio Reference Manual*.


Changes in Copy Faders

The **Copy Faders** command is most often used to create a "snapshot" of fader values for several different instruments.

Since fader values are now mapped directly to controller values (as described on page 347) which are in turn assigned to instruments, pasting the information gathered during **Copy Faders** into a track will now result in a multi track.



For instance, if you invoke the **Copy Faders** command when you have a Console set up like the one above, the events inserted into a track will look like this in the List window



The track's instrument is now set to multi, and automation events have been inserted for each instrument's faders and mute and solo buttons.

If desired, you can use the **Separate Multi Track** command to put each instrument's events onto separate tracks. See page 49 for details.

Copy Faders and Audio Channels

When using the Copy Faders command with audio channels defined in the Console, you may end up with more data than you were expecting. For instance, EQ Enable, EQ Band Enable and EQ Band Parameters, Plug-in Bypass, and Send Levels are some of the event types that can be copied. See your *Audio Reference Manual* for more information about Copy Faders and audio channels.

CHAPTER 38: The Console Windows

Vision offers sixteen separate Console Windows, each of which contains 24 channels. Console Windows can be configured as desired to perform a number of different functions:

- Record dynamic MIDI and Audio Instrument mixes (or create static mix "snapshots");
- Create real-time controllers for important synthesizer and effects parameters, and record those parameter changes as part of the sequence;
- Assign EQs and VST plug-ins to Audio Instruments, busses, inputs, and outputs and edit them (in Acadia audio mode). See your Audio Reference Manual for details.
- Assign TDM plug-ins to Audio Instruments and edit them (only if you own Studio Vision Pro and a Digidesign TDM-equipped digital audio system). See your Audio Reference Manual for details.

ABOUT CONSOLES

Console Windows are similar to the Faders Window, but offer more control. You should understand the Faders Window before using Consoles.

Like the Faders Window, the Console Windows control Vision's automation events. The Faders Window is discussed in the previous chapter and automation events are discussed in the *Automation* chapter of your *Audio Reference Manual*.

In the current version of Vision, each fader directly controls an automation parameter, such as volume, pan, velocity scale, or any MIDI controller.

Vision can automate up to 800 different faders—each assigned to a different Instrument, channel, or MIDI control. Faders 1-32 are controlled from the Faders Window. The others are controlled from the Console Windows.

OPENING A CONSOLE WINDOW

To open a Console Window:

① Press and hold the mouse over the Windows>Console command.

Vision produces a submenu of console choices.

Select one of the sixteen consoles from the submenu.

Vision opens that Console Window.




Figure 37.4: Typical Wide Console Window

BASIC CONSOLE WINDOW ANATOMY

Vision offers numerous display choices for each console, including:

- Channel width (narrow or wide)
- Fader assignment displays
- Remote devices display
- Masking Tape display

Figure 37.4 shows a console with all display options disabled. It contains three major elements:

Console Name

This area always displays the name of your console (as assigned in the Console Window Menu).

2 Console Window Menu

Use this pop-up menu to set numerous display options, as discussed in *The Console Window Menu (pg. 355)*.

1 Individual Console Channels

The Console Window contains one vertical strip for each console channel. The next section details the elements in a channel.

The Basic Console Channel




Figure 37.5: Single, Basic Console Channel

As you can see in Figure 37.5, a basic console channel contains the following elements:

1 Channel Number

Displays the number for each console channel. This area is highlighted for the channel that contains the active control.


2 Instrument Selector

Use this pop-up menu to select the Instrument that's controlled by this channel. Faders can control either MIDI Instruments, Audio Instruments, Buses, Inputs, or Outputs.

Nolume Fader

By default, this fader controls volume (MIDI control #7), but you can reassign it to any MIDI control number as discussed in *Show Selected Fader Info* (pg. 357) or *Show All Fader Info* (pg. 359).

The active fader always appears highlighted.



TIP: You don't have to *drag* faders to change them—simply click where you want the fader to be and it jumps to the new value immediately.

NOTE: If the fader is assigned to an Audio Instrument, it can only control the audio's volume.

NOTE: If the **Fader Slots in Instrument Color** option is checked in the Settings Window, the fader slots are displayed in the color of the assigned Send Instrument.

Volume Thumb

Click and drag the Volume Thumbs to adjust the fader value. Each thumb is color-coded as follows:

MIDI channels are teal.

Audio channels are blue.

Busses are pink.

Inputs are purple.

Outputs are red.

TDM SampleCell inputs are orange.

NOTE: The Bus, Input, and Output colors are only applicable to Acadia users or Studio Vision Pro users with TDM-compatible hardware. Sample-Cell colors are only available to Studio Vision Pro users with SampleCell TDM. ReWire channels are available only to Acadia users with ReWire compatible soft synths. For more information, see your Audio Reference Manual.

6 Volume Fader Value

Displays the numerical value set by the Volume Fader. You can change this numerical directly and the Volume Fader will move to reflect the new value.

Any time you reassign a channel to a different Instrument (either manually or with one of the **Build Console From** commands), the faders change to display the current fader value of the new Instrument.

Audio volumes are now displayed in decibels. The value can range from negative infinity to the Maximum Fader Position setting (see your *Audio Reference Manual* for details).

If you reassign a channel to a MIDI Instrument that does not currently have a volume value, Vision sets the fader level to 127. If you reassign a channel to an Audio Instrument that does not currently have a volume value, Vision sets the fader level to 0 dB.

6 Volume LEDs

Displays MIDI or audio volume levels graphically.

If your audio hardware does not support output level metering, then the channel hides the level LEDs.

Clipping Indicator

In Acadia audio mode, this indicator works only with audio Outputs—it indicates a clipped digital audio signal. In Acadia mode, Audio Instruments, Busses, and Inputs never clip. This is because Acadia uses floating point in its computations, and with floating point there is practically no limit to the dynamic range for these audio signals.

In all other modes, this indicator works only with Audio Instruments; it indicates a clipped digital audio signal.

Pan Fader

By default, this fader controls pan (MIDI control #10), but you can reassign it to any MIDI control number when working with MIDI Instruments. This fader can only control pan when working with Audio Instruments, Busses, Inputs, and Outputs.

Ω Pan Fader Value

Displays the numerical value set by the Pan Fader. You can change this numerical directly and the Pan Fader will move to reflect the new value. For MIDI Instruments, this value can range from <64 (left) to 63> (right). For Audio Instruments, Busses, Inputs, and Outputs, this value can range from -100.00 to 100.00.

Mute Button

Click this button to mute playback of the Instrument, Bus, Input, or Output controlled by this channel.

Solo Button

Click this button to solo playback of the Instrument, Bus, Input, or Output controlled by this channel. Soloing a channel automatically mutes playback of any non-soloed channels. Soloing an audio bus automatically

Soloing an audio bus automatically results in all **pre sends** routed to that bus being heard (**post sends** are muted).

CREATING A CONSOLE "SNAPSHOT"

You can use the **Copy Faders** command to create a snapshot of fader values (including all Console faders). This is particularly useful for setting the mix at the beginning of a sequence.

For information about Copy Faders, see *Copying Fader Settings (pg. 347)* and *Saving a Mixer Snapshot (pg. 89)*.

THE CONSOLE WINDOW MENU



Figure 37.6: The Console Window Menu

The following sections discuss each item in the Console Window Menu:

Channel Width

Use the **Channel Width** command to specify one of two channel widths:

- Narrow
- Wide

The following sections discuss these two options in detail.

Narrow

Select this option to reduce the display width of each console channel.




Figure 37.7: Channel Width set to Narrow

This option has pros & cons:

PRO: You can view more channels at a time on your computer screen.

CON: You lose some channel display capabilities. Specifically, if you select the **Narrow** option, channels won't display:

- Volume bargraph (LED's)
- Optional detailed channel information (such as Pan Fader Info, Fader Control selectors, and Remote Devices).
 These options are described later in this chapter.

Additionally, Instrument names in the Instrument Selector pop-up menu contain very few characters.

Wide

Select this option to display each console channel at its maximum width.




Figure 37.8: Channel Width set to Wide

This option has pros & cons:

PRO: You can view all of the detailed information for each channel in the console

CON: Each channel, since it's wider, requires more screen space. Therefore, your computer screen can display fewer console channels at one time.

Audio Sends

The **Audio Sends** menu item (disabled for unsupported audio systems) allows you to create advanced routings using Acadia or Digidesign's DAE with TDM-equipped hardware. This feature is discussed in your *Audio Reference Manual*.

Plug-Ins

The **Plug-Ins** menu item (disabled for unsupported audio systems) lets you apply VST or TDM plug-ins. This menu item is enabled only if you:

- are in Acadia mode
- own Studio Vision Pro and are using it to control TDM-equipped Digidesign audio hardware.

See your *Audio Reference Manual* for details.

EQs

The **EQs** menu item (disabled for unsupported audio systems) lets you apply Vision's realtime EQs to audio channels. This menu item is enabled only when you are in Acadia audio mode. This feature is discussed in your *Audio Reference Manual*.

Show Selected Fader Info

Select this option if you want the top of the Console Window to display detailed information about the selected (highlighted) fader.




Figure 37.9: Console with Show Selected Fader Info enabled

You can turn this option on and off by selecting it repeatedly—when the option is checked, it's enabled and the fader info appears at the top of the Console Window. When the option is unchecked, it's disabled and the fader info does not appear at the top of the Console Window.

Figure 37.10 illustrates the different elements displayed by the **Show Selected Fader Info** option.




Figure 37.10: Anatomy of the Selected Fader Info Area

These are:

Instrument Selector

This is the same as the Instrument Selector pop-up menu in the channel, but is wide enough to show the full Instrument name.

MIDI Control Selector

Use this pop-up menu to assign a MIDI control number to the selected fader. It's the same as the MIDI Control Selector displayed in each channel when **Show All Fader Info** is enabled as discussed in *Show All Fader Info* (pg. 359).

IMPORTANT: If the fader is assigned to an Audio Instrument, it can only control the audio's volume or pan.

6 Fader Value

This numerical displays the current value of the selected fader.

Remote Device Selector

Use this pop-up menu to assign an external MIDI device to control the selected fader. This is particularly useful if you own a MIDI fader unit and wish to use it to control Vision's faders.

6 Remote Device Channel

Use this numerical to designate which MIDI channel is used by the Remote Device.

6 Remote Controller Selector

Use this pop-up menu to select which MIDI controller on the external device will control the selected fader.

NOTE: Remote control of faders will not work until you check the **Fader Remotes Enabled** option in the Console Window Menu (or the Setups menu) as discussed on page 362.

Show All Fader Info

Select this option if you want Vision to display detailed Instrument and MIDI controller assignments for each fader in each channel.




Figure 37.11: Wide Console with Show All Fader Info enabled

You can turn this option on and off by selecting it repeatedly—when the option is checked, it's enabled and all fader information appears in each channel. When the option is unchecked, it's disabled and the fader information does not appear in the channel.

NOTE: There is not enough room to show all fader information if the console's **Channel Width** is set to **Narrow**. Therefore, the option is disabled when narrow channels are displayed. Figure 37.12 illustrates all the elements that are added to a single channel when you enable this option.




Figure 37.12: Anatomy of a console channel with Show All Fader Info selected

These are:

1 Pan Instrument Selector

Use this pop-up menu to select the Instrument that's controlled by the pan fader in this channel. Faders can control either MIDI Instruments or Audio Instruments.

2 Pan MIDI Control Selector

Use this pop-up menu to assign a MIDI control number to the pan fader for this channel.

IMPORTANT: If the fader is assigned to an Audio Instrument, it can only control the audio's volume or pan.

Volume MIDI Control Selector

Use this pop-up menu to assign a MIDI control number to the volume fader for this channel.

IMPORTANT: If the fader is assigned to an Audio Instrument, it can only control the audio's volume or pan.

Show Remote Devices

Select this option if you want Vision to display the remote control assignments for the volume fader in each channel.

IMPORTANT: If you want to see remote device assignments for the pan faders, you'll need to check the **Show Selected Fader Info** option as discussed in Show Selected Fader Info (pg. 357).

NOTE: Remote control of faders will not work until you check the **Fader Remotes Enabled** option in the Console Window Menu as discussed in Fader Remotes Enabled (pg. 362).




Figure 37.13: Wide console with Show Remote Devices enabled

You can turn this option on and off by selecting it repeatedly—when the option is checked, it's enabled and the remote devices appear in each channel. When the option is unchecked, it's disabled and the remote devices do not appear in the channel.

NOTE: There is not enough room to show remote devices if the console's **Channel Width** is set to **Narrow**. Therefore, the option is disabled when narrow channels are displayed.

Figure 37.14 illustrates the elements that are added to a single channel when you enable this option.




Figure 37.14: Anatomy of a console channel with Show Remote Devices enabled

These are:

Remote Device Selector

Use this pop-up menu to assign an external MIDI device to control the volume fader.

2 Remote Device Channel

Use this numerical to designate which MIDI channel transmits the remote data.

Remote Controller Selector

Use this pop-up menu to select which MIDI controller on the external device will control the volume fader.

Show Masking Tape

This option adds a blank "masking tape" region to the bottom of each console channel. The **Masking Tape** area can be used to label each channel. After choosing **Show Masking Tape** from the **Console Window Menu**, simply click in the **Masking Tape** area and type in the name you want to display (see Figure 37.15, below).



Figure 37.15: Console Channel with Masking Tape

You can type anything you wish into this field; Masking Tape doesn't necessarily correspond to the name of a specific track. For example, even though you may use the same Instrument for several tracks, this Instrument has only one Console channel. In this case, you could label the Console channel "Synths" to refer to all of the tracks that it controls.

Naming an Instrument vs. using Masking Tape

Many users find that they wish for a quick way to add names to a console's channels. Vision's consoles are designed to mimic a physical mixing console, so the **Masking Tape** region was added to give users more flexibility. You can use it to quickly label your console channels.

Vision also has the capability to rename Instruments (MIDI and Audio), Busses, Inputs, and Outputs. For instructions, please see *Instrument Names (pg. 294)*. Renaming an instrument is actually a more thorough labeling method. The instrument's name appears throughout the program, including the Thru Instrument popup, all edit windows (including the Tracks window), and the Record Monitor, but the Masking Tape field only appears in the console.

In general, it's best to use **Masking Tape** as a "scratch pad" while you're working on the fly and then rename your instruments when you're ready for serious editing.

Fader Remotes Enabled

Select this option if you want to remote control Vision's software faders with hardware MIDI controllers.

TIP: Fader remotes are particularly useful if you own a MIDI fader unit. You can assign each hardware fader to remotely control one of Vision's software faders.

You can assign a different MIDI device, channel, and controller number to each fader in each console channel. For more information, see *Show Selected Fader Info (pg. 357)* and *Show All Fader Info (pg. 359)*. This command is also in the **Setups** menu.

Master Instrument

Use this option to determine how faders are assigned in each channel. Specifically:

Enabled (checked)

If the **Master Instrument** option is enabled (checked), Vision assigns both faders in a channel to the same Instrument.

This is the default console because, in most instances, you'll use the vertical fader to control volume and the horizontal fader to control the same Instrument's pan.




Figure 37.16: Master Instrument mode enabled

For example, look at Figure 37.16. Console channels 1-4 control the volume and pan of K2000 MIDI channels 1-4.

• **Disabled** (unchecked)

If the **Master Instrument** option is disabled (unchecked), Vision lets you assign each fader in a channel to a different Instrument.




Figure 37.17: Master Instrument mode disabled

For example, look at Figure 37.17. Console channels 1-4 use their 8 faders to control the volume on 8 K2000 MIDI channels.

Console Name

Use this command to rename the active console. To do so:

1 Choose Console Name.

Vision opens a renaming dialog box.



- 2 Type a new name.
- (3) Click the OK button.

Vision renames the console.

Build Console From

Select the **Build Console From** command to produce a submenu of building options.



Figure 37.18: Build Console From submenu

Vision gives you the following options, each of which automates the console-building process:

- Selected Tracks' Instruments
- All Instruments In Use
- MIDI Instruments In Use
- Audio Instruments In Use
- Audio Instruments
- Enabled ReWire Channels

There are, however, several important points to consider when you ask Vision to build a console for you:

- When Vision builds a console, Vision automatically enables Master Instruments mode, ensuring that the two faders in each channel control the volume and pan of the same Instrument.
- When Vision builds a console, it "wipes out" any fader assignments you may have already made in that console. Should you wish to keep the console assignments you've already

created, open a new console (by choosing Windows>Consoles>
<Console Name>) before using the Build Console From command.

The following sections discuss in detail each option for building consoles.


Selected Tracks' Instruments

Choose this option if you want Vision to automatically build a console using the Instruments in all the selected tracks:

 In the Tracks Window, select those tracks you want to use to build a console.



② Open a new Console Window and choose Build Console From>Selected Tracks' Instruments from the Console Window Menu. Vision creates a console that contains channels assigned to the Instruments in the selected tracks.



Notice that the console contains fader assignments for the four Instruments used by the selected tracks.

NOTE: This option creates console channels for both MIDI Instruments and Audio Instruments.

Build Console From All Instruments In Use

If you choose this command, Vision creates one or more consoles containing every Instrument (Audio and MIDI) used in every sequence in the entire Vision file. It first assigns all the MIDI Instruments to console channels. It then assigns all the Audio Instruments to console channels.

Build Console From MIDI Instruments In Use

If you choose this command, Vision creates one or more consoles containing every MIDI Instrument used in every sequence in the entire Vision file. It ignores all Audio Instruments in the build.

Build Console From Audio Instruments In Use

If you choose this command, Vision creates one or more consoles containing every Audio Instrument used in every sequence in the entire Vision file. It ignores all MIDI Instruments in the build.

Build Console From Audio Instruments

If you choose this command, Vision automatically builds one or more consoles containing *all* of Vision's Audio Instruments (whether they're used in a Vision sequence or not).

Build Console From Enabled Rewire Channels

If you choose this command, Vision automatically builds one or more consoles containing every enabled ReWire channel. ReWire channels are enabled in the Audio Instruments window. For more information, see your *Audio Reference Manual*.

Clear Console

Choose this command to clear all Instrument assignments in the Console Window. If one or more audio channels in the Console has plug-in, send, or EQ assignments, you will see the following dialog.



If **Clear plug-ins, sends, and EQs** as well is checked, all plug-in automation data will be cleared. EQ and send automation data will remain, but it won't have any direct effect on the sequence unless EQs or sends are reassigned.

Fader values are not cleared.

Save Console Layout

Choose this command to save the information in the Console to a template file. A "Console Layout Templates" folder is created within the Vision folder the first time you choose this (or the **Save Console Layout As...**) command. Each Console Layout template is stored as a separate file within this folder. When you choose **Save Console Layout**, one of these files is created in the Console Layout Templates folder. The name of the file is the name of the current Console.

Choosing this option multiple times within the same Console will simply update the previously saved file. However, if you change the name of the Console and then choose **Save Console Layout** again, a new file with the Console's new name will be generated.

The following information is stored in a Console Layout template:

- Console name (stored as the name of the Console Layout Template file);
- Channel width:
- Enabled display options ("Show" options under the Console menu);
- Number of Sends displayed;
- Number of Plug-ins displayed;
- EQ display settings;
- Instrument assignments;
- Remote device assignments;

The following information is not stored in a Console Layout template:

- Fader values:
- Plug-in assignments or parameters;
- · Send assignments or parameters;
- EQ parameters;
- Output assignments.

This feature is designed so that loading a Console Layout will NOT delete your current fader values, output assignments, or plug-in, send, and EQ settings. Console layouts effect only the display of the console, not the information that is already saved elsewhere in the sequence.

Save Console Layout As...


This option works exactly like **Save Console Layout** except that it gives you an opportunity to name the file you're saving. After choosing **Save Console Layout**, this dialog box appears.



Type in a name for the Console Layout template file here. This will not change the name of the current Console. It will name the file within the Console Layout Templates folder.

Load Console Layout

Use this option to recall a Console Layout template you've already saved (using the **Save Console Layout** or **Save Console Layout As...** commands). Choosing this command will apply the Console Layout's settings to the current Console.



Select the Layout you want to load and press **Open**. The Layout settings stored in the selected Console Layout file are applied to the current console.

Again, loading a Console Layout will NOT delete your current fader values, output assignments, or plug-in, send, and EQ settings. Console layouts effect only the display of the console, not the information that is already saved elsewhere in the sequence.

You may need to navigate (in the **Load Console Layout** dialog box) to the "Console Layout Templates" folder in your Studio Vision folder in order to see your available Console Layouts.

IMPORTANT NOTE: A Console Layout Template cannot be opened by double-clicking its icon. You must use the **Load Console Layout Template** command. Double-clicking a Console Layout Template will launch Vision, but it will not open (or load) the template itself.

FADER GROUPING

You can select multiple faders and move them as a group. Fader groupings are temporary and disappear once the selection is disabled.

Selecting Multiple Faders

You can select multiple faders using one of two methods:

- contiguous selection—all faders in a group are physically next to each other in the console.
- discontiguous selection—selected faders can be anywhere in the console. They don't have to be next to each other.

To create a contiguous selection:

- Click a fader to select it.

 Vision highlights the fader to show it's selected.
- ② Shift-click a second fader some distance from the first.

Vision selects the second fader and every fader in between it and the first.




Figure 37.19: Contiguous Selection

This is a contiguous selection, and is a quick way to select a long block of faders with only two clicks.

To create a discontiguous selection:

- (1) Click a fader to select it.
 - Vision highlights the fader to show it's selected.
- Command-click a second fader some distance from the first.

Vision adds the second fader to the grouping.




Figure 37.20: Discontiguous Selection

Notice in this example that, unlike Figure 37.19, the middle fader isn't selected.

③ Continue to Command-click additional faders until you've completed your grouping.

NOTE: To clear a fader grouping, click in any non-active area of the console.

Moving Faders as a Group

Once you've created a group of faders, Vision offers you three different ways in which to move them:

- Absolute fading— all grouped faders move the same amount up or down.
- Proportional fading—all grouped faders move proportionally, so that they all reach their minimum or maximum positions simultaneously.
- **Snap fading**—all grouped faders move to a single level.

Each of these methods is discussed in the following sections.

Absolute Fading

Drag any one fader and all grouped faders move by the same amount. The following example illustrates how to perform absolute fading with a group of faders:

(1) Create a group of faders.

This is discussed in Selecting Multiple Faders (pg. 367).





Figure 37.21: Three grouped faders

2 Drag any fader up or down.


All grouped faders move the same amount.

In this example, notice that each fader value was reduced by 40.



3 Continue dragging until the fader "bottoms out."

In this example, the dragged fader is the first to reach "0," so no additional decrease can occur in the values of the other faders.



If you dragged that same fader up, it would be the last to reach 127.



Since you're dragging the lowest-valued fader in the group, all the other faders reach 127 before it does.



Proportional Fading

Option-drag any one fader and all grouped faders move proportionally, so that they all reach the bottom (or top) of their fade simultaneously. The following example illustrates how to perform proportional fading with a group of faders:

① Create a group of faders.

This is discussed in Selecting Multiple Faders (pg. 367).




Figure 37.22: Three grouped faders

Option-drag any fader up or down.

All grouped faders move proportionally. In this example, notice that the dragged fader was reduced by 40, but that the other two grouped faders were reduced substantially more.



This is because, in proportional fading, all the faders move so that they reach the bottom (or top) of their fade simultaneously.

3 Continue Option-dragging until the fader "bottoms out."

With proportional fading, all faders reach their minimum or maximum values simultaneously.



Snap Fading

Control-click within any one fader and all grouped faders snap to that value. The following example illustrates how to perform snap fading with a group of faders:


① Create a group of faders.

This is discussed in Selecting Multiple Faders (pg. 367).




Figure 37.23: Three grouped faders

Control-click anywhere along a fader path.



All grouped faders snap to that value.



REARRANGING CONSOLE STRIPS

Dragging Strips Horizontally


It is now possible to rearrange the order console strips by dragging them horizontally. To do this:

(1) Set up your console.

In this example, console strip 1 will be moved. Its volume and pan have been set to make it easily recognizable.



② Click and hold on the number at the top of the strip you'd like to move.



③ Drag the mouse to your destination (where you want the strip to be in the Console).

In this example, strip 1 will be moved between strips 3 and 4.



4 Release the mouse button.

Strips 2 and 3 are moved to the left and strip 1 is inserted between strips 3 and 4.



Notice that the Console strips are always numbered from left to right. This does not (in any way) change their functionality.

Dragging Plug-Ins Vertically (Acadia only)

Just as Console strips can be dragged horizontally, VST plug-ins can be dragged vertically within a Console strip. This provides a quick and easy way to change the order in which plug-ins affect your audio signal. Plug-ins are always applied to the audio signal in ascending numerical order (1, 2, 3, and then 4).

To vertically drag a plug-in:

 Click and hold in the Plug-In Type area of the plug-in you wish to move.



2 Drag to the plug-in's desired location.

In this example we're moving the third plug-in so that it will be first.



(3) Release the mouse.

The plug-ins are rearranged.



NOTE: It is not possible to drag plug-ins to incompatible locations. For example, you cannot drag a mono plug-in to occur after a stereo plug-in or a mono in/stereo out plug-in. For more information about mono and stereo plug-ins and audio plug-ins in general, see your Audio Reference Manual.

It is not possible to rearrange TDM plugins by dragging.

CHAPTER 39: The MMC Window

Use the MMC Window to control devices compatible with MIDI Machine Control, such as hard disk recorders and digital multitracks.

In this chapter you will learn:

- how to set up your MMC devices
- the anatomy of the MMC Window
- how to control an external MMC device using Vision

SETTING UP YOUR MMC DEVICES

Before you begin using Vision with MMC devices, you must:

- Connect your MIDI Machine Controlled hardware to your MIDI interface as specified by the manufacturer's documentation.
- Add the MMC device to your OMS Studio Setup document—make sure it is set to send and receive MIDI Time Code and MMC.

IMPORTANT: Also make sure the Device ID in OMS Setup matches the Device ID of your MMC device.

Once your MMC devices are connected to your MIDI interface and defined in your OMS Studio Setup document, you can control them from Vision's MMC Window (discussed in the following section).

ANATOMY OF THE MMC WINDOW

To open the MMC Window:

In Vision, choose Windows>MMC.
 Vision opens the MMC Window.




Figure 38.1: Typical MMC Window

In general, you'll use the MMC Window to control the transport and recording functions of an external MMC device from within Vision.

Figure 38.1 shows the basic elements contained in a typical MMC Window. These are:

1 Transport Controls

Use these buttons to remotely control the start, stop, play, rewind, and fast-forward controls on your external MMC device. For more information, see *Transport Controls (pg. 376)*.

2 MMC Device Information

Use these various parameters to further define your MMC device, to set its communication options, and to record-enable various tracks. For more information, see *MMC Device Information (pg. 377)*.

Preroll Time

Use this numerical to enter the amount of preroll time required by your external MMC hardware. For more information, see *PreRoll Time* (pg. 378).

A Record Mode

Use this pop-up menu to select how your MMC device(s) will respond to Vision's MMC recording controls. For more information, see *Record Mode (pg. 379)*.

6 MMC Window Menu

Use this pop-up menu to reset your MIDI Machine Control parameters. For more informations, see *MMC Window Menu (pg. 380)*.

The following sections discuss each of these areas in detail.

Transport Controls

Use the transport controls to remotely control the operation of your MMC device.




Figure 38.2: Transport Controls

The MMC device transport controls include the buttons described in the following sections.

Stop Button

Click this button to stop the transport on your MMC device.

Play Button

Click this button to make your MMC device start playing from its current location.

NOTE: This works differently than the Play button in Vision's Control Bar, which plays from the position shown in the Counter.

Record Button

Click this button to put your MMC device into Record mode (if the device is a recorder and has a record-enabled track).

Fast Forward Button

Click this button to start fast forwarding your MMC device.

Rewind Button

Click this button to start rewinding your MMC device.

MMC Device Information

This section displays an information line for each MMC device you use (as defined in your current OMS Studio Setup document).




Figure 38.3: MMC Device Information

MMC Device Information includes the areas discussed in the following sections.

Device Name

This is the name of your MMC device(s) as entered in your OMS Studio Setup document. You'll see a separate entry for every MMC device in your studio. This example contains two MMC devices, named "MMC Device #1" and "MMC Device #2."

Device Options

Use this pop-up menu to select various MMC device options, as shown below:




Figure 38.4: MMC Device Options

The Device Options pop-up has the following three options:

- Test Device: Select this command to test communication with your MMC device and to check its status.
 - This command works only if you use "Closed Loop communications" (as set in the MMC Communications Setup, discussed below).
- MMC Communications Setup: Select this command to open the MMC Communications Setup dialog box for an MMC Device.




Figure 38.5: MMC Communications Setup

The various communication options are described within the dialog box, itself.

NOTE: If your Studio Setup document contains more than one MMC device, use the "Suppress MMC Transport Commands" option to disable any devices that you don't want to respond to MMC messages.

Reset Debug Logs: Select this command to save the communications test log as a text file.

Number of Tracks

Set this numerical to the number of tracks contained in your MMC device. For example, if your MMC device is a 16-track tape recorder, set this numerical to "16".

Track Enable Buttons

Click one or more of these buttons to record-enable the corresponding track on your MMC device.

The number of Track Enable buttons displayed for each MMC device is determined by the **Number of Tracks** numerical. For example, if you set that numerical to "16", then you would see 16 Track Enable buttons, as shown in Figure 38.6.



Figure 38.6: MMC Window with a 16-track device and an 8-track device

PreRoll Time

Different devices take different amounts of time to shuttle back and forth to various locations. Use the **PreRoll** numerical to set the amount of time your device needs to locate to an edit point.

For example:

- The original Alesis ADAT requires
 5 10 seconds to locate to a point on the tape. Therefore, you should set a **PreRoll** time of between 5 and
 10 seconds.
- A Tascam DA-88 requires about 5 seconds to locate to a point on the tape, so set a **PreRoll** time of 5 seconds.
- Most hard disk recorders (like the Akai DR-8) don't require any PreRoll time since they use random access playback and recording and don't require fast-forwarding or rewinding of tape.

The **PreRoll** time works in conjunction with Vision's Begin Record mode. Specifically:

- If Vision is in Wait for Note mode, it will actually count off for the amount of time specified in the PreRoll numerical.
- If Vision is in Countoff mode and if the PreRoll time exceeds the amount of time required by that countoff, then your MMC device begins to play after the period specified by the Pre-Roll time.
- If Vision is in Countoff mode and if the PreRoll time is less than or equal to the amount of time required by that countoff, then your MMC device begins to play after Vision's countoff is complete.

PreRoll Caveats

Keep the following points in mind when using **PreRoll**:

In the Sync Options dialog box, you
must set the Receive Sync mode to
MTC/Machine Control in order for
the PreRoll time to have any affect.
Also, you must select your MMC
device from the Receive Sync
selector.



 If your MMC device uses tape, make sure to create about a minute of blank leader so that your first song has enough PreRoll time ahead of it.

Record Mode

Use this pop-up menu to select the desired MMC record mode.




Figure 38.7: Record Modes

As you can see in Figure 38.7, there are three different record modes. These are:

Enabled

Select this option to completely slave the record operations of your machine to Vision. In this mode:

- your MMC device completely locks to all of Vision's transport controls fast forward, rewind, stop, play, and record.
- your MMC device records on any record-enabled tracks. If you use punch points, your MMC device will begin recording at the punch-in point and stop recording at the punch-out point.

Rehearse

This mode works very similarly to **Enabled**, except that the Record button never actually engages at the record points.

This lets you rehearse what you want to record before actually recording it. In this mode:

- your MMC device locks to Vision's fast forward, rewind, stop, and play transport controls.
- your MMC device will not automatically record on any record-enabled tracks. If you use punch points, your MMC device will shuttle between them as in **Enabled** mode, but will not actually engage the Record button. This lets you rehearse your audio overdub without actually recording it.

Safe

Recording is completely disabled in this mode. Specifically, clicking a Track Enable button in the MMC Window will not put your MMC device into record mode.

MMC Window Menu

To open the MMC Window Menu:

 Press and hold the mouse on the little down-pointing arrow to the left of the MMC Window's Title Bar.




Figure 38.8: MMC Window Menu

The MMC Window Menu contains only one command:

 Reset MMC System: Choose this command to reset all MMC device parameters to their default conditions, clearing any existing time code messages (which are constantly being sent by VITC devices).

REAL-WORLD EXAMPLE— TASCAM DA-88

This section provides a step-by-step tutorial for controlling a Tascam DA-88 from Vision.

NOTE: Although this discussion is specific to the DA-88, anyone wishing to use MMC should read through this tutorial and use similar techniques with their own hardware.

First, set up your DA-88:

- Set dip switch #2 (located on the left side of the DA-88 SY-88 expansion board) to the UP position.
- ② Set dip switch #6 to the down position.
 - The DA-88 needs to be in "Timecode controlled mode," and its timecode out must be set to "Absolute."
- ③ Check the DA-88's Device ID number (see your DA-88 manual). Its default value is "1," which is the value used in this example.
- 4 After setting the dip switches and the Device ID, turn your DA-88 off, then back on again.
- (5) Connect the DA-88's MIDI In and MIDI Out ports to your MIDI Interface.

Next, tell OMS Setup about the DA-88:

 Launch OMS Setup and open your current OMS Studio Setup document. 2 Create a new device in your OMS Studio Setup document for the DA-88, and connect it to your MIDI interface.

See your OMS Manual if you need assistance.

Your DA-88 MIDI Device Info dialog box should look like the one shown in Figure 38.9.




Figure 38.9: Typical Device Info for DA-88

The device defined as the DA-88 in OMS should be set to an ID of "0," which is one less than the actual unit (unfortunately, the ID numbering scheme on the DA-88 is off by one).

Figure 38.10: Also, make sure to set the device to receive and send both MIDI Time Code and MIDI Machine Control.

3 Save your Studio Setup document, and make it current.

The concept of a current Studio Setup document is discussed in your OMS Manual.

Then, set up Vision to work with the DA-88:

- (1) Launch Vision.
- ② If you're creating a new sequence, set its length to 999.
- ③ Choose Options>Sync Options. Vision opens the Sync Options dialog box.
- 4 Set the Receive Sync Mode to "MTC/Machine Control" and the Receive Sync Device to "Tascam DA-88" (or whatever you name your MMC device).

This lets Vision's transport controls operate your DA-88.

Select the desired SMPTE format, then click **OK** to close the Sync Options dialog box.

The DA-88's default SMPTE format is "30 fps. non-drop."

(6) Choose Windows>MMC.

Vision opens the MMC Window.

- From the Device Options pop-up menu, select MMC Communications Setup.
- 8 Click the Use Open Loop communications radio button, then click OK.
- Leave the PreRoll numerical set to 5 seconds.

To test communication, press the Play button in the MMC Window and see if the DA-88 responds.

If not, check your Device ID settings and cables.

(1) At the top of the Tracks Window, click the Information Toggle (the little "i").

The Tracks Window now displays SMPTE offset information at the top of the window.

② Set the SMPTE offset to match the DA-88's.

See your DA-88 manual to see how to view and set its SMPTE offset.

(3) In Vision, press the Play button.

The DA-88 will locate to the PreRoll or countoff time—as discussed in PreRoll Time (pg. 378)—and start to play. At the same time, Vision will lock to MTC coming from the DA-88.

In Vision, press the Stop button.
This stops both Vision and the DA-88.

Finally, use Vision to control DA-88 recording:

1) In Vision, set a punch-in and punch-out point.

In this example, we set a punch-in at 4 bars and a punch-out at 8 bars.

- ② Choose Windows>MMC and set the Record Mode to Rehearse.
- ③ In the MMC Window, click a Record Enable button for any track.

In this example, we record-enabled track 1.

Note that the DA-88's record indicator light blinks for track 1.

(4) In Vision's Control Bar, set the Begin Record Mode to Countoff with a countoff time of 3 measures.

This is completely arbitrary. You can use any value you desire.

(5) Press the Tab key.

The DA-88 locates to the PreRoll time or countoff number and starts to play.

Vision counts down and starts to play. When it reaches the punch-in point, its record button turns solid, but the DA-88's record enable light continues to blink. This is because the MMC Window's Record Mode is set to "Rehearse."

- 6 In Vision, press the Stop button.
- (7) In the MMC Window, change the record mode to **Enabled**.
- 8 Press the Tab key.

When Vision reaches the punch-in point, the DA-88's record indicator turns solid and stays solid until the punch-out point is reached. This indicates that the DA-88 is recording between the punch-in and punch-out points.

CHAPTER 40: The QuickTime Movie Window

Use the QuickTime Movie Window to open and play QuickTime movies. You can even import the audio and MIDI from the movie into your Vision tracks, edit the imported tracks and add others—once you're done scoring the movie, export the tracks back into the QuickTime movie.

REFERENCING A QUICKTIME MOVIE

Each Vision file can reference its own QuickTime movie. To establish this reference:

① Choose File>Open.

A standard Open dialog box appears.



Figure 39.1: Standard Open Dialog Box

② Navigate to the folder containing the desired movie, select the movie, and click Open.

What happens next depends on what type of data is contained in the Quick-Time movie. Specifically:

- 1) If the movie contains only video (no audio or MIDI), then Vision automatically opens the movie in the QuickTime Movie Window. Go to step (8).
- 2) If the movie contains only audio and/ or MIDI (no video), then Vision imports the MIDI and/or audio into a new sequence. This procedure is discussed thoroughly in the Audio Reference Manual.
- 3) If the movie contains BOTH Video AND audio (and/or MIDI), you'll see an alert box asking you what, exactly, to open.




Figure 39.2: Import/View Alert Box

Import causes Vision to import the movie's audio and/or MIDI tracks into Vision tracks, but does not establish a reference to the movie, nor does it open

the QuickTime Movie Window. This allows you to further edit and refine the movie's soundtrack.

View causes Vision to open the movie in the QuickTime Movie Window. The movie's audio and/or MIDI will play back using the standard QuickTime elements contained in the QuickTime Movie Window.

Import & View causes Vision to import audio and/or MIDI as described above, plus it opens the movie into the Quick-Time Movie Window

3 If you saw an Import/View alert box, click either Import & View or View.

If you clicked **View**, go to step **(8)**. If you clicked **Import & View**, Vision opens a Save As dialog box.



REASON: When you import audio from a QuickTime movie, you might want to save it in some format other than what was stored with the movie. For example, the QuickTime audio might be an 8-bit AIFF file, but you need to work with 16-bit SDII files in your sequence.

- 4 Look at the bottom of the dialog box to see what format Vision will use to save the imported audio.
- (5) If you want to change the format, click the **Format** button.

Vision opens a subset of the standard Audio Format dialog box.




Figure 39.3: Audio Format Dialog Box for Imported QuickTime Audio

6 Define the type of audio file you want to work with, then click **OK**.

Consult your Audio Reference Manual for a detailed description of the Audio Format options.

(7) Click Save.

Vision imports the audio from the Quick-Time movie, saves it to your hard disk in the selected audio format, and creates a new audio event in your sequence.

Wision opens the selected QuickTime movie in its QuickTime Movie Window and establishes a reference to that movie. Once you've established a reference to a QuickTime movie, Vision remembers that reference. Whenever you open that Vision file, you need only choose **Windows>QuickTime** movie to view the movie.

NOTE: If you move a referenced movie to a different folder, Vision is smart enough to find it. However, Vision will lose the reference if you move the movie to a different volume.

To change the QuickTime movie that Vision references, use the **Open** command to open a different QuickTime movie.

NOTE: Importing Audio and MIDI from a QuickTime movie is discussed further in the Audio Reference Manual.

OPENING THE QUICKTIME MOVIE WINDOW

You can open a QuickTime Movie Window for any Vision file that references a QuickTime movie. To do so:

Choose Windows>QuickTime Movie.

A QuickTime Movie Window opens similar to the one shown in Figure 39.4.

NOTE: If the Windows>QuickTime Movie command is disabled, it's because your Vision file does not yet reference a QuickTime movie. To establish a reference, see Referencing a QuickTime Movie (pg. 385).

QUICKTIME MOVIE WINDOW ANATOMY




Figure 39.4: Typical QuickTime Movie Window with SMPTE times displayed

As seen in Figure 39.4, the basic Quick-Time Movie Window contains the following elements:

- **QuickTime Movie Title**: This is the name of the QuickTime movie file.
- **QuickTime Movie Window Menu**: This menu contains numerous options to control the window's operation and its integration with Vision. For more information, see *QuickTime Movie Window Menu (pg. 389)*.
- **Movie Screen**: This is the movie playback area.

Standard Movie Controller: This is a standard QuickTime movie controller.



6 SMPTE Offset: This field displays the movie's SMPTE start time. For example, if you set the **Offset** to 01:05:10:00, then the movie won't start playing until Vision's counter reaches a SMPTE time of 1 hour: 5 minutes: 10 seconds: and 0 frames.

SMPTE Counter: This area displays the movie's *absolute* SMPTE time (defined below). When the movie is playing, it shows a running SMPTE time stream. When the movie is stopped, it shows the current cursor location.



The SMPTE counter always shows absolute SMPTE time, which includes the SMPTE offset. For example:

IF the offset is set to 01:00:00:00,

AND the movie plays for five seconds.

THEN the SMPTE counter shows 01:00:00:05.




Figure 39.5: Counter Shows Absolute SMPTE

QUICKTIME MOVIE WINDOW MENU



Figure 39.6: QuickTime Movie Window Menu

The following sections discuss the commands included in the QuickTime Movie Window menu.

Lock to Timing

Selecting this option repeatedly will toggle it between checked and unchecked.

 Checked (enabled): The movie plays back in sync with Vision. When Lock to Timing is enabled, Vision transport controls are used to start, stop, locate, or scrub the QuickTime movie. Unchecked (disabled): The movie does not respond to Vision's transport controls, but you can still use the QuickTime Movie Window's controls to start, stop, fast forward, and rewind through the movie.

Mute QuickTime Audio

Selecting this option repeatedly will toggle it between checked and unchecked.

- Checked (enabled): The audio play-back from within the QuickTime
 Movie Window is muted.

 This option is checked by default
 because QuickTime and a Vision
 sequence might "compete" for the
 rights to play a movie's sound.

 In general, when you open a QuickTime movie, you should import the
- Time movie, you should import the audio into Vision, check the **Mute QuickTime Audio** option, and use Vision to play back the movie's audio.
 Unchecked (disabled): The movie's
- Unchecked (disabled): The movie's audio can play back from the Quick-Time Movie Window. This is the best option only if your movie's soundtrack has not been imported into a Vision sequence.

Show SMPTE Offset

Selecting this option repeatedly will toggle it between checked and unchecked.

- Checked (enabled): Displays a numerical with which you can see or set the movie's SMPTE offset (start time).
- Unchecked (disabled): Hides the SMPTE offset display.





Figure 39.7: Showing/Hiding SMPTE Offset

Show SMPTE Counter

Selecting this option repeatedly will toggle it between checked and unchecked.

- Checked (enabled): Displays a SMPTE counter at the bottom of the QuickTime Movie Window.
- Unchecked (disabled): Hides the SMPTE counter.








Figure 39.8: Showing/Hiding SMPTE Counter

Window Size

Select any of these options to scale the movie's size by the indicated amount.

Quarter Size Half Size ✓Full Size Double Size Quadruple Size

Figure 39.9: Window Size Options

The window can never shrink so much that you can't view your SMPTE times. For example:

IF your movie shows either the SMPTE Offset or the SMPTE Counter

AND your movie is smaller than the width of either of the time fields

THEN Vision shrinks the movie to the selected size, but leaves the window size large enough to display the SMPTE times.



The movie is quarter size, but the window shrunk only enough to still display the SMPTE times.

SETTING SMPTE FRAME RATES FOR MULTIMEDIA MOVIES

If you're scoring for multimedia, your QuickTime movies will probably have a slower frame rate than any of the standard SMPTE frame rates.

Opcode recommends that, if possible, you set Vision's SMPTE frame rate to a whole number multiple of your QuickTime movie's frame rate.

NOTE: Set SMPTE frame rates in the new Sync Options dialog box, as described in Sync Options (pg. 433).

For example:

- If your QuickTime movie plays at 10 fps, set Vision to 30 fps (10 fps x 3 = 30 fps).
- If your QuickTime movie plays at 12 fps, set Vision to 24 fps (12 fps x 2 = 24 fps).
- If your QuickTime movie plays at 6 fps, set Vision to either 24 fps (6 fps x 4) or 30 fps (6 fps x 5).

This practice will result in a linear correlation between the SMPTE frame rate and the QuickTime frame rate. For example, if Vision is set to count at 30 fps and your QuickTime movie plays at 10 fps, then the movie advances 1 frame for every 3 frames of SMPTE time (see Figure 39.10).





Figure 39.10: SMPTE vs. QuickTime frame rates

WORKING WITH SMPTE OFFSETS

If you're using Vision to control the movie's playback (that is, **Lock to Timing** is checked), keep in mind that Vision sequences can have their own SMPTE offsets, which may or may not be the same as the movie's SMPTE offset.



Specifically:

- **if movie offset** = **sequence offset**When you click Vision's **Play** button, both the sequence and the movie start playing simultaneously, from their beginnings.
- if movie offset > sequence offset
 When you click Vision's Play button,
 the sequence begins to play, but the
 movie does not. When Vision reaches
 the time specified by the movie's off set, the movie begins to play.

if movie offset < sequence offset
 When you click Vision's Play button,
 the sequence begins to play and the
 movie begins playing from the
 sequence's offset point.

USING THE MOVIE PLAYER WINDOW

The following tutorial details one of many ways to score a QuickTime video using Vision.

- ① Choose File>Open.
 - A standard Open dialog box appears.
- ② Use the dialog box to select a QuickTime movie to open, then click Open.

If the movie contains both video and audio, select either **View** or **Import & View** from the subsequent dialog box depending on your needs.

- Vision opens the selected QuickTime movie in its QuickTime Movie Window.
- ③ Choose Options>Sync Options. Vision opens the Sync Options dialog box.
- 4 Set the SMPTE Format pop-up to a whole number multiple of your movie's frame rate.

If you don't know your movie's frame rate, there are numerous applications (such as Adobe Premiere™) that provide that information.


- (5) Click OK.
- In the menu for the QuickTime Movie Window, check the options for Lock

to Timing, Show SMPTE Offset and Show SMPTE Counter.


- ⑦ In the QuickTime Movie Window's Offset field, set the SMPTE start time of the movie, if necessary.
- (8) Use Vision's scrub control to shuttle through the movie.
- Each time you spot a point where you want to create a musical cue, choose Do>Insert SMPTE Marker.

Vision opens the Meter Track Window and inserts a SMPTE marker at the selected time.


(10) Name each marker.



(1) From the Meter Track Window Menu, select **Absolute SMPTE**.




Vision now displays Absolute SMPTE times in the Meter Track Window.



The Meter List Window basically acts as your Edit Decision List (EDL).

② Jump to any point in the movie by selecting an Edit Point from the Control Bar's Marker pop-up.



Using Vision to create the EDL and to control the movie's playback, you can now go about the business of creating a musical score.

Use a General MIDI Module for MIDI Scoring

IMPORTANT: When you compose a MIDI score that you plan to export as a Quick-Time movie, Opcode recommends that you always score the movie using a General MIDI Module rather than Apple's Quick-Time Musical Instruments extension.

QuickTime Musical Instruments has a built-in delay that, if used for *creating* a movie, could cause synchronization problems when exported.

So...

IF you use a *General MIDI module* to create a score

AND you export the MIDI data as a QuickTime movie

THEN end-users will be able to playback your movie using either QuickTime Musical Instruments or their own General MIDI Module the soundtrack will be in sync with the video.

Menus

PART 7: Menus

CHAPTER 41: The File Menu




Figure 40.1: File menu

NEW

New closes the current project (you are first prompted to save any changes) and opens a new Sequences Window with one empty sequence. This is similar to quitting Vision then immediately re-launching it—a new file appears that has all of your default settings.

If you have a file called "Vision Setup" in the same folder that the Vision application is in, all setup objects (including Instruments, Input Maps, MIDIKeys, and Fader and Console information) are read in from that file.

If you *do not* have a file called "Vision Setup" in the same folder as Vision, the Instruments are made from your current Studio Setup. See *Vision Setup (pg. 157)* for more information.

New does not affect the contents of the Clipboard. Its contents are preserved, enabling you to copy and paste between different Vision files.

OPEN (COMMAND-0)

Choose **File>Open** to open an existing Vision file, or to import a MIDI file into a new sequence. The Vision Open dialog appears:




Figure 40.2: Open dialog

When you have located and selected the file you wish to open, click **Open** to open the file.

What to Open

What to Open...

Click **What to Open** to specify which items are opened with the selected Vision file.




Figure 40.3: What to Open dialog

This dialog contains all the file objects that you can choose to open. Click the checkbox next to each object you wish to open, then click **OK** to return to the Vision Open dialog box. Generally, you will want to open everything in a file. The default setting has all items checked.

Use Setup Instruments

✓ Use Setup Instruments

Sometimes a Vision file contains Instruments that are not the same as the ones in your current Vision Setup document. The **Use Setup Instruments** option allows you to determine what happens when you open such a file:

- If Use Setup Instruments is unchecked, the Instruments in the file that you are opening are used. If other Instruments are currently in use by the metronome, faders and consoles, Input Map, etc., then Vision also adds those Instruments if they aren't already present in the file being opened.
- If Use Setup Instruments is checked, Instruments contained in the opened file that differ from the Setup Instruments are added. This option gives you a more consistent set of Instruments from one file to the next, so that the same command key selects the same Instrument.

The file plays exactly the same regardless of the condition of this checkbox. This option only determines the number of Instruments used and their order.

Possible Warnings

There are two situations that could interrupt an Open operation:

- When opening a file that contains patch names that conflict with the current Name Manager subscriptions, you are asked to resolve the conflict before the file can be opened. See Opening Files With Different Name Setups (pg. 323) for a description of this process.
- If the file refers to devices that aren't defined in the current Studio Setup, the Remap Undefined Channels dialog appears. See *Undefined Chan*nels (pg. 431) for more information.

About MIDI Files

There are two types of MIDI files: single track (Type 0) and multitrack (Type 1). Both can be imported with Vision's Open command.

Single-track (type 0) MIDI files, when opened, are unmerged so that each channel is assigned to a separate Vision track.

When importing a MIDI file, if a track doesn't contain the name of a defined device, Vision creates a device called "MIDI File." You can then remap this device so that future MIDI files automatically associate themselves with the right devices. For more information on remapping, see page 431.

CLOSE WINDOW (COMMAND-W)

This command closes the active window.

If the active window is the Sequences Window, the current Vision file is closed. You will be asked to save changes before closing. You can choose to save or discard changes, or cancel the close.

You cannot close the Control Bar.

CLOSE ALL (COMMAND-OPTION-W)

Choose this command to close all windows in Vision except the Sequences Window.

SAVE (COMMAND-S)

This command saves the current file to disk. If the Sequences Window is untitled, you will be asked to name the file and find a location for saving it.




Figure 40.4: Save Dialog

Once you have named your file, the Vision Save dialog no longer appears when choosing File>Save—your file simply overwrites the previous version.

If you are saving for the first time, you can choose the file objects that you wish to save:




Figure 40.5: What to Save Dialog

You must save sequences and Instruments (that's why their checkboxes are grayed out— you don't have the option of unchecking them), but you may also save other items that differ from your Vision Setup file.

SAVE AS

Choosing **File>Save As** opens the Save dialog box (see Figure 40.4 on page 400). Use this command to save your file under another name, and keep an older version of your file untouched.

After finishing a **Save As** command, the current file has the name with which it was just saved. The original file is still in its original location. This is good for creating successive versions of the same project.

You can also see the current file objects by choosing this item.

SAVE A COPY AS

This command is very similar to **Save As**, but it lets you save any combination of file objects to any file at any time, without changing the current file. When you choose **File>Save a Copy As**, you are not required to save Sequences and Instruments, as you must do with normal **Save** operations.

However, if you use it to save either sequences, an Input Map, or fader assignments, then you are *strongly* encouraged to save Instruments as well—sequences, Input Maps and fader assignments refer to Instruments by number.

Save a Copy As leaves the current file completely unchanged, enabling the creation of backup copies to other disks without returning to the Finder.

SAVE AS SETUP

When you choose this command, Vision saves the following file objects in a file called "Vision Setup" to the same folder as the Vision application:

- Instruments
- Input Maps
- MIDIKeys
- Commands
- Fader and console assignments
- Fader and console values

If Vision Setup doesn't exist, Vision creates it when you invoke this command. If it already exists, Vision updates it by saving the current state of the file objects.

If you would like to update only certain file objects in the Vision Setup file:

- Choose File>Open.
- ② Select the Vision Setup file.
- 3 Click What to Open.
 The What to Open dialog opens.
- 4 Uncheck the file object(s) you wish to keep unchanged in Vision Setup.
- ⑤ Click **OK** to close the What to Open dialog.
- 6 Click **Open** to open the Vision Setup file.
- ⑦ Choose File>Save as Setup.

REVERT

This command discards any changes you have made since the last Save operation. When you invoke this command, Vision re-reads the file from disk.



Figure 40.6: Before Reverting to a file, make sure you have saved a version you like.

If the Names Window is open when you choose **Revert**, the names are reverted and the sequences remain untouched.

Caution: Reverting a file causes all changes in the current document since the last Save operation to be lost.

EXPORT AS MIDI FILE (OPTION-X)

Select a sequence before choosing **Export**. The Export dialog box is similar to the Save dialog box:




Figure 40.7: Export Dialog

Decide if you want to create a Type 0 MIDI file (single track) or Type 1 (multitrack). If you leave the Multitrack option unchecked, the sequence is written to a single track MIDI file. Loops are unlooped and played as if you had recorded it in real time.

If you check the **Multitrack** checkbox, each track remains separate. Loops are also expanded in this format.

EXPORT TO CLIPBOARD

This command translates the current selection into standard MIDI data (Type 1—multitrack), and places it on the Clipboard. This is useful for transferring data between applications without saving and importing new files. If both applications are open, you can use this command to easily transfer data between them.

This command is slightly different from **Edit>Copy** (see page 407). Copying data places the information on the Clipboard in Vision's native format, which cannot be understood by other MIDI applications. Using **File>Export to Clipboard** translates the data into a format (Type 1—multitrack) that other applications can understand.

If the current selection contains loops or sequence events, they are expanded before being exported. Multiple tracks that have the same Instrument assignments are *not* merged together into a single track, as **Edit>Capture Seq->Track** (see page 414) does.

The data from Export to Clipboard is also available on Vision's Clipboard and can be pasted into sequences and tracks. This command is useful for preparing sequences to be notated.

EXPORT AS QUICKTIME MOVIE

Choose this command to export selected MIDI or audio as a QuickTime movie. Consult the *Audio Reference Manual* for details

IMPORT AUDIO (OPTION-H)

Choose this command to import audio into the selected track. Consult the *Audio Reference Manual* for details.

IMPORT AUDIO USING QUICKTIME

This command imports audio or MIDI from QuickTime movies, and audio from standard audio CDs. In addition, this command can be used to import various industry-standard audio formats that are not native to Vision (such as .AU and .wav). Consult the *Audio Reference Manual* for details.

EXPORT AUDIO MIX

Use this command to create stand-alone audio files for multimedia or web applications. Consult the *Audio Reference Manual* for details.

EXPORT AUDIO EVENTS

Use this command to export each selected audio event into its own audio file. This is particularly useful for creating sounds or loops for triggering with a sampler. Consult the *Audio Reference Manual* for details.

PAGE SETUP

Choosing **File>Page Setup** opens the standard Page Setup dialog box for your printer. Whenever you change printers, you should choose this menu item. This dialog box allows you to make printer-specific decisions about how your document will look. See your printer documentation for more information.

PRINT PREVIEW

Choosing **Print Preview** opens the Print Preview Window, where you can view your music as it appears on the printed page, and make some adjustments. A Notation Window must be active for this item to be available.

See *The Print Preview Window (pg. 285)* for more information.

PRINT (COMMAND-P)

When you choose this menu item, Vision prints your music as it appears in the Print Preview Window. A Print Preview or Notation Window must be active for this item to be available.

QUIT (COMMAND-Q)

When you choose **File>Quit** and you haven't saved your most recent changes, Vision presents a message box requesting you to either:

- Save and quit;
- Discard changes since your last save;
- Cancel the Quit command and continue working.

Vision closes if either of the first two options are chosen.

CHAPTER 42: The Edit Menu




Figure 41.1: Edit menu

UNDO (COMMAND-Z)

This command reverses the effect of the last command. The name of the **Undo** command changes depending on the action (e.g., Undo Clear, Undo Record, Undo Make Segment, etc.).

NOTE: Most, but not all, commands can be undone.

After you choose this command, it becomes **Redo**, allowing you to quickly audition the effect of any change or edit.

Generally, you can undo all changes to sequences, tracks, events, or text. You *cannot* undo the following actions:

- Save commands
- Copy commands
- · changes to Instruments
- · changes to Names
- · changes to MIDIKeys
- changes to the Input Map

You cannot undo the **Copy** command. This has the distinct advantage of allowing you to change a track then, if you like both the old *and* new versions, you can retain them both. To do so:

- (1) Make a change to part of a sequence.
- ② Copy the new version.

 Vision places a copy on the Clipboard.
- 3 Choose Undo.

Vision reverts to the old version.

4 Select a new location and choose Edit>Paste.

Since the new version is still on the Clipboard, Vision pastes it into the new location. Vision now contains both the old and new versions of the track.

Undo and Recording

It is important to understand how editing during recording affects the **Undo** command. After editing during recording, choosing **File>Undo** restores the file to the state it was in prior to the last edit.

Clicking the **Stop** button and choosing **Undo** undoes the entire recording, negating all edits made while recording.

If you are in replace mode, any edits made may be lost when recording stops and the recording replaces the track's previous contents, including the edits.

CUT (COMMAND-X)

This command removes the selected items from the active window and places them on the Clipboard.

Vision recognizes any MIDI events you cut as a sequence—this ensures that you can cut and paste between different types of windows. The name of this menu item changes depending upon which window is active and what you have selected (e.g., Cut Track, Cut Selection, Cut Instrument, etc.).

Cutting does not affect the length of a track or sequence. When the selected events are removed, the information around them does not change. To erase the time as well as the data, use **Delete Selected Time** (see page 412).




Figure 41.2: Cutting MIDI data leaves a space where the data was

COPY (COMMAND-C)

This command places the selected items on the Clipboard without changing the source MIDI data. The selected items remain unchanged.

Vision will recognize any MIDI events you copy as a sequence—this ensures that you can cut and paste between different types of windows. The name of this menu item changes depending upon which window is active and what you have selected (e.g., Copy Track, Copy Selection, Copy Instrument, etc.).

Copy Faders

When the Faders Window or a Console Window is active, this command is **Copy Faders**, which will copy all the assigned fader parameters and values, mute and solo status, and other automation parameter values (for audio instruments). You can take a "snapshot" of these fader values, then paste them into a single track. When Vision plays these fader events, the faders will be reset to their copied values.

For more information about Copy Faders and Audio instruments, Busses, Inputs, and Outputs, see your *Audio Reference Manual*.

PASTE (COMMAND-V)

This command places a copy of the Clipboard data into the active window. The name of this menu item changes depending upon the type of information contained in the Clipboard, which window is active, and what you have selected (e.g., Paste Track, Paste Instrument, Paste Sequence Event, etc.).

When pasting certain types of information, you must make a selection first. For example, if you want to paste an Instrument, you must select an Instrument (in the Instruments Window) before you can paste. The contents of the Clipboard will overwrite the current selection.

Vision will automatically number items that contain the same name. For example, if you have copied a track called "Bass" from the Tracks Window and paste it in the same window (or any Tracks Window with an identical name), the new track will be renamed "Bass #2."

Pasting in the Sequences Window

When you paste a sequence in the Sequences Window, a new sequence will be added after the last one, unless you have already selected one or more sequences. If you would like to replace


one or more sequences with the contents of the Clipboard, select the sequences and choose **Paste**.

If you want to paste the sequence into a new sequence location, be sure to deselect all sequences in the active Sequences Window. You can easily do this by clicking in the selection column header, or click after the last sequence in the list.

Working with Multiple Sequences

If the Clipboard contains a different number of sequences than you have selected in the Sequences Window, Vision will confirm that you wish to replace the current selection with the contents of the Clipboard.

For example, if you copied three sequences and then pasted them into one sequence, you would see the following alert:



You can also paste sequences into the Track Overview or List Window to create sequence events. See *Sequence Events* (pg. 96) for more information.

Pasting in the Tracks Window

If you are pasting entire tracks in the Tracks Window (i.e. you've clicked on one or more track selector dots), all the tracks you've selected will be replaced by all the tracks on the Clipboard, regardless of their number. Tracks are inserted and deleted as necessary.

If you are pasting into an edit window (including the Track Overview) or doing a Merge Paste, track counting works differently. In these cases, if the Clipboard contains more tracks than you have selected, it will paste only the first Clipboard tracks to the selected tracks. For example, if there are three tracks on the Clipboard and two tracks selected, only the first two tracks will be pasted.

Pasting MIDI Data

When pasting MIDI events into an edit window, the Clipboard will be placed at the Edit In point. If there are any events already present, they are replaced. If you don't want this, use **Merge** or **Insert Clipboard** (explained later in this chapter) instead.

CLEAR (COMMAND-B)

Clear is similar to **Cut**, but does not save the selection to the Clipboard. Clearing MIDI events does not affect the length of a track or sequence. When the selected events are removed, the information around them does not change.

You can clear many types of data, and the name of the menu item will change depending upon which window is active and what you have selected (e.g., Clear Selection, Clear Sequence, Clear Instrument, etc.).

MERGE (COMMAND-M)

This command merges the contents of the Clipboard with that of the destination track (at the Edit In point). It doesn't change any data that is already in the track.

Merge is different than **Paste** because the previous track contents are not replaced.

Instrument Reassignment

When the Clipboard contains only one track with only one Instrument and you merge it into a track with a different Instrument, all of the merged data will use the Instrument of the destination track. It will *not* make a multi-track (containing several Instrument channels). To make a multi-track, paste to an empty track and then combine the tracks with the **Combine Tracks** command.

Merge Markers As Text

When you cut or copy a Meter track to the Clipboard and select a normal track, the **Merge** command becomes the **Merge Markers As Text** command. The only information in a Meter track that is compatible with a normal track are the markers. Choosing this command merges the marker events into the destination track as text events.

INSERT CLIPBOARD (COMMAND-N)

This command pastes the contents of the Clipboard at the Edit In point of the selected track. Any MIDI events that are already present will be shifted later in time to make room for the Clipboard data. This command changes the track length, because it retains all the previous information and adds the length of the Clipboard.

Insert Clipboard is different than **Paste** because the previous track contents are moved, but not replaced.

Instrument Reassignment

When the Clipboard contains one track with one Instrument and you insert it into a track with a different Instrument, all of the inserted data uses the Instrument of the destination track. It does *not* make a multi-track (containing several Instrument channels). To make a multi-track:

1 Paste to an empty track.

- ② Insert an equivalent amount of blank time into the original track.
- 3 Combine the tracks with the Combine Tracks command.

REPEAT PASTE (OPTION-;)

Choose this menu item to open the **Repeat Paste** dialog. Use this command to paste, merge, or insert the Clipboard information several times, beginning at the Edit In point of the destination track.



Figure 41.3: Repeat Paste dialog

You can specify the number of times to paste the Clipboard (in the **Repeat** field), or the number of bars/beats/units the pasted data should occupy. Changing either of these fields automatically updates the other.

TIP: By selecting a time region before choosing Edit>Repeat Paste, Vision computes the necessary number of repetitions to fill the selected time.

If the specified number of bars/beats/ units is not an exact multiple of the time on the Clipboard, the data is pasted the indicated number of Repeat times, along with any remainder needed to fill the specified time.

NOTE: Unless you are pasting into a sequence with a different time signature, you'll seldom have to change the time signature fields.

With the Repeat Paste command, material can be pasted in one of three ways:

Paste over track

Replaces the contents of the destination track with the contents of the Clipboard.

Merge with track

Merges the contents of the Clipboard with the those of the destination track.

· Insert into track

Shifts the contents of the destination track to make room for the pasted material.

CLONE (COMMAND-=)

The **Clone** command is only available when a sequence event is selected in the Track Overview or List Window. Choose this command to clone the sequence or segment referenced by the selected sequence event.

The Clone command makes a copy of the referenced sequence or segment and puts it in the Segments section of the Sequences Window, the sequence event is updated to point to the clone.

NOTE: If the previously referenced item is a segment and is no longer referenced by any other sequence events, it is deleted.

For more information on using segments and sequence events, see *Chapter 13: Segments, Loops, and Sequence Events.*

GET TIMES FROM CLIPBOARD (COMMAND-')

This command gets the Edit In/Out points from the Clipboard and pastes them into the edit points of the current edit window.

Suppose you copied a section of a track to the Clipboard. If you change the Edit In point of the destination track, you may not know where to paste the information. By choosing **Get Times from Clipboard** before pasting, you are assured that the information will be pasted to the correct location.

INSERT (COMMAND-H)

The **Insert** command has different functions, depending on the active window.

Insert Track(s)

When the Tracks Window is active and one or more tracks are selected (with the name, length, and Instrument for the tracks highlighted), choosing **Insert Tracks** will create the same number of new tracks that you have selected and place them above the top selected track.

Insert Blank Time

This command inserts an amount of blank time (empty time, no events) equal to the selection. All MIDI events after the Edit In point are shifted to the end of the Edit Out point.

Before Insert Blank Time




Figure 41.4: Insert Blank Time shifts events by the amount of the selection

DELETE (COMMAND-D)

The **Delete** command has different functions, depending on the active window.

Delete Track(s)

When the Tracks Window is active and one or more tracks are selected (with the name, length, and Instrument for the tracks highlighted), choosing **Delete Tracks** erases the selected tracks, and shifts all remaining tracks to fill the empty space. This will not affect the Clipboard.

Delete Selected Time

When you have defined a selection in an edit window, this command cuts the selected MIDI events to the Clipboard and shifts all remaining events after the Edit Out point to fill the empty space.




Figure 41.5: Delete Time erases the events and time in the selection

NOTE: If you select a time range in the Ruler of the Tracks Window, **Delete Selected Time** deletes the selection across the entire sequence for all tracks.

MOVE EVENTS (COMMAND-,)

Choose this menu item to open the Select & Modify Window automatically configured for **Move Events**. This command moves selected events to a specific location, or forward or back in time by any increment.



Figure 41.6: Move Events command

Choose one of the following options and click the **Move** button to move the events.

Move earlier

Moves selected events back in time by the specified number of bars, beats, units, SMPTE frames, or SMPTE bits.

Move later

Moves selected events forward in time by the specified number of bars, beats, units, SMPTE frames, or SMPTE bits.

Move so selection starts at

Places the selected events at the specified bar/beat/unit location.

Values for the move can be in "bars & beats" or "SMPTE time," as specified by the Move by pop-up.

You can click the **Double** button to move a copy of the selected events, leaving the original data unchanged—which is useful for creating echo effects.

COMBINE/SEPARATE TRACKS (COMMAND-U)

This command is available only if you have tracks selected in the Tracks Window. If more than one track is selected, the **Combine Tracks** command collapses them into a single track in the location of the first track. Other tracks in the sequence move up to fill the void.

If the tracks were using different Instruments, the new track will be a multi-track.

This is especially useful if you are using more than one Instrument to create a sound that you think of as a single Instrument. For example, if you are building a drum set, you may love the kick and snare sounds in one device, but prefer the hi-hat sound in another. After you have finalized the tracks, you may want to refer to all three tracks as one.

Vision automatically names the combined track "Track n" where n = the next available track number.

If the selected track is already a multitrack, this command becomes **Separate Multi Track**, which unmerges the channels into separate tracks (located next to each other). Other tracks in the sequence are shifted as necessary. Vision automatically names the tracks based on the original track name followed by numbers. For an example, see page 49

Separate Multi Track is also available if a drum track is selected. In this case, choosing Separate Multi Track will separate each note of the track onto its own track. See page 225 for details.

CAPTURE SEQUENCE (COMMAND-K)

Capturing is a process that internally plays and records the selected sequence into a new track. Capturing creates a chronological stream of events—all looped data is unlooped as if it were played in real time. Sequence events are also played into the new track as if you played them in real time.

You must copy a selection of MIDI events before you can use this command. When you copy any MIDI selection, Vision internally refers to it as a "sequence," even if the original data was a specific selection within a track or sequence. There are two

possible names for this command: Capture Seq->Track and Capture Seq->Seq.

To use **Capture Sequence**:

- From the Sequences or Tracks Window, or from one of the edit windows, make a selection.
- ② Choose Edit>Copy.
- ③ Select a destination track or sequence, or have the Sequences Window active with no sequence selected.
- (4) Choose Edit>Capture Seq->Track (or Edit>Capture Seq->Seq).

Capture Seq->Track

If you have a track selected in the Tracks Window, Vision will capture the Clipboard information into the selected track. All loops and sequence events are transcribed into a continuous stream of MIDI data. If the Clipboard information contains many tracks, Vision will create a multi-track so that all Instruments are retained. Only 16 Instruments can fit into a track—if your sequence has more than 16 Instruments, capture to a sequence instead.

Capture Seq->Seq

If the Sequences Window is active, Vision captures the Clipboard information into a sequence. If a sequence is selected, the data on the Clipboard replaces the selected sequence. All loops and sequence events are transcribed into a

continuous stream of MIDI data. Each Instrument will be placed on a separate track, but information from separate tracks with the same Instrument will be merged into the same track.

MAKE SEGMENT/LOOP (OPTION-U)

Use this command to turn track regions into segments, which can be used as song sections, music layers, reoccurring phrases and riffs, or even nested track loops.

The selected material is replaced by a sequence event block that references the new segment. The original material then resides in the newly created segment, which is listed in the Segments section of the Sequences Window.




Figure 41.7: Make Segment/Loop dialog

Following is a description of the various options in the Make Segment/Loop dialog:

• Start/End

These fields specify the time range of data used for the segment. Check the "Round to nearest barline" option if you want the selection to fall cleanly on the beat.

2 Loop

Check this option if you want the resulting sequence event to loop. Enter the number of repeat times in the accompanying field.

Name

Specifies the name used for the new segment.

Make one segment with multiple tracks

If several tracks are selected, this option places them into a single segment containing multiple tracks.

6 Make single-track segments

If several tracks are selected, this option makes them into separate segments, each containing a single track.

For more information, please see *Segments (pg. 93)*.

Unmake Sequence Event

When selecting a sequence event in the Track Overview or List Window, this command becomes **Unmake Sequence Event.** Invoking this command places the original tracks (from the referenced segment or sequence) into the parent sequence.

See *Unmaking Sequence Events (pg. 102)* for details.

NEW RECORD TRACK

This command will record-enable the next empty track in the current sequence. If there are no sequences selected or open, Vision automatically selects the first sequence in the Sequences Window. This command is especially useful if you want to start recording immediately—it ensures that an empty track is placed in record mode.

The Tracks Window does not need to be open or active for this command to work, so you may not see the track you are recording into.

Record Enabling Neighboring Tracks

After choosing this menu item, you can type Command- \uparrow τ o record-enable the previous track and Command- \downarrow the next track.

CHAPTER 43: The Do Menu



Figure 42.1: Do menu

WINDOW SUBMENU

The Window submenu is the first item in the Do menu. The exact name of this menu item changes depending on which window is currently active. The Window submenu contains the same commands found in the Window menu of the active window.




Figure 42.2: Mirroring of Window menus

TIP: One reason the Window submenu is provided in the **Do** menu is so you can use a macro program to make keyboard equivalents for any menu items that don't already have one—which can automate many tasks.

TRANSPOSE (COMMAND-T)

Choose this command to open the Select & Modify Window automatically configured for **Transpose**. For information on the Transpose command, see the following:

- The Transpose Command (pg. 80);
- Transpose Types (pg. 134);
- Quantize and Transpose Templates (pg. 163).

QUANTIZE (OPTION-G)

Choose this command to open the Select & Modify Window automatically configured for **Quantize**. For information on the Quantize command, see the following:

- The Quantize Command (pg. 74);
- Quantize Parameters (pg. 129);
- Quantize and Transpose Templates (pg. 163).

MODIFY (COMMAND-Y)

Choose this command to open the Select & Modify Window automatically configured for **Modifying** notes. The following note properties can be modified:

- velocity
- · release velocity
- durations

For details, see *Modifying Note Properties* and *Automation Values* (pg. 126).

REASSIGN

Choose this command to open the Select & Modify Window automatically configured for **Reassign**.

The Reassign command changes one continuous controller type (MIDI controllers, pitch bend, aftertouch, velocity scale, audio volume and pan, send levels, continuous EQ parameters, and continuous plug-in parameters) to another.

Selected events can be changed to any MIDI controller, pitch bend, aftertouch, velocity scale, audio volume and pan, send levels, continuous EQ parameter, or continuous plug-in parameter.

For more information, see *Reassign* (pg. 127).

SET INSTRUMENT (COMMAND-I)

Choose this command to open the Select & Modify Window automatically configured for **Set Instrument**.




Figure 42.3: Set Instrument

To reassign events to a new Instrument:

 Select the desired track or track region and choose **Do>Set** Instrument.

The Select & Modify Window opens, automatically configured for **Set**Instrument.

- ② Specify the new Instrument from the Instruments pop-up.
- 3 Click the Set button to reassign the previous y selected events.

You can also click the **Double** button assign a copy of the data, leaving the original material assigned to the original Instrument.

SUBSTITUTE

Choose this command to open the Select & Modify Window automatically configured for **Substitute**. Substitute replaces selected events with the contents of the Clipboard.



Figure 42.4: Substitute command

Following is a description of each option for Substitute:

Replace each event with a single sequential event from the Clipboard

Vision replaces each event in the current selection with a one-to-one correspondence to each event on the Clipboard. If the following notes represent the contents of the Clipboard:



...and the following notes represent the current selection:



Then clicking **Substitute** yields this result:



2 Replace each event with the entire contents of the Clipboard

Vision replaces each selected event with the entire contents of the Clipboard. Notice that Vision does not transpose the Clipboard contents to match the selection it's replacing. If the following notes represent the contents of the Clipboard:



...and the following notes represent the current selection:



Then clicking **Substitute** yields this result:



Controllers to notes

This option specifies what happens when substituting continuous events for notes events, and vice versa. The continuous event values can be used for the note's pitch, velocity, or durations.

Preserve options

When using the **Substitute** command, three aspects in the current selection may be preserved: durations, velocities, and Instruments. For each box checked, Vision retains the appropriate property for Substitute operations on the current selection.

Substitute Ideas

Substitute may be used to replace the current selection with the contents of the Clipboard. Although it would be impossible to outline every possible use for this powerful feature, here are some suggestions and possibilities:

- You can change the pitches of the current selection to the pitches on the Clipboard without changing the rhythmic content of the current selection.
- You can substitute every note in the selection with the contents of the Clipboard, creating "riffs" without using a trigger.

NOTE: If you have more than one track on the Clipboard, **Substitute** uses only the first track. All other tracks are ignored.

SELECT/MODIFY TEMPLATES

This submenu lists all Select & Modify templates stored in the *Vision Editing Templates* file (see *Editing Templates (pg. 163)* for details).

To recall a template, simply choose it from the submenu and the Select & Modify Window is automatically reconfigured.

QUANTIZE (COMMAND-G)

Choose this command to permanently Quantize the selected material. Unlike other Select & Modify commands, Quantize is always available—regardless of the current state of the Select & Modify Window. The Quantize parameters used are those last specified in the Select & Modify Window

The name of this command changes depending on the type of material selected (i.e. Quantize Sequences, Quantize Track, Quantize Selection).

For information on the Quantize command, see the following:

- The Quantize Command (pg. 74);
- Quantize Parameters (pg. 129);
- Quantize and Transpose Templates (pg. 163).

SELECT & MODIFY (COMMAND-R)

Choose this command to perform the function specified in the current configuration of the Select & Modify Window.

The name of this menu item changes depending on the command specified in the Select & Modify Window and the type of material selected (i.e. Transpose in Track, Change Duration in Selection). If a Select & Modify template has been selected, *its* name appears for this menu item.

For details on using the Select & Modify Window, see *Chapter 16: Select & Modify*.

COPY PATCHES (OPTION-C)

Choosing **Copy Patches** copies the last patch change event sent to each Instrument in the current sequence to the Clipboard. If more than 16 Instruments are used by a sequence, the Clipboard will contain more than one track. This is helpful when making a "setup" track containing patch events for the sequence.

To use **Copy Patches**:

(1) With the Tracks Window active, select an empty track.

You can also select an existing obsolete "program change" track—this track will be replaced by patch events.

② Choose **Do>Copy Patches**, or type Option-C.

The current patches (for Instruments used in the current set of tracks) are copied to the Clipboard.

3 Choose Edit>Paste Track, or type Command-V.

The current patches are pasted into the selected track.

REVERSE TIME

This command reverses the order of events in the current selection. This results in a "retrograde" effect, which can be a useful tool for composition. Notice that this is not the same as playing a sound recording backwards, because this command only affects the order of MIDI events, not the sound of the Instruments.





SCALE TIME

This command opens the **Scale Time** dialog. Scale Time compresses or expands existing events to fit a new time range. For details, see *Scale Time* (pg. 140).

CHANGE TEMPO (OPTION-')

Choose this command to open the Change Tempo dialog, which lets you:

- Fit a range of measures into a precise time range;
- Create tempos that accelerate or ritard:
- Scale existing tempos.

For details, see *Change Tempo (pg. 139)*.

RECLOCK

Choose this command to open the **Reclock** dialog. Reclock takes a sequence recorded without a metronome (or from an audio source) and aligns it to bars and beats. See *Reclock (pg. 142)* for details.

INSERT BAR MARKER (COMMAND-')

This command opens the Meter track's List Window and puts a bar marker at the current Counter location (not necessarily the Edit In point). In this window, you can name the marker.

The marker appears in the Marker pop-up in the Control Bar and in the Track Overview Ruler.

For more information on markers, see *Marker Pop-up (pg. 193)*.

INSERT SMPTE MARKER (COMMAND-;)

This command opens the Meter track's List Window and puts a SMPTE marker at the current Counter location (not necessarily the Edit In point). In this window, you can name the marker.

The marker appears in the Markers pop-up in the Control Bar and in the Track Overview Ruler.

SMPTE Markers retain their SMPTE times, even if you change the tempo or SMPTE Offset of the sequence using any method. However, they *will* move if you use Move Events—they are not "locked."

PLAY FROM SELECTION (COMMAND-SPACE)

This command plays the current track or sequence starting with the current selection. This changes depending on what you have selected:

- If the current selection is a sequence, Vision plays from the sequence Start Point to the end of the sequence.
- If the current selection is a track, Vision plays from the track's start time to the end of the track.
- If the current selection is a range of MIDI data, Vision plays from the Edit In point to the end of the track.

Of course, you can manually stop or pause playback at any time.

PLAY SELECTION (OPTION-SPACE)

This command plays only the selected events in the current sequence from the Edit In to the Edit Out point, then stops.

THE SELECT SUBMENU

This submenu allows you to define the current selection according to rules you specify.

Select by Rule (Command-E)

Choose this command to open the Select & Modify Window automatically configured for **Select**. Use this command to make precise and exacting selections for selected tracks or sequences.



Figure 42.5: Select & Modify Window configured for Select

For details on using the Select command, see *Select Attributes (pg. 121)*.

Select All (Command-A)

If the Sequences Window is active, choosing **Select All** selects all sequences.

If the Graphic or Notation Window is active, **Select All** selects all events for the displayed track and sets the Edit In and Edit Out points to the length of the track.

If a Tracks Window in "Events" mode is active (cursor in Track Overview), **Select All** selects all events and sets the Edit In and Edit Out points accordingly.

If a Tracks Window in "Tracks" mode is active (one or more tracks selected and highlighted), **Select All** selects all recorded tracks. For more information on the distinction between Tracks mode and Events mode, see *Two Windows in One (pg. 203)*.

Split Notes (Command-\)

Choose **Split Notes** to open a dialog that allows notes to be selected based on their harmonic position.



Figure 42.6: Split Notes dialog

There are three ways to split notes:

- Selects a specified number of notes based on their position (highest or lowest) within a chord.
 - This option could be used for extracting parts.
- Selects a specified number of (highest or lowest) notes that occur throughout the entire length of the track.
 - This option could be used to select one or more drum notes.
- Selects notes occurring within a specified number of semitones of the highest or lowest note in each chord.

This option could be used to select all notes played with the right hand.

Select Duplicates

Use this command to recover from the rare situation in which a track has two of every event in it. Usually the events occur at the same time, have the same value, and are the result of a MIDI transmission or keyboard error. If they are separated by a few ticks then set the "units" field to a number slightly greater than 0.



Figure 42.7: Select Duplicates dialog

You may not be able to see the selected events in a graphic window because they are covered up by their twin events. Nevertheless, choosing **Edit>Cut** or **Edit>Clear** will cause them to disappear.

NOTE: This command is particularly useful when a track is accidentally recorded with a layered MIDI channel.

NUDGE SUBMENU

This submenu contains the following **Nudge** commands, which move or transpose selected events (as specified by the Nudge amount defined in the Settings Window; see page 332).

Earlier (Command-←)

Choose this command to nudge the selected events back in time by the amount specified in the current Nudge Settings in the Settings Window.

Later (Command-→)

Choose this command to nudge the selected events forward in time by the amount specified in the current Nudge Settings in the Settings Window.

Up (Command-↑)

Choose this command to transpose the selected notes up by the value specified in the current Nudge Settings in the Settings Window.

Down (Command-↓)

Choose this command to transpose the selected material up by the value specified in the current Nudge Settings in the Settings Window.

MUTE SUBMENU

The Mute submenu contains the following commands for muting and unmuting sequence events and audio events:

Mute Seq & Audio Events

Choose this command to mute the selected sequence events and audio events. Muted events become grayed out in the Track Overview area of the Tracks Window and do not sound during playback.

Unmute Seq & Audio Events

Choose this command to unmute the selected sequence events and audio events.

Toggle Mutes

Choose this command to toggle the mute status of selected events—muted events become unmuted, unmuted events become muted.

CHAPTER 44: The Setups Menu

Setups ✓ Keyboard Thru Thru in Background Input Effect Enabled Input Map Enabled MIDIKeys Enabled Fader Remotes Enabled Record Quantize Enabled Record Filter... Enable Input Devices... OMS Studio Setup... OMS MIDI Setup... Undefined Channels... Auto Remappings... Commands Colors...

Figure 43.1: Setups menu

KEYBOARD THRU

When checked, **Keyboard Thru** routes all MIDI events it receives to the Current Thru Instrument's device and channel. If an Input Map is enabled, Vision routes MIDI to the appropriate devices according to the map.

If **Keyboard Thru** is unchecked, Vision sends MIDI data during playback only.

THRU IN BACKGROUND

When checked, **Thru in Background** continues to route MIDI events (to either the Current Thru Instrument or Input Map) even when you switch to a different application. When unchecked, Vision suspends "Thruing" until you bring Vision to the front.

For this item to be available, **Run MIDI** in background must be checked in the OMS MIDI Setup dialog (see page 430).

INPUT EFFECT ENABLED

This menu item turns on and off the Input Effect. When checked, MIDI input is processed according to the configuration of the Input Effect Window.

You can also check and uncheck **Input Map Enabled** from the menu in the Input Effect Window. For details on using the Input Effect, see *Input Effect Window* (pg. 115).

INPUT MAP ENABLED

This menu item turns on and off the Input Map. When checked, MIDI is routed according to the current Input Map (as long as **Keyboard Thru** is enabled).

When unchecked, Vision instead routes MIDI to the Current Thru Instrument; in addition, all lines in the Input Map Window are grayed out.

You can also check and uncheck **Input Map Enabled** from the menu in the Input Map Window. For details on using an Input Map, see *Chapter 34: The Input Map Window*.

MIDIKEYS ENABLED

When checked, this item activates the current set of MIDIKeys. You can also check and uncheck **MIDIKeys Enabled** from the menu in the MIDIKeys Window. See *The MIDIKeys Window (pg. 171)* for details.

FADER REMOTES ENABLED

When checked, faders in the Faders and Console Windows can be controlled from an external MIDI source. You can also check and uncheck **Fader Remotes Enabled** from the menu in the Faders and Console Windows.

RECORD QUANTIZE ENABLED

This menu item turns on and off Record Quantize. When checked, Vision quantizes all recorded performances based on the Play Quantize settings of the record track. When Record Quantize is enabled, it is indicated in the Record Mode pop-up, see Figure 43.2.




Figure 43.2: Record Quantize Indicator

NOTE: Since each track has its own settings for Play Quantize, recorded MIDI data is quantized differently for each track.

NOTE: Record Quantize can also be disabled or enabled by clicking the **Record Quantize** button in the Play Quantize area of the Tracks and Pulse Windows.

RECORD FILTER

This menu item opens the **Record Filter** dialog, where you can select the types of data Vision records.




Figure 43.3: Record Filter dialog

Use the three radio buttons to tell Vision whether you want to record *all* events, *only* the events selected in this dialog, or all events *except* those selected in this dialog. For instance, in Figure 43.3, all events are recorded except "Channel Aftertouch" and "Old DX7 Aftertouch."

Up to eight continuous controllers can be specified in the Record Filter dialog. Simply choose the desired controllers from any of the pop-ups and click the corresponding checkboxes.

ENABLE INPUT DEVICES

This menu item opens the **Enable Input Devices** dialog:




Figure 43.4: Enable Input Devices dialog

Use this dialog to specify the devices from which you will record MIDI data. Input devices are enabled by clicking their checkboxes. Vision only listens to these devices when recording or routing MIDI.

The devices from your current Studio Setup are listed in this dialog. If multiple devices are connected to the same port of your MIDI interface, all devices on that port appear as single input device.

NOTE: Disabled input devices can still be defined as sync sources in the Sync Options dialog.

OMS STUDIO SETUP

Choose this menu item to launch or activate the OMS Setup application with the current Studio Setup.

OMS MIDI SETUP

This menu item opens the **OMS MIDI Setup** dialog.



Figure 43.5: OMS MIDI Setup dialog

Following is a brief description of the items in the OMS MIDI Setup dialog:

- External ports to use determines which serial ports OMS uses for MIDI communication.
- 2 Run MIDI in background retains control of the serial ports used by MIDI interfaces until all OMS applications have quit. This means you can begin playing in Vision, switch to another application, and Vision will continue to play in the background.
- Setup Setup starts the "Easy Setup" procedure for configuring a new OMS Studio Set. See your OMS Manual for details.
- **4 Edit Custom Setup** opens the current Studio Setup in the OMS Setup application. See your *OMS Manual* for a full explanation of the OMS Setup application.
- **6 Error Log** opens a dialog displaying a report of serial errors that have occurred since installing Vision.




Figure 43.6: OMS Serial Port Errors dialog

UNDEFINED CHANNELS

Choose this command to open the **Undefined Channels** dialog. You also encounter this dialog automatically when channels become undefined in Vision (such as when opening a file, or after changing your current Studio Setup).




Figure 43.7: Undefined Channels dialog

A list of undefined devices appears in italics in the left column, they represent devices no longer in your current Studio Setup. Therefore, to hear any existing tracks assigned to these devices, you must remap them.

To remap a device, simply select from the device pop-up directly to its right (these pop-ups are labeled as "Undefined").



Figure 43.8: Device pop-up

If the option for **Remap all matching channels** is checked, remapping a single device channel automatically remaps all other channels for that device. This saves you from individually remapping each channel in a device.

Check the option for **Remember remappings to reapply later** and Vision will automatically apply these remappings when encountering the same undefined channels. You can edit these remappings in the Auto Remappings dialog, see *Auto Remappings (pg. 432)*.

And if you check the option for **Auto-open this dialog when needed**, this dialog appears whenever Vision encounters undefined channels.

Remappings affect assignments for tracks, Instruments, Metronome Sound settings, Input Maps, faders and consoles, MIDIKeys, and many others.

AUTO REMAPPINGS

This menu item opens the **Auto Remappings** dialog. Use it to edit the remappings for undefined channels.

NOTE: The information in the Auto Remappings dialog is stored in the current Studio Setup document.




Figure 43.9: Auto Remappings dialog

The undefined channels, listed on the left, represent devices and channels *not* in the current Studio Setup. When encountering a Vision file with undefined channels, they are mapped automatically to the devices and channels listed on the right.

To edit a remapping, simply choose from the Device and Channel pop-ups for the desired line. To delete a remapping, select it and click the **Remove Line** button.

COMMANDS

Choose this menu item to open the Commands Window, which lets you assign key equivalents and MIDI events to practically any function or menu item in Vision. See *The Commands Window* (pg. 169) for details.

COLORS

This menu item opens a dialog that lets you modify the display colors used by Vision's MIDI and Audio Instruments.

CHAPTER 45: The Options Menu




Figure 44.1: Options menu

SYNC OPTIONS

Choose this menu item to open the Sync Options dialog. The Sync Options dialog specifies the Receive Sync Mode and device, the Send Sync format and device, and the SMPTE format. For detailed information on each item, see *Anatomy of the Sync Options Dialog (pg. 433)*.

Anatomy of the Sync Options Dialog

As you can see in Figure 44.2, the Sync Options dialog contains numerous options, each of which is discussed in this section.




Figure 44.2: Sync Options dialog

• Receive Sync Mode: This pop-up menu specifies the type of sync used by Vision. The choices include:



"Internal" uses the internal clock of the Macintosh. In this mode, sequences play at their own tempo.

"External Beat Clock" uses the sync from an external source, usually from a hardware-based sequencer or drum machine. In this mode, sequences play at the tempo of the external sync device, and locate and play as determined by MIDI Song Pointer messages.

"MIDI Time Code" uses time code from a SMPTE or MTC source. This sync source is usually a tape track but could be from another application or MIDI device that sends MTC. In this mode, Vision reads the incoming time code and begins playback when the sequence's SMPTE *offset* is encountered; the sequence uses it's own tempo.

"MTC/Machine Control" syncs Vision to an MMC compatible device. In this mode, Vision automatically sends MMC commands to control the sync device. **Q** Receive Sync Device: This pop-up menu displays a list of available sync sources. Choose an item from this list to make it the active sync source.

Vision receives all Song Pointer, MIDI Beat Clock, MIDI Time Code, or MIDI Machine Control messages from the Receive Sync device and ignores these messages from all other devices. Any devices that are defined as "sending" sync in the current Studio Setup appear in this pop-up.



Remote Start: Check this option to automatically start or stop Vision from an external device or program.

For example, when syncing to MTC or Beat Clock, enabling Remote Start "slaves" Vision to the start/stop controls of the sync source.

In addition, if Vision's Receive Sync Mode is set to Internal, then Galaxy (or any other OMS Timer-compatible application) can be used to start/stop playback.

With Remote Start enabled, Vision's **Play** button flashes in the Control Bar, indicating that it is waiting for you to start the remote machine.

4 Lock Audio to Tape: When checked, this option adjusts the sample rate playback of audio to compensate for fluctuations of incoming SMPTE time code.

For more details on this feature, consult your *Audio Reference Manual*.

6 Send Sync: Check this box to enable Vision to send synchronization information. If unchecked, no MIDI Time Code or MIDI Beat Clock will be sent to any device, regardless of the state of the MIDI Time Code and Beat Clock Enable checkboxes.

You can send Beat Clock (usually to a drum machine or hardware sequencer) or MIDI Time Code (usually to an external sync box, or to another application). Choose "none" if you don't want to send any sync.

NOTE: When choosing Beat Clock, MIDI Song Pointer information is also transmitted

MIDI Time Code Enable: Check this box to enable Vision to send MIDI Time Code to one or more devices (as defined in the MIDI Time Code Send Sync Device List). **MIDI Time Code Send Sync Device(s)**: This is a list of devices from your current Studio Setup that are set to "receive" MIDI Time Code.



Figure 44.3: MIDI Time Code Send Sync Device List

To send sync to one or more devices, simply check the box to the left of each device. Devices are available as MIDI Time Code sync destinations if they are defined as such in your current OMS Studio Setup.

In the example shown in Figure 44.3, the BRC is enabled to receive MIDI Time Code.

NOTE: When using a MIDI interface that does not channelize sync information (such as the MIDI Timepiece or Studio 4), only the interface, not the connected devices, appears as a sync destination. Sending sync to this type of MIDI interface sends it to all connected devices.

MIDI Beat Clock Enable: Check this box to enable Vision to send MIDI Beat Clock to one or more devices (as defined in the MIDI Beat Clock Send Sync Device List).

MIDI Beat Clock Send Sync Device(s): This is a list of devices from your current Studio Setup that are set to "receive" MIDI Beat Clock.



Figure 44.4: MIDI Beat Clock Send Sync Device List

To send sync to one or more devices, simply check the box to the left of each device. Devices are available as sync destinations if they are defined as such in your current OMS Studio Setup.

In the example shown in Figure 44.4, the LinnDrum and Wavestation are enabled to receive MIDI Time Code. The BRC is disabled and, therefore, will note receive MIDI Time Code.

NOTE: When using a MIDI interface that does not channelize sync information (such as the MIDI Timepiece or Studio 4), only the interface, not the connected devices, appears as a sync destination. Sending sync to this type of MIDI interface sends it to all connected devices.

SMPTE Format: This pop-up menu determines the SMPTE format Vision uses in all displays and calculations. This format must match the format of the SMPTE time code to which you are syncing. If you change the format, Vision will adjust the SMPTE offset frame number of all your sequences.



Vision stores the SMPTE format with each Vision file, and recomputes the SMPTE start time (if it differs from the current format) when it reads the file. For more information on these formats, see *SMPTE Time Code Rates* (pg. 150).

10 Remember these settings in sequence files: Check this option if you want to save the sync settings with the sequence file. If you enable this option, then every file can have its own set of sync options, which is convenient if your studio works with many different types of media.

SEND SYNC ENABLED (COMMAND -)

This menu item turns on and off the transmission of sync. The type of sync sent is determined by the settings in the Sync Options dialog (see *Sync Options* (pg. 433)).

CLICK IN RECORD (OPTION-[)

This menu item turns on and off the metronome sound for recording.

CLICK IN PLAY (OPTION-])

This menu item turns on and off the metronome sound for playback.

CLICK IN COUNTOFF ONLY

When this menu item is checked, the metronome sound plays only during the countoff.

METRONOME SOUND (OPTION-\)

Choose this menu item to open the Metronome Sound dialog. This dialog determines whether the metronome sound is a MIDI note or a click from the Macintosh speaker. In addition, the menu items for Click in Record/Play/Countoff Only are duplicated here as checkbox options.

To configure the metronome sound:

Choose Options>Metronome Sound.

The Metronome Sound dialog opens.



Figure 44.5: Metronome Sound dialog


② Specify MIDI Note as the type of click you'll use.



3 Select the desired Instrument from the Channel pop-up for Accented and Unaccented.



4 Select the desired click sound from the Note pop-ups.



You can also highlight the Note fields and play a note from your MIDI controller.

(5) Adjust the Velocity and Duration fields as desired.


COUNTOFF IN PLAY

This menu item turns on and off the metronome sound for the countoff.

This item has no effect if the **Begin Record Toggle** (see page 190) is set to Wait for Note.

STOP AT PUNCH OUT

If this item is checked, Vision automatically stops at the Out Point when "punch" recording.



REAL TIME CAPTURE

If you disable **Real Time Capture** and type sequence letters while a track records, the sequences are recorded as sequence events.

If you enable **Real Time Capture** and type sequence letters while a track records, the sequences are played in real time and captured to the track. This allows you to record, in real time, any changes you make as that sequence plays (such as quantize values, track mutes and solos, or generated sequence parameters). Changes in the Instruments Window are not recorded.

LOCAL SEQUENCE TIMES

When this item is checked, double-clicking a sequence event block opens an edit window that numbers its first measure as bar 1. In addition, these windows will play and record independently of the parent sequence.

If **Local Sequence Times** is not checked, the sequence event is treated within the context of its parent sequence. Double-clicking the sequence event block opens an edit window that numbers its first measure according to the sequence event's location within its parent sequence. Playing or recording from these windows also plays the parent sequence so you can hear the sequence event in context.

PART 7: Menus

CHAPTER 46: The Windows Menu

Windows	
Sequences	⊘ 20
Tracks	₹ 5
List	⊗L
Pulse	SD.
Graphic	SE.
Notation	⊗N
Instruments	%1
Audio Instruments	⊘3.J
Select & Modify	⊗Y
Names	SP
Input Map	⊗M.
MIDIKeys	⊗κ
Faders	∾F
Consoles	•
Control Bar	⊗A.
Counter	
Record Monitor	∾w
Input Effect	
Players & Queue	
Settings	
MMC	
QuickTime Movie	

Figure 45.1: Windows menu

Choose one of the following menu items to open or activate the corresponding window.

SEQUENCES WINDOW (OPTION-Q)

The Sequences Window lists all sequences, segments, and sequence templates for the current file. For more information, see *Chapter 24: The Sequences Window* on page 197.

TRACKS WINDOW (OPTION-S)

The Tracks Window displays tracks for the current sequence and allows global selections and edits. For more information, see *Chapter 25: The Tracks Window* on page 203.

LIST WINDOW (OPTION-L)

The List Window displays a chronological list of all events in a track, which can include MIDI notes, copyright notices, system exclusive data, lyrics as text, and many others. For more information, see *Chapter 29: The List Window* on page 261.

PULSE WINDOW (OPTION-D)

The Pulse Window displays and edits all drum tracks for the current sequence. The Pulse Window contains a Note Grid area for creating and editing drum patterns. For more information, see *Chapter 26: The Pulse Window* on page 221.

GRAPHIC WINDOW (OPTION-E)

The Graphic Window allows display of MIDI data in a "piano roll" format. Although only one track can be displayed at a time, many Graphic Windows can be open at the same time.

For more information, see *Chapter 27: The Graphic Window.*

NOTATION WINDOW (OPTION-N)

The Notation Window displays MIDI information using standard music notation. Vision interprets the MIDI information and displays it in a staff. Each track is normally represented by a single staff. Multiple tracks can be viewed in this window and several Notation Windows can be open simultaneously.

For more information, see *Chapter 30: The Notation Window* on page 275.

INSTRUMENTS WINDOW (OPTION-I)

The Instruments Window provides access to all settings for the MIDI Instruments. For more information, see *Chapter 32: The Instruments Window on page 293*.

AUDIO INSTRUMENTS (OPTION-J)

Choose this command to open the Audio Instruments Window.




Figure 45.2: Audio Instruments Window for Acadia

NOTE: Your Audio Instruments Window may look different depending on your particular audio hardware.

Use the Audio Instruments Window to set various audio playback parameters, including:

- playback voice assignments
- audio output assignments
- Audio Instrument mute/solo
- Audio Instrument names

There are many other important aspects to this window. To learn about it in detail, consult your *Audio Reference Manual*.

SELECT & MODIFY WINDOW (OPTION-Y)

Choose this menu item to open the Select & Modify Window in its most recent configuration. The Select & Modify Window performs a wide range of select functions and modify operations. For more information, see *Chapter 16: Select & Modify* on page 119.

NAMES WINDOW (OPTION-P)

The Names Window allows assignment of names to patches, controllers, and notes. It's much easier to refer to these items by name rather than number.

When using Galaxy™ the Universal Librarian, Vision can subscribe to Bundles created by Galaxy. This enables automatic updating of patch names in the Names Window whenever they are changed. For more information about Galaxy, contact Opcode.

For more information, see *Chapter 33: The Names Window* on page 305.

INPUT MAP WINDOW (OPTION-M)

The Input Map Window allows assignment of MIDI channels for each device to a different range, Instrument, and/or sequence. For more information, see *Chapter 34: The Input Map Window* on page 325.

MIDIKEYS WINDOW (OPTION-K)

The MIDIKeys Window allows events generated from a MIDI controller to map to virtually any computer key combination. For more information, see *The MIDIKeys Window (pg. 171)*.

FADERS WINDOW (OPTION-F)

Vision supports up to 800 faders, the first 32 of which are accessed through the Faders Window. Faders can be set to send any MIDI controller (other than pitch bend or aftertouch) or perform a velocity scale on any Instrument. One fader can control the tempo. For more information, see *Chapter 37: The Faders Window* on page 343.

CONSOLE WINDOWS

The 668 faders not controlled by the Faders Window are accessed through the Console Windows. For more information, see *Chapter 38: The Console Windows* on page 351.

CONTROL BAR (OPTION-A)

The Control Bar contains the major controls for Vision. It's normally located just below the application menu bar. For more information, see *Chapter 23: The Control Bar* on page 183.

COUNTER

Choose this menu item to open the Counter Window. This window provides a much larger display of the Control Bar's Counter.



Figure 45.3: Counter Window

Use the menu in the Counter Window to specify the displayed font, and which time formats (bar/beat/unit, absolute SMPTE, or relative SMPTE) are used.

To make the Counter Window larger or smaller, simply resize it like any other normal Macintosh Window.

For more information, see *The Counter* (pg. 191).

RECORD MONITOR (OPTION-W)

Choose this menu item to open the Record Monitor Window.



Figure 45.4: Record Monitor Window for Acadia

NOTE: Your Record Monitor Window may look different depending on your particular the audio hardware.

Use the Record Monitor Window to record digital audio. For details, consult your *Audio Reference Manual*.

INPUT EFFECT

The Input Effect Window processes notes from your MIDI controller. Depending on the mode of the Input Effect, the processed notes are either repeated or arpeggiated. For more information, see *Input Effect Window (pg. 115)*.

PLAYERS & QUEUE

With the Players & Queue Window you can "queue up" several sequences to audition a playback order, and you can even have multiple sequences playing at the same time on different "Players." For more information, see *Players & Queue Window (pg. 113)*.

SETTINGS

The Settings Window contains preference settings for a number of different editing and display options. For more information, see *Chapter 35: The Settings Window* on page 331.

MMC

The MMC Window lets you control MIDI Machine Control devices from Vision. For more information, see *Chapter 39: The MMC Window* on page 375.

QUICKTIME MOVIE

Use the QuickTime Movie Window to open and play QuickTime movies in sync with your Vision sequences. For more information, see *Chapter 40: The Quick-Time Movie Window* on page 385.

PART 7: Menus

CHAPTER 47: The Help Menu

In addition to the Apple Help items and **All Notes Off** command, there are several Vision help screens accessible from the Help menu.




Figure 46.1: Help menu

ABOUT ONLINE HELP (COMMAND-/)

This command displays basic information about accessing Vision's online help.

MIDI DATA FLOW

This command illustrates Vision's MIDI data flow.

VISION FILES

This command displays basic information about Vision files and what gets saved with them. For for more information, see *Chapter 19: What's Saved Where.*

GENERATED SEQUENCES

This command displays some basic information about generated sequences. When you have finished reading one window, click in the window to display the next page. For more information, see *Chapter 14: Generated Sequences*.

SEQUENCES AND SEGMENTS

This command displays general information about sequences and segments—for example, how to chain existing sequences to make song structures, and how to turn existing track material into segments for looping.

For details, see *Chapter 13: Segments, Loops, and Sequence Events*

POP-UP HELP

If you check this option, Vision's online help screens stay up until you click the mouse. For details, see *Vision On-Screen Help (pg. 16)*.

ALL NOTES OFF (!)

This command sends note-off messages for all 128 notes on all Instruments. It also turns off all sustain pedals and centers pitch bend.

Index 8

Index

INDEX Attribute conditions for select 122 Attribute types for select 122 Audio edits occur... in Real-Time 335 Α **Audio Events** inserting in List Window 264 Absolute SMPTE **Audio Instruments** Graphic window menu 238 building Console from 365 List window menu 272 Audio Instruments In Use Notation window menu 282 building Console from 365 Pulse window menu 231 Audio Instruments Window 442 Add (Select & Modify) 126 Audio Pan Add Amount tool, Strip Chart 244 in Strip Chart 254 Add Bank (Patches menu) 318 inserting in List Window 266 Add Line **Audio Sends** (Input Map window menu) 328 in Console Window menu 356 Add Line to Instrument Audio Volume Instruments window menu 300 in Strip Chart 254 Add Mode (in Patches menu) 317 inserting in List Window 266 Adding to selection 120 Auto Map (Select & Modify) 135 Aftertouch Auto Map transpose 135 in Strip Chart 253 Auto Remappings dialog 432 inserting in List Window 266 Auto Scroll poly aftertouch in Strip Chart 253 Graphic window menu 237 Aftertouch Sets Effect Velocity List window menu 272 in Real-Time 335 Notation window menu 281 All Instruments In Use Pulse window menu 231 building Console from 364 Auto Scroll Top Window Only All Notes Off command 448 in Settings>Editing 333 Always Make from Studio Setup 300 Automatically number patches in bank 319 Always use current patches 309 Automatically Remove Unused Segments 93, Appearance Fader Slots in Instrument Color 336 Automation submenu Window Background 336 in List Window 266 Arpeggiator in Strip Chart 254 with Input Effect 115 Auto-open this dialog when needed Arranging and mixing 85 in Undefined Channels 431 Arranging sequences 85 example 85 R Arrow tool 57 selecting blocks in Track Overview 216 B0 B32 PC 264 Assign GM equivalents to all patches 319 B0 PC 264 Assigning key commands 170

B32 PC 264

Index

Bank 305	Change Duration (Select & Modify) 124
Bank Select 264, 319	Change Release Velocity (Select & Modify)
Bank Select/Numbering	124
0-127 319	Change Tempo command 422
1-128 319	Change Tempo dialog 139
A11-B88 319	Change Value (Select & Modify) 124
Assign GM equivalents to all patches 319	Change Velocity (Select & Modify) 124
Automatically number patches in bank 319	Changing (Select & Modify) 126
in Patches menu 319	Changing controller values
Prefix 319	in Select & Modify Window 126
Bar/Beat/Unit	Changing note durations
fields, editing with Markers pop-up 28	in Notation window 278
fields, typing into 28	Channel column
Graphic window menu 237	in Names Window 307, 310
Notation window menu 281	Channel Width
Pulse window menu 231	and remote devices 360
Barline thru System 287	in Console Window menu 355
Bars per Line 286	Narrow 356
Base	Wide 356
in Input Map window 326	Channels
Begin Record toggle 32, 190	showing all in the Names Window 313
Countoff 191	Choose 5
Wait for Note 190	Chromatic (Select & Modify) 134
Blocks 62	Chromatic transpose 134
Blocks mode, Track Overview 214	Clean Tempo Display
Build Console From	in Settings>Editing 334
All Instruments In Use 364	Clear All
Audio Instruments 365	Input Map window menu 328
Audio Instruments in Use 365	Clear Beat/Unit when Entering Bar
Enabled Rewire Channels 365	in Settings>Editing 333
in Console Window menu 363	Clear Clip & Undo 301
MIDI Instruments In Use 365	Clear command 408
Selected Tracks' Instruments 364	Clear Console
	in Console Window menu 365
C	Clear Name List
C 347	in Patches menu 317
Capture Seq->Seq 414	Clear Subscription 312
	Click in Countoff Only command 437
Capture Seq->Track 414	Click in Play command 437
Capture Sequence command 414 Chaining sequences 85	Click in Record command 437
~ ·	Click track
Change Patch names 324	for Reclock 142
1 atti names 324	

Clone command 411	Save Console Layout 365
Close All command (in File menu) 400	Save Console Layout As 366
Close command 400	Show All Fader Info 359
Close Window command 400	Show Masking Tape 361
Cntls 320	Show Remote Devices 360
in Patch Name Editor 315	Show Selected Fader Info 357
Colors 432	Wide 356
for Instruments 294	Consoles 351
initializing 301	about 351
Columns	anatomy of 352
re-ordering 23	build from 363
resizing 23	channels 352
Combine Tracks command 413	grouping faders 367
Commands Window 169	Loading a template 366
Commands section 169	Masking Tape 361
Digits section 169	rearranging audio plug-ins 372
Commands Window menu 170	rearranging strips 371
Comments	saving a snapshot 407
in Sequences Window 199	Saving a template 365
in Tracks Window 210	Constant (Select & Modify) 126
Compress (Select & Modify) 126	Constrain to Scale (Select & Modify) 134
Compress tool	Continuous Trigger
in Strip Chart 245	in Input Map window 327
Console Layout Templates	Control Bar 13, 183
opening 367	Begin Record toggle 190
saving 366	big green "S" 302
Console Name	Counter 191
in Console Window menu 363	Current Patch pop-up 186
Console strips	Current Sequence pop-up 184
rearranging 371	Current Track pop-up 184
Console Window menu 355	Global Instrument Solo Indicator 302
Audio Sends 356	Marker pop-up 193
Build Console From 363	Memory Display pop-up 193
Channel Width 355	opening the Names browser 321
Clear Console 365	Punch and Loop controls 194
Console Name 363	Record Mode pop-up 183
EQs 357	Sync pop-up 189
Fader Remotes Enabled 362	Tempo Display 192
Load Console Layout 366	Thru Instrument pop-up 184
Master Instrument 362	transport controls 187
Narrow 356	Window buttons 196
Plug-Ins 357	Control names

default 320	Current Patch pop-up 186
Controller	Current Sequence pop-up 184
Show Selected Fader Info 358	Current Track pop-up 184
Controller events	Cursor Display 37, 58, 215
changing values 126	SMPTE 215
in Strip Chart 253	Cursor Quantize 37, 58
inserting in List Window 266	Cursor tools 57
reassigning 127, 418	Custom Instruments 177
Set Density 127	in overflow mode 179
thinning in Strip Chart 245	layered 177
Controllers	splits 178
Favorite Controllers 336	Cut command 406
Controllers to notes	
in Substitute window 420	D
Controls	Default Edit Window
for looping 194	in Settings>Editing 334
for punching 194	Default Modes
for sequences 53	in Patches menu 318
for tracks 54	Define Middle C
for tracks, Graphic window 55	in Settings>Editing 334
for tracks, List window 55	Delete (Select & Modify) 125
Copy command 407	Delete command 412
Copy Faders command 89, 347, 407	Delete Selected Time command 412
example 89	vs. Cut command 406
inserts Mute/Solo events 347	Delete Template
Copy Name List	Select & Modify Window menu 125
in Patches menu 316	Deleting
Copy Patches command 88, 421	Instruments, Clear Clip & Undo 301
Copy Subscription 312	selected time 412
Copying	tracks 412
blocks in Track Overview 63	Density
fader values 89, 347, 407	in Strip Chart 256
patch events 88, 421	in Strip Chart & Nudge 332
Copyright	Detailed Track Overview 220
in Strip Chart 251	Device column
Counter Window 444	in Names Window 307
Counter, Control Bar 191	Device Mode Column 310
Countoff in Play command 438	Diatonic (Select & Modify) 134
Countoff mode, Begin Record toggle 32, 191	Diatonic transpose 134
Cue Points	Display modes
in Strip Chart 252	for Note Grid 225
Current Page 287	for Track Overview 214
	101 II ach Overview 214

Do menu 417, 418	Drum note line columns
Change Tempo 422	re-ordering 23
Copy Patches 421	resizing 23
Insert Bar Marker 422	Drum Note lines 224
Insert SMPTE Marker 423	Play Quantize settings 225
Modify 418	rearranging 225
Mute submenu 426	removing 225
Nudge submenu 425	re-ordering with move cursor 22
Play from Selection 423	selecting 225
Play Selection 423	selector dots 22
Quantize Selection 421	using Separate Multi Track 225
Reassign 418	Drum tracks 11, 223
Reclock 422	see also Pulse window
Reverse Time 422	Drum Track column 55
Scale Time 422	playback notes 223
Select & Modify 421	toggle 207
Select All 424	Duration
Select by Rule 423	cursor 60
Select Duplicates 425	editing in Strip Chart 249
Select Split Notes 424	in Insert Note window 332
Set Instrument 418	in Select & Modify 122
Substitute 419	
Substitute 110	
Transpose 418	E
	_
Transpose 418	Edit Custom Setup
Transpose 418 Window submenu 417	Edit Custom Setup in OMS MIDI Setup 430
Transpose 418 Window submenu 417 Do window	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Make Current 312	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Make Current 312 Don't Send (Patch names) 324	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Make Current 312 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Make Current 312 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46 example 45	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411 Insert Blank Time 411
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46 example 45 repeated notes 45 setting up MIDIKeys 45 using Input Effect 45	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411 Insert Blank Time 411 Insert Clipboard 409
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46 example 45 repeated notes 45 setting up MIDIKeys 45 using Input Effect 45 using the erase MIDIKey 46	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411 Insert Blank Time 411 Insert Clipboard 409 Make Segment/Loop 415
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46 example 45 repeated notes 45 setting up MIDIKeys 45 using Input Effect 45 using the erase MIDIKey 46 Drum Map (Select & Modify) 136	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411 Insert Blank Time 411 Insert Clipboard 409 Make Segment/Loop 415 Merge 409
Transpose 418 Window submenu 417 Do window Select/Modify Templates 421 Don't Make (Patch names) 324 Don't Send (Patch names) 324 Double button (Select & Modify) 124, 125 Drum Instruments defining 295 with transpose 295 Drum machine style recording 45 configuring record quantize settings 46 example 45 repeated notes 45 setting up MIDIKeys 45 using Input Effect 45 using the erase MIDIKey 46	Edit Custom Setup in OMS MIDI Setup 430 Edit menu 405 Capture Sequence 414 Clear 408 Clone 411 Combine Tracks 413 Copy 407 Copy Faders 407 Delete 412 Delete Selected Time 412 Get Times from Clipboard 411 Insert 411 Insert Blank Time 411 Insert Clipboard 409 Make Segment/Loop 415

Paste 407 patch names 313 Redo 405 permanently quantizing track data 74 permanently shifting track data 77 Repeat Paste 410 Separate Multi Track 413 Punch Points follow Edit Points 333 **Undo 405** Quantize templates 163 **Unmake Sequence Event 415** random editing in Strip Chart 247 **Edit Points 66** reassigning controller types 127 **Edit Selected Patch** reclocking to a click track 144 in Names browser menu 323 referenced sequence events 100 Edit windows 14 release velocities 273 Ruler 59 rubato performances 144 Editing segment loop lengths 96 Auto Scroll Top Window Only 333 Select & Modify templates 165 basic procedures 57 sequence events 98 changing pitches without rhythms 420 sequence events in List Window 103 Clean Tempo Display 334 Set Insertion Point to... 333 Clear Beat/Unit when Entering Bar 333 setting density of controller values 127 commands you cannot undo 405 thinning controllers in Strip Chart 245 **Cursor Display 58** tools 57 **Cursor Quantize 58** tracks recorded without a metronome 144 cursor tools 57 Transpose templates 163 **Default Edit Window 334** values with a MIDI controller 27 velocities in Note Grid 229 Define Middle C 334 dragging blocks in Track Overview 217 velocities in Strip Chart 249 durations in Strip Chart 249 while looping 66 edit indicators in Ruler 59 with note edit cursors 60 events in List Window 273 working with track blocks 62 zooming 24 Exact Mode 59 field values 27 **Enable Input Devices command 429** Enabled (record mode) 379 in Note Grid 228 in Track Overview 213 **Enabled Rewire Channels** making music fit on a page 286 building Console from 365 Meter track 210 Enabling Modify Window Option 334 fader receive 428 music recorded without a metronome 142 input devices 429 note properties with mouse 60 Input Effect 428 note velocities in the Strip Chart 61 Input Map 428 notes in Graphic window 236 Keyboard Thru 427 notes in List Window 61 MIDIKeys 428 notes in Notation Window 277 **Record Quantize 428** options in Settings Window 333 send sync 437 pasting without replacing (merging) 409 **EQ Band Enable**

in Strip Chart 255	External Beat Clock 434
inserting in List Window 268	External ports to use
EQ Band Frequency	in OMS MIDI Setup 430
in Strip Chart 255	External sync
inserting in List Window 268	and Auto Punch 149
EQ Band Gain	and Wait for Note 149
in Strip Chart 255	switching to internal automatically 149
inserting in List Window 268	3
EQ Band Parameter submenu	F
in List Window 268	T . (G 11 MD) 044
in Strip Chart 255	Factory/General MIDI names 311
EQ Band Type	fader events
in Strip Chart 255	changes 347
inserting in List Window 268	Fader Remotes Enabled 358, 360, 428
EQ Band Width	in Console Window menu 362
in Strip Chart 255	Fader Slots in Instrument Color
inserting in List Window 268	and Faders Window 344
EQ Enable	in Settings>Appearance 336
in Strip Chart 255	Fader Values
EQ Enable inserting in List Window 267	inserting using Copy Faders 89
EQs	Faders
in Console Window menu 357	about 343
Erase MIDIKey 173	changes from previous versions 347
Error Log	controlling the tempo with 138
in OMS MIDI Setup 430	controlling velocity 346
Event end times	copying values 347
in List Window 273	device assignments 344
Event Type (Select & Modify) 122	enabling external control 428
Exact Mode 59	example (recording, viewing, playing) 348
Export as MIDI File command 402	grouping 367
Export as QuickTime Movie command 403	moving as a group 368
Export Audio Events command 404	Absolute Fading 368
Export Audio Mix command 403	Proportional Fading 369
Export to Clipboard command 403	Snap Fading 370 remappping MIDI controllers 346
Exporting	saving a snapshot 407
as QuickTime movie 403	sliders 344
audio events 404	Tempo Fader Range 345
audio mix 403	the new way 348
MIDI files 402	the old way 348
to Clipboard 403	using (the new way) 348
Extend MIDIKey 173	values 344
External Beat Clock, sync mode	Faders Window 344
	raucis Willuuw 344

1 346	in Strip Chart 247
17 346	Font
32 346	changing in Print Preview 288
display modes 346	Free shape
Rcv 345	in Strip Chart 246
Send 345	•
Send/Receive settings 345	G
tempo fader 344	
Favorite Controllers	Gated
in Settings>Controllers 336	in Input Map window 327
File menu 397	Sequence Event 104
Close 400	Generated sequences
Close All 400	about 107
Close Window 400	Attack mode 109
Cut 406	creating 108
Export as MIDI File 402	Duration mode 110
Export as QuickTime Movie 403	looping 112
Export Audio Events 404	Note track 111
Export Audio Mix 403	Order mode for tracks 112
Export to Clipboard 403	Rhythm track 111
Import Audio 403	Get Times from Clipboard command 411
Import Audio Using QuickTime 403	Global Instrument Solo Indicator 186
New 397	blinking 302
Open 398	lit 302
Page Setup 404	GM Equiv column
Print 404	in Patch Name Editor 315
Print Preview 404	Go Back
Quit 404	Patch names 324
Revert 402	Grand Staff 288
Save 400	Graphic mode, Note Grid 226
Save a Copy As 401	Graphic window 233
Save As 400	Changing a Note's Duration 236
Save As Setup 401	clicking to select 234
Find Patch 313	I-beam tool 234
Finding soloed instruments 303	Marquee tool 234
Fine Controller Values	modifying notes 39, 236
in Settings>Controllers 336	Moving Notes 236
in Strip Chart 254	pencil tool 39
Fitting music	selecting a pitch range 235
to bars 422	selecting a time range 234
to click track 142	track controls 55
Flat shape	Transposing Notes 236
	viewed Instruments 238

X events 233	l
Graphic window menu	I-beam tool 57
Absolute SMPTE 238	in Graphic Window 234
Auto Scroll 237	in Notation Window 277
Bar/Beat/Unit 237	in Strip Chart 243
Jump to Selection 237	in Track Overview 216
Play Edited Note 239	Import Audio command 403
Relative SMPTE 238	Import Audio Using QuickTime 403
Set Default Location 238	Importing QuickTime movies 385
show piano keyboard 239	In Point field 195
Show Vertical Line 239	Info area
Tools 237	in Pulse window 222
View 238	in Tracks Window 205
Zoom Back 237	Play Quantize settings 72
Zoom to Fit 237	sequence event parameters 96
Grid Quantize 69	Information toggle 54, 212
parameters 130	Initialize Colors 294, 301
Groove Quantize 70	Input Channel
applying to a track region 75	in Input Map window 325
example 75	Input Device
making your own grooves 167	in Input Map window 325
parameters 133	Input Effect
Grooves file 167	Arpeggiate 115
Grouping faders 367	duration 116
	recording with 117
Н	Repeat 115
Hand cursor	spacing 116
scrolling with 25	with Grid or Groove Quantize 116
Harmonize 82	
Harmonize button (Select & Modify) 124	Input Effect Enabled command 428
-	Input Effect MIDIKey 173
Help menu 447 About Online Help 447	Input Effect Window 115
All Notes Off 448	Input Map
Generated Sequences 447	and Trigger modes 327
MIDI Data Flow 447	enabling/disabling 327
	keyboard splits 329
Pop-up Help 448	multi-channel recording 329
Sequences and Segments 447	Multiple Keyboards 329
Vision Files 447	triggering sequences 326
Help, online 16	when to use 328
Hide	Input Map Enabled command 428
Note Grid 221	Input Map window 325
Track Overview 204	Base 326

Continuous Trigger 327	notes with Pencil tool 37
Gated 327	patch events in List Window 264
Input Device and Channel 325	patch events in Strip Chart 251
input lines 325	sequence events in List Window 103, 270
Player 326	SMPTE markers 423
Range 325	tracks 411
Sequence 326	velocities in Pulse window 227
Thru/Trigger 326	see also List window
Transpose Mode 326	Installation 3
trigger 327	Instrument
trigger modes 327	Show Selected Fader Info 358
Input Map window menu 327	Instrument (Select & Modify) 122
Add Line 328	Instrument pop-up 55
Clear All 328	Instruments 293
Input Map Enabled 327	and multi-tracks 413
Load From 328	and OMS Studio Setup 299
Make One Line per Channel 328	assigning in Tracks Window 208
Remove Line 328	color 294
Insert	creating splits 178
+ Sequence Event 104	custom 177
Gated Sequence Event 104	customizing colors 294
Stop Sequence 104	drum instruments 295
Transpose (Sequence Event) 104	finding soloed Instruments 302
Insert Bar Marker command 422	finding soloed instruments 303
Insert Blank Time command 411	Global Instrument Solo Indicator 186
Insert Clipboard command 409	in Strip Chart 251
Insert command 411	initializing colors 294
Insert into track	key range 298
in Repeat Paste 410	Layered mode 177, 296
Insert Note	Make from Studio Setup 300
Spacing 331	Mono mode 297
Insert Note window	multi-line Instruments 296
duration 332	muting and soloing 294
velocity 332	naming 294
Insert SMPTE Marker command 423	naming vs. using Masking Tape 361
Inserting	output channel (Chan) 297
bar markers 422	output device 297
blank time 411	Overflow mode 179, 296
Clipboard 409	remapping 431
events in List Window 263	re-ordering with move cursor 22
notes in List Window 263	selecting unused 301
notes with Magic Drumstick tool 40, 227	selector dots 22

setting 418	K
simple transposing 298	Voor (Dotah namas) 224
Thru Instrument pop-up 184	Keep (Patch names) 324
transpose 295	Keep Sequences End-to-End 99, 262
transpose maps 295	Keep using these patches 309
transposing 83	Key equivalents
unsoloing all 303	for commands, reassigning 169
velocity fader 298	for sequences 198
Velocity Scale 297	Key range
Velocity Scale % 298	for Instruments 298
Instruments button 186	key signature changes
Instruments window 293	in Meter track 210 in Notation window 279
names 294	
opening with Instruments button 186	inserting in List window 271
Instruments window menu 299	Key/Scale (Select & Modify) 135
Add Line to Instrument 300	Key/Scale transpose 135
Clear Clip & Undo 301	Keyboard Splits
Initialize Colors 301	with Input Map 329 Keyboard Thru command 427
New Instrument 299	Reyboard Thru Command 427
Remove Line from Instrument 300	L
Select Unused Instruments 301	L
Show Use of Selected Instruments 301	Layered 296
Internal (sync mode) 434	Legato tool, Strip Chart 244
Internal Click (metronome sound) 437	List window 261
Interval (Select & Modify) 134	see also inserting
Interval transpose 134	Automation submenu 266
Invert (Select & Modify) 135	editing notes 61
Invert transpose 135	EQ Band Parameter submenu 268
is (Select & Modify) 122	inserting Aftertouch 266
is from thru (Select & Modify) 122	inserting Audio Events 264
is not (Select & Modify) 122	inserting Audio Pan 266
is not from thru (Select & Modify) 122	inserting Audio Volume 266
is or (Select & Modify) 122	inserting Controller events 266
is or less (Select & Modify) 122	inserting EQ Band Enable 268
is or more (Select & Modify) 122	inserting EQ Band Frequency 268
	inserting EQ Band Gain 268
J	
Jump to Selection	
=	
•	
Pulse window menu 231	inserting meter changes 270
Jump to Selection Graphic window menu 237 List window menu 272 Notation window menu 281	inserting EQ Band Type 268 inserting EQ Band Width 268 inserting EQ enable 267 inserting key changes 271 inserting markers 271 inserting meter changes 270

inserting MIDI events 265	Select & Modify Window menu 125
inserting Mute events 267	Local Sequence Times command 100, 439
inserting Notes 263	Locator buttons 189
inserting patch events 264	Lock Audio to Tape 434
inserting phase invert events 267	Lock Event SMPTE Times 263
inserting pitch bend 265	Lock to Timing
inserting plug-in bypass events 267	and SMPTE offsets 392
inserting Poly aftertouch 266	in QuickTime Movie window menu 389
inserting send level events 267	Locking track and sequence lengths 206
inserting sequence events 270	Loop
inserting solo events 267	editing (example) 66
inserting system exclusive events 269	in Make Segment/Loop 415
inserting tempo changes 271	recording 35
inserting text-type events 265	toggle 194
inserting Velocity Scale events 266	Looping
Meter track 270	and editing 66
moving events 274	generated sequences 112
Plug-in Parameter submenu 268	in the middle of a track 95
re-ordering jsimultaneous events 274	loop indicators in Ruler 59
sequence events 103	sequences 207
showing event durations 273	track regions with segments 95
showing release velocities 273	tracks 207
Tempo track 271	Lyrics
track controls 55	in Strip Chart 251
track lengths 55	inserting in List Window 265
viewed events and Instruments 272	C
List window menu 271	M
Absolute SMPTE 272	Magic Dyumetick tool 40, 57
Auto Scroll 272	Magic Drumstick tool 40, 57
Jump to Selection 272	inserting notes in Pulse window 40 Make Current 312
No SMPTE 272	Don't Make Current 312
Play Edited Note 273	Patch names 323
Relative SMPTE 272	
Set Default Location 272	Send the patches 312
Show Event Durations 273	Make from Studio Setup 300 Make One Line per Channel
Show Event End Times 273	Input Map window menu 328
Show Release Velocities 273	Make one segment with multiple tracks 87, 94
View 272	
Load Console Layout	Make Segment/Loop 86, 94, 415 Loop 415
in Console Window menu 366	<u> -</u>
Load From	Make single-track segments 415
Input Map window menu 328	Name 415 Start/End 415
-	Start/ Ellu 410

Make single-track segments 87	Menus
in Make Segment/Loop 415	window specific menus 26
Manual	Merge command 409
conventions 5	Merge markers as text 409
how to use this manual 4	Merge with track
organization 4	in Repeat Paste 410
Manual Map (Select & Modify) 136	Meter
Manual Map transpose 136	changing in Notation window 279
Margin	meter vs. meter track 53
zooming in the 25	Meter changes
Marker pop-up 193	inserting in List window 270
Markers 211	Meter track
bar markers 422	constant vs. changing meter 210
in Strip Chart 250	in List Window 261
inserting in List window 271	in List window 270
Marker pop-up 193	in Tracks Window 210
merging as text 409	switching to in the List Window 20
Next Marker button 188	Metronome Sound dialog 437
Previous Marker button 188	MIDI
SMPTE markers 423	about 7
Markers Break Blocks 63, 214	common misconceptions 9
Marquee tool 57	terminology 8
extening selection 64	MIDI Beat Clock
in Graphic window 234	Enable (in Sync Options) 435
in Notation Window 276	Send Sync Device(s) 436
in Track Overview 216	MIDI column
selecting with 63	in Patch Name Editor 314
Masking Tape 361	MIDI files
in Consoles 361	about 399
vs. naming Instruments 361	exporting 402
Master Instrument	MIDI Instruments In Use
in Console Window menu 362	building Console from 365
Master Tempo display 192	MIDI Machine Control
Matrix mode, Note Grid 226	MMC Window 375
Max Limit to (Select & Modify) 126	real-world example 381
Max Limit tool	setting up a device 375
in Strip Chart 244	sync mode 434
Maximum Fader Position	with Tascam DA-88 381
and Faders Window 344	MIDI submenu
Maximum Playable Tracks	in List Window 265
in Real-Time 336	in Strip Chart 252
Memory display 193	MIDI Time Code

Enable (in Sync Options) 435	in Settings>Editing 334
MIDI Time Code (MTC) 434	Modifying note properties
MIDIKeys	in Select & Modify Window 126
defining 174	Mouse
drum machine-style loop recording 45	editing notes with 60
enabling 174	scrubbing with 26
for sequences 199	zooming with 25
special 172	Move (Select & Modify) 124
MIDIKeys Enabled command 428	Move Amount
MIDIKeys Window 171	in Strip Chart & Nudge 332
MIDIKeys Window menu 174	Move cursor 22, 60
MIDIShift MIDIKey 173	with multiple items 22
Min Limit to (Select & Modify) 126	Move Events command 77, 413
Min Limit tool	Moving
in Strip Chart 244	barlines to fit notes 144
Mix settings, saving 89	blocks in Track Overview 63, 217
MMC	events in List Window 274
real-world example 381	events with Move command 413
MMC Communications Setup	notes in Notation window 278
in MMC window 377	rearranging Instruments in window 22
MMC window 375	rearranging lines in Pulse window 22
anatomy of 375	rearranging sequences in window 22
Enabled (record mode) 379	rearranging tracks in window 22
MMC Communications Setup 377	Moving columns 23
Num 378	MTC/Machine Control
PreRoll 378	in Sync Options 434
Rec Tracks (Track Enable Buttons) 378	Multi-channel recording 46
Rehearse (record mode) 380	example 48
Reset Debug Logs 378	with Input Map 329
Safe (record mode) 380	Multi-line instruments 296
Test device 377	Multiple Keyboards
transport controls 376	and Input Map 329
MMC Window menu 380	Multiple Pulse windows 230
Reset MMC System 380	Multiple tracks
MMC, sync mode	in Notation Window 21
MTC/Machine Control 434	in Strip Chart 257
Mode 306, 307	Multi-tracks
Mode Name	reassigning Instruments 208
in Patches menu 318	Mute column 54
Modify command 418	Mute command 426
Modify types 124	Mute events
Modify Window Option	in Strip Chart 254

:	
inserted with Copy Faders command 347	anatomy of 307
inserting in List Window 267	Channel column 307, 310
Mute QuickTime Audio	control names 320
in QuickTime Movie window menu 389	current patch name documents 309
Mute submenu	Device column 307
Mute Seq & Audio Events 426	Device Mode column 307, 310
Toggle Mutes 426	Keep using these patches 309
Unmute Seq & Audio Events 426	missing patch name documents 309
Muting	Name Setup control 307
Instruments 294	Names menu 311
sequence events 97	note names 320
tracks 54, 206	opening with Patch button 187
tracks vs. instruments 295	Patch Name Document column 307, 308
	Patch Name Editor 314
N	Patches menu 316
	subscribing 308
Name	Use Factory/GM Names 308
in Make Segment/Loop 415	Names Window menu
Name Setup 306	Clear Subscription 312
Name Setup control	Copy Subscription 312
in Names Window 307	Don't Make Current 312
Names	Find Patch 313
Instruments 294	Make Current 312
Patch Name Provider 306	New Patch Document 312
Names browser 321	Open Patch Document 313
By name 321	Paste Subscription 312
By number 321	Send Patches to Device 313
General MIDI groups 321	Send the patches 312
grouping 321	•
menu 322	Show Channels 313
Names browser menu	Tell patch Provider 313
Edit Selected Patch 323	Use Current Instead 312
Show Patches In All Selected Group(s)	View/Edit Patch Names 312
323	Naming
Show Patches In Any Selected Group(s)	Instruments 294
323	sequences 198
Sort By Name 323	tracks 206
Sort by Number 323	Narrow (Channel Width) 356
Names menu 311	Navigation techniques 19
Show Channels 310	Nested
Names Window 305	loops, from pasting 410
see also Patch Names	sequence events 101
always use current patches 309	New command 397
arrajo ase carreir pateries ooo	

New Drum Track 223, 230	changing track order 21
New Easy Setup	getting rid of rests 279
in OMS MIDI Setup 430	inserting notes with Pencil tool 38
New Instrument	meter changes 279
Instruments window menu 299	modifying notes 277
New Patch Document 312	Moving Notes 278
New Record Track command 416	multiple tracks 21
Next Marker button 188	Notation resolution 280
No SMPTE	octave selections 290
List window menu 272	resolution 280
Non-Continuous Events	selecting a pitch range 277
in Strip Chart 248	selecting a time range 277
Notation	selecting tracks in 275
and swing 291	shifting octaves 280
avoiding ledger lines 291	showing and hiding tracks 21
octave shift 290	Transposing Notes 278
troubleshooting 291	viewed Instruments 282
Notation Resolution 280	Notation window menu 281
Notation terms	Absolute SMPTE 282
Grand Staff 288	Auto Scroll 281
part 289	Bar/Beat/Unit 281
system 289	Jump to Selection 281
voice 289	Play Edited Note 283
Notation tips	Relative SMPTE 282
changing track order 289	Set Default Location 282
shfting by octaves 290	Show Vertical Line 283
Notation troubleshooting	Tools 281
extra rests 291	View 282
fitting on a page 291	Zoom Back 281
ledger lines 291	Zoom to Fit 281
looking good vs. sounding good 292	Note edit cursors 60
notes tied together 292	in Graphic window 236
other applications 292	in Notation Window 277
printing off the page 291	in Pulse Window 228
printing problem dialog box 291	Note Grid 225
single staff 292	Display modes 225
swing eigth notes/triples 291	editing notes in 228
too many voices 291	Graphic mode 226
Notation Window 275	Matrix mode 226
changing key 279	showing/hiding 221
changing meter 279	toggle 221
changing note durations 278	Note names

default 320	OMS Studio Setup 430
Note Names window 320	and Instruments 299
Notes	Online help 16
editing durations in Strip Chart 249	Opcode
editing velocities in Strip Chart 249	contacting 4
inserting in List Window 263	software registration 3
modifying in Graphic window 236	Open command 398
modifying in Notation Window 277	Open Music System
modifying in Note Grid 228	see OMS
Notes column	Open Patch Document 313
in Patch Name Editor 315	Open Windows pop-up 21
Nudge	Opening
Down 425	Console Layout Templates 367
Earlier 425	MIDI Files 399
in Pulse window 229	QuickTime movies 385
Later 425	Use Setup Instruments 399
Up 425	What to Open 398
Nudge command 425	Options menu 433
Nudging	Click in Countoff Only 437
events forward or back in time 78	Click in Play 437
pitches up or down 80	Click in Record 437
Num	Countoff in Play 438
in MMC window 378	Local Sequence Times 100, 439
Number column	Metronome Sound 437
in Patch Name Editor 314	Real Time Capture 438
Number of Pages 287	Send Sync Enabled 437
Numericals, editing values 27	Stop at Punch Out 438
, 0	Sync Options 433
0	Opts menu 99, 262
0.14	Keep Sequences End-to-End 99, 262
Oct (transposing Instruments) 298	Lock Event SMPTE Times 263
Octave Map (Select & Modify) 135	Song Track 99, 262
Octave Map transpose 135	Oscillating (Select & Modify) 127
Octave shift 280	Oscillator shapes
Octaves (Select & Modify) 134	Strip Chart 247
Off/Speed/Start 54	Waveform Period 248
Offset, SMPTE 54, 212	Out Point field 195
OMS	output channel (Chan)
about 11	Instruments 297
OMS Studio Setup 11	output device
opening current Studio Setup 430	Instruments 297
Studio Setup document 156	Overdub (record mode) 31
OMS MIDI Setup dialog 430	•

Overflow 296	Patch Name Editor
	Cntls 315
P	GM Equiv 315
Page Properties 285	MIDI column 314
9 .	Notes 315
Page Setup command 288, 404	number column 314
Parabola shape	opening Control Names window 320
Strip Chart 246	opening Note Names window 320
part 289	Patch Name column 314
Paste command 407	Program Selector Dot 315
Paste Name List	Patch Name Provider 306
in Patches menu 317	Patch names
Paste over track	see also Names Window
in Repeat Paste 410	about 12
Paste Subscription 312	bank definition 305
Pasting	bank select 319
MIDI data 408	Browser Window 321
nested loops 410	
sequences 408	Change 324 default control names 320
tracks 408	
Patch 305	default note names 320
Patch button 187	document 306
Patch change types 264	Don't Make 324
Patch column	Don't Send 324
Tracks window 88	editing 313
Patch events	Factory/General MIDI names 311
and Tracks Windows 209	Go Back 324
copying 88	grouping 321
inserting in List Window 264	Keep 324
inserting in Strip Chart 251	Make Current 323
inserting in Tracks window 88	Mode 306, 307
inserting using Copy Patches 88	mode examples 306
placement 89	Name Setup 306
saving 88	patch definition 305
Patch Name column	Send 324
in Patch Name Editor 314	subscribing 311
Patch Name Document column	terminology 305
in Names Window 307, 308	Patch popup
Patch Name Documents	Tracks window
current 306, 309	patch popup 55
editing 311	Patches menu
8	Add Bank 318
missing 309	Add Mode 317
where to find 308	

Bank Select/Numbering 319	settings 55
Clear Name List 317	settings for sequence events 98
Copy Name List 316	Play Selection command 423
Default Modes 318	Play Shift 73
Mode Name 318	enabling 56, 73
Paste Name List 317	Player
Remove Bank 318	in Input Map window 326
Remove Mode 317	Players 113
Save 316	and sequence events 97
Save As 316	and Sync mode 114
Saving Note/Control Names 316	and Trigger modes 114
Pause button 188	stopping 114
PC (program change) 264	Players & Queue Window 113
PC PC 264	Playing
Pencil tool 37	from selection 423
click-dragging with 39	Play from Counter button 188
in Notation Window 38	Play from Start button 187
in Pulse Window 227	selection 423
in Strip Chart 243	with the Command key 26
inserting notes with 37	Plug-in Bypass events
painting notes with 39	in Strip Chart 255
Phase Invert events	inserting in List Window 267
in Strip Chart 255	Plug-in Parameter submenu
inserting in List Window 267	in List Window 268
Phrase 62	in Strip Chart 256
Phrases mode, Track Overview 214	Plug-Ins
Pickup measures 212	in Console Window menu 357
Pitch (Select & Modify) 122	Poly aftertouch
Pitch Bend	in Strip Chart 253
in Strip Chart 252	inserting in List Window 266
inserting in List Window 265	Pop-up fields, selecting from 27
Play Edited Note	Position (Select & Modify) 122
Graphic window menu 239	Position in bar (Select & Modify) 122
List window menu 273	Position in beat (Select & Modify) 122
Notation window menu 283	Position in every group (Select & Modify) 122
Pulse window menu 232	Position is between bracketed events (Select &
Play from Counter button 188	Modify) 122
Play from Selection command 423	Prefix
Play from Start button 187	in Bank Select/Numbering 319
Play Quantize 72	PreRoll (in MMC window) 378
Drum Note lines vs. drum tracks 225	Preserve options
enabling 56, 72	in Substitute window 420

Previous Marker button 188	viewing velocities 228
Print command 404	Pulse window menu 230
Print Preview	Absolute SMPTE 231
adding text to a page 288	Auto Scroll 231
Barline thru System 287	Bar/Beat/Unit 231
bars per line 286	Jump to Selection 231
changing font 288	New Drum Track 223
Current Page 287	Play Edited Note 232
margins 286	Relative SMPTE 231
Number of Pages 287	Set Default Location 231
Show Bar Numbers 287	Show Offset Info 232
Show Page Numbers 287	Show Vertical Line 232
staff indentation 286	Tools 231
staff spacing 286	Zoom Back 231
System Spacing 286	Zoom to Fit 231
systems per page 287	Punch controls 194
Title Font 287	Punch Points follow Edit Points
title space 285	in Settings>Editing 333
Units of Measurements 287	Punch recording 34
Print Preview command 404	Punch toggle 194
Print Preview Window 285	
opening 404	Q
Printing	Quantiza 419
page properties 285	Quantize 418 about 69
Program Selector Dot	apolying 70
in Patch Name Editor 315	command 74
Pulse window 221	duration and velocity (Groove) 133
see also drum note lines	durations 132
see also drum tracks	
adding a new drum track 230	enabling Record Quatize 428 experimenting with 76
divider 222	for Input Effect 116
editing velocities 229	Grid parameters 130
info area 222	
inserting notes in drum track 40	Groove (example) 75
Magic Drumstick tool 227	Groove parameters 133 Groove source 133
nudge 229	
opening multiple 230	parameters 129 Play Quantize 72
Quantize settings 224	Quantize Type pop-up 130
similarities with Tracks window 221	Quantize Type pop-up 130 Quantize Value pop-up 75
Strip Chart 222	Record Quantize 76
velocities of inserted notes 227	Record Quantize 70 Record Quantize Source 335
velocity toggle 228	sensitivity 130
. ==	sensitivity 150

shift 132	in Faders Window 345
shortcuts with Quantize Value pop-up 75	Real Time Capture command 438
smear 132	Real-Time
strength 130	Aftertouch Sets Effect Velocity 335
swing 132	Audio edits occur 335
templates 163	Maximum Playable Tracks 336
value 130	Record Quantize Source 335
while recording 428	Silent when Paused 334
with Grid 69	Solo Audio and MIDI independently 335
with Groove 70	Sustain Audio Across Segments 335
Quantize (Select & Modify) 124, 129	Sustain Notes across Segments 334
Quantize command 74, 421	System Exclusive Thru 335
Quantize Value pop-up 75	rearranging
Queue mode 113	audio plug-in order 372
QuickTime Movie Window 385	Console Strips 371
anatomy of 387	drum note lines 225
size of window 391	Instruments in Instruments window 22
QuickTime Movie Window Anatomy 387	lines in Pulse window 22
QuickTime Movie window menu 389	sequences in sequence window 22
Lock to Timing 389	tracks in tracks window 22
Mute QuickTime Audio 389	Reassign (Select & Modify) 124, 127
Show SMPTE Counter 390	Reassign command 127, 418
Show SMPTE Counter 390 Show SMPTE Offset 390	Rec Tracks (Track Enable Buttons)
Window Size 391	in MMC window 378
QuickTime movies	Recalling patch selections 88
exporting 403	Receive sync device 434
importing 385	Receive sync mode 434
	•
referencing in Vision 385	Reclock command 422
scoring with General MIDI module 394	Reclock dialog 143
setting SMPTE frame rates 391	Record
SMPTE offsets 392	button in sequence info area 97
using (tutorial) 393	record-enable track 54
Quit command 404	Record button 187
n	Record Filter dialog 429
R	Record Indicator button 183
Random shape	Record Mode 31
in Strip Chart 247	pop-up 183
Range	Record mode
in Input Map window 325	Enabled (in MMC window) 379
Instruments window 298	Rehearse (in MMC window) 380
Tempo Fader 345	Safe (in MMC window) 380
Rcv	Record Monitor Window 444

Record Quantize 76	Pulse window menu 231
Record Quantize Enabled command 428	release velocities in List Window 273
Record Quantize Source	Remap all matching channels
in Real-Time 335	in Undefined Channels 431
Record setup 31	Remapping undefined channels 431
Recording	Remember remappings to reapply later
advanced techniques 45	in Undefined Channels 431
Begin Record toggle 32	Remember these settings in sequence files
choosing what to record 429	in Sync Options 436
enabling neighboring tracks 416	Remote Device
from an external sequencer 47	Show Selected Fader Info 358
in real time 33	Remote Device Channel (Chan)
in step time 42	Show Selected Fader Info 358
In/Out Point fields 195	Remote start 434
into a single-track sequence event 97	Remove Bank
key equivalents 31	in Patches menu 318
loop recording 35	Remove Line
multi-channel (example) 48	Input Map window menu 328
multiple channels from Input Map 329	Remove Line from Instrument
on multiple channels 46	Instruments window menu 300
punch recording 34	Remove Mode
Record button 187	in Patches menu 317
Record Mode pop-up 183	Re-ordering columns 23
record modes 31	Re-ordering simultaneous events (in List win
Step Window 337	dow) 274
stop at punch out 438	Repeat Paste command 410
tempo changes 137	Repeated notes
Undo command and editing 406	with Input Effect 115
viewing received MIDI 183	Replace (record mode) 31
while in external sync 149	Replace each event
with an Input Map 47	in Substitute window 419
with Input Effect 117	Reset Debug Logs
with metronome 32	in MMC window 378
with quantize 76, 428	Reset MMC System
Redo command 405	in MMC Window menu 380
References for sequences and segments 100	resizing
Refining selection 120	columns 23
Rehearse (record mode) 380	Strip Chart 258
Relative SMPTE	Reverse Time command 422
Graphic window menu 238	Revert command 402
List window menu 272	Rubato performances
Notation window menu 282	editing 144

reclocking 144	Scale by (Select & Modify) 126
Ruler	Scale Time command 422
edit indicators 59	Scale Time dialog 140
in edit windows 59	Scaling tempos 139
loop indicators 59	Scaling time
scaling time in 141	in the Ruler 141
selecting in Track Overview 217	to fit audio loops 141
zooming in the 25	Scrolling
Run MIDI in background	with hand cursor 25
in OMS MIDI Setup 430	Scrubbing
in onis mist setup too	with the mouse 26
S	with the Shuttle bar 188
	Segments
Safe (record mode) 380	about 93
Save	Automatically Remove Unused Segments
in Patches menu 316	93
Save a Copy As command 401	differences from sequences 93
Save As	looping in the middle of a track 95
in Patches menu 316	looping track regions 95
Save As command 400	making 86, 94
Save as Setup command 401	references 100
Save command 400	resizing graphically 96
Save Console Layout 365	Select 5
in Console Window menu 365	Select & Modify
Save Console Layout As	Add 126
in Console Window menu 366	attribute conditions 122
Save Settings	attribute types 122
Select & Modify Window menu 125	Auto Map 135
Save Settings As	Change Duration 124
Select & Modify Window menu 125	Change Release Velocity 124
Saving	Change Value 124
a mixer snapshot 89	Change Velocity 124
Console Layouts 365	Changing 126
patch events 88 Save a Copy As 401	Chromatic 134
Save As 400	Compress 126
Save As 400 Save As Setup 401	Constant 126
<u> </u>	Constrain to Scale 134
volume and pan settings 89 What to Save 400	Delete 125
Sawtooth shape	Diatonic 134
in Strip Chart 247	Double button 124, 125
Scale	Drum Map 136
in Strip Chart 244	Duration 122
Outp Church 11	

Event Type 122	Modify Type pop-up 120
Harmonize button 124	Select & Modify Window menu 125
Instrument 122	Delete Template 125
Interval 134	Load From 125
Invert 135	Save Settings 125
is 122	Save Settings As 125
is from thru 122	Templates 125
is not 122	Select All command 424
is not from thru 122	Select attributes 121
is or 122	Select by Rule command 423
is or less 122	Select Duplicates command 425
is or more 122	Select Unused Instruments
Key/Scale 135	Instruments window menu 301
making a selection 123	Select/Modify Templates command 421
Manual Map 136	Selected Tracks' Instruments
Max Limit to 126	building Console from 364
Min Limit to 126	Selecting
modify types 124	a pitch range 65
Move 124	a time range 64
Octave Map 135	all 424
Octaves 134	another sequence 19
Oscillating 127	another track 19
Pitch 122	by rule 423
Position 122	complex selections 123
Quantize 124, 129	data regions 63
Reassign 124, 127	duplicates 425
Scale by 126	multiple drum note lines 65
select attributes 121	multiple tracks 65
Set Density 124, 127	names 321
Set Instrument 125	notes in Graphic Window 234
Set Legato to 126	playing only the current selection 423
Set to 126	sequences 198
Substitute 125	split notes 424
templates 165	tracks 205
Transpose 124, 134	tracks in Notation Window 275
Trim Start Time 125, 129	unused Instruments 301
Value 122	with Add To 120
Velocity 122	with I-beam tool 64
Select & Modify Window 119	with Marquee tool 63
anatomy of 120	with Refine 120
buttons 121	Selector dots 22
Event Type pop-up 120	Send

in Faders Window 345	Sequence templates 161
Patch names 324	Sequence/segment pop-up 97
Send Level events	Sequences
in Strip Chart 254	about 13
inserting in List Window 267	and pickup measures 212
Send Patches to Device 313	breaking into segments 86
Send Sync Enabled command 437	capturing 414
Send the patches 312	capturing in real time 438
Sending sync 151	chaining 85
Separate Multi Track command 413	controls for 53
example 49	Current Sequence pop-up 184
with Drum Note lines 225	duplicating 200
Seq button 184	key equivalents 198
Sequence	locking length 206
in Input Map window 326	looping 207
Sequence columns	MIDIKeys for 199
re-ordering 23	naming 198
resizing 23	pasting 408
Sequence events 104	references 100, 199
about 96	re-ordering with move cursor 22
and players 97	selecting 198
cloning 411	selector dots 22
in List Window 103	SMPTE offset 54, 212
inserting in List Window 103, 270	Start Point 212
Local Sequence Times 100, 439	step recording as sequence events 85
muting 97	switching the current sequence 19
nested 101	Sync Mode 212
parameters 96	templates 161
parent-child relationship 98	triggering from Input Map 326
recording into single-track 97	triggering in real time 113
resizing graphically 96	Sequences Window 197
step recording 85	column descriptions 198
sync mode 98	comments 199
transposing 97	opening with Seq button 184
types 103	references 100, 199
Sequence information 54	Segments section 197
SMPTE Offset 54	Sequences section 197
Start Point 54	setting default location 201
Sync Mode 54	Templates section 197
Sequence Length 53	Sequences Window menu 200
Sequence Loop 53	Set Default Location
Sequence Select pop-up 19	Graphic window menu 238

List window menu 272	permanently shifting track data 77
Notation window menu 282	Play Shift 73
Pulse window menu 231	Show 220
Set Density (Select & Modify) 124, 127	Note Grid 221
Set In Point button 195	offset info in Tracks Window 220
Set Insertion Point to End of Paste Region	Track Overview 204
in Settings>Editing 333	use of selected Instruments 301
Set Instrument (Select & Modify) 125	Show All Fader Info
Set Instrument command 418	in Console Window menu 359
Set Legato to (Select & Modify) 126	Show Bar Numbers 287
Set Out Point button 195	Show Channels 310, 313
Set to (Select & Modify) 126	editing device mode when off 311
Settings Window	editing device mode when on 310
Appearance 336	Show Event Durations
see also Appearance	List window menu 273
Controllers 336	Show Event End Times
see also Controllers	List window menu 273
Editing 333	Show Masking Tape 361
see also Editing	Show Offset Info
Insert Note 331	Pulse window menu 232
see also Insert Note	Show Page Numbers 287
Real-Time 334	Show Patches In All Selected Group(s)
see also Real-Time	in Names browser menu 323
Strip Chart & Nudge 332	Show Patches In Any Selected Group(s)
see also Strip Chart & Nudge	in Names browser menu 323
Setup file 155	Show Piano Keyboard 239
Setups menu 427	Show Release Velocities
Auto Remappings 432 Colors 432	List window menu 273
	Show Remote Devices
Commands 432	in Console Window menu 360
Enable Input Devices 429	Show Selected Fader Info 360
Fader Remotes Enabled 428	Controller 358
Input Effect Enabled 428	in Console Window menu 357
Input Map Enabled 428	Instrument 358
Keyboard Thru 427	Remote Device 358
MIDIKeys Enabled 428	Remote Device Channel (Chan) 358
OMS MIDI Setup 430	Value (fader value) 358
OMS Studio Setup 430	Show SMPTE Counter
Record Filter 429	in QuickTime Movie window menu 390
Record Quantize Enabled 428	Show SMPTE Offset
Thru in Background 427	in QuickTime Movie window menu 390
Undefined Channels 431 Shift	Show Use of Selected Instruments
3000	

Instruments window menu 301	using Lock Event SMPTE Times 263
Show Vertical Line	Spacing
Graphic window menu 239	in Insert Note 331
Notation window menu 283	Special MIDIKeys 172
Pulse window menu 232	Split Notes command 424
Shuttle bar 188	Splits
Silent when Paused	with custom Instruments 178
in Real-Time 334	with Input Map 329
Sine shape	Square shape
in Strip Chart 247	in Strip Chart 247
Slaving to external sync device 147	Staff Indentation 286
SMPTE	Staff Spacing 286
frame rates 150	Standard MIDI files 399
frames and bits 192	Start
offset 150	sequence information 54
time code, viewing in Counter 191	Start/End
SMPTE cursor display 215	in Make Segment/Loop 415
SMPTE Offset	Step Overdub (record mode) 31
for QuickTime movies 392	Step recording 42
for sequences 54, 212	Changing Spacing Size 44
Snapshot of Faders 407	Deleting Notes 43
Solo	Entering Chords 43
inserted with Copy Faders command 347	Entering Chords 43 Entering Patch Events 43
Solo Audio and MIDI independently	Entering Paten Events 43
in Real-Time 335	Sequence Events 43
Solo column 55	sequence events 85
Solo events	Step Window 337
in Strip Chart 254	Sustaining Individual Notes 43
inserting in List Window 267	tips 43
soloed instruments	Step Replace (record mode) 31
finding 303	Step Window 337
unsoloing 303	Duration settings 339
Soloing Soloing	Spacing settings 337
Instruments 294	Spacing settings 337 Spacing, changing with keystrokes 338
tracks 55, 206	tuplets 338
tracks vs. instruments 295, 302	Velocity settings 341
Song Track 99, 262	Stop at Punch Out command 438
Sort By Name	Stop Sequence 104
in Names browser menu 323	Straight shape
Sort by Number	in Strip Chart 246
in Names browser menu 323	Strip Chart
sound effects track	about 241

Add Amount 244 Pencil tool 243 Aftertouch 253 Phase Invert 255 Audio Pan 254 Pitch Bend 252 Audio Volume 254 Plug-in Parameter submenu 256 Automation submenu 254 Poly aftertouch 253 Compress tool 245 Random shape 247 resizing 258 Contents pop-up 242 Controllers 253 Sawtooth shape 247 Copyright 251 Scale 244 Cue Points 252 Send Levels 254 Sine shape 247 Density setting 256 drawing fade outs 246 Solo events 254 **Duration 249** Square shape 247 Straight shape 246 Edit Shapes pop-up 246 editing velocities 61 tempo events 250 **EQ Band Enable 255** Text 251 **EQ Band Frequency 255** Text-type submenu 251 EQ Band Gain 255 Thin tool 245 EQ Band Parameter submenu 255 tools 243 EQ Band Type 255 Triangle shape 247 uses 249 EQ Band Width 255 EQ Enable 255 Variable pop-up 243 Velocity 249 event types 241 Flat shape 247 Velocity Scale 253 for multiple tracks 257 zooming 258 Free shape 246 Strip Chart & Nudge I-beam tool 243 Density 332 in Tracks Window 205 Move Amount 332 **Instruments 251** Transpose Amount 332 Lyrics 251 Use Key Signature 333 Waveform Period 332 Markers 250 Max Limit tool 244 subscribing 311 to patch name documents 308 MIDI submenu 252 Min Limit tool 244 Subsequences modifying events 243 about 104 Mute events 254 converting 104 Non-Continuous Events 248 Substitute (Select & Modify) 125 opening 242 Substitute command 419 Oscillator shapes 247 ideas for using 420 Oscillator shapes & Waveform Period 248 Substitute window Parabola shape 246 Controllers to notes 420

patch events 251

Preserve options 420

Replace each event 419	Systems per Page 287
Sustain Audio Across Segments	
in Real-Time 335	Т
Sustain Notes across Segments	Tapping the tempo 138
in Real-Time 334	technical support 4
Swing	Tell Patch Provider 313
notating 291	Templates
Sync mode 54, 100	quantize 163
sequence events 98	Select & Modify 165
sync mode	Select & Modify Window menu 125
internal 434	sequence 161
MIDI Time Code 434	transpose 163
Sync Options	Tempo
Remember these settings in sequence	clean display 334
files 436	fader assignment 344
Sync Options dialog 433	field in Tracks Window 211
Sync pop-up	scaling 139
in the Control Bar 189	8
Synchronization 147	setting for sequence 211 setting in the Control Bar 192
lock audio to tape 434	tapping with the keyboard 138
receive sync device 434	
receive sync modes 434	tempo vs. tempo track 53 Tempo changes
remote start 434	inserting in List window 271
send sync device 435	9
send sync mode 435	Tempo Display 192
settings, remembering in sequence files	Tempo track constant vs. changing 211
436	
slaving devices to Vision 151	editing in Strip Chart 250 in List Window 261
SMPTE format 436	in List window 201
SMPTE frame rates 150	in Tracks Window 211
SMPTE offset 150	
Sync pop-up 189	recording 137
Syncing	switching to in the List Window 20 Test Device
to MIDI Beat Clock 147	
to SMPTE time code 148	in MMC window 377 Text
system 289	
System Exclusive events	in Strip Chart 251
inserting in List Window 269	inserting in List Window 265
System Exclusive Thru	Text fields, editing 27
in Real-Time 335	Text-type submenu
System requirements 3	in Strip Chart 251
System Spacing 286	inserting in List Window 265
· i U	Thin tool

Strip Chart 245	Current Track pop-up 184
Thru in Background command 427	deleting 412
Thru Instrument pop-up 184	drum track toggle 207
Thru/Trigger	drum tracks 223
in Input Map window 326	generated sequences 111
Time signature 279	inserting 411
Title Font 287	locking length 206
Title Space 285	looping in Tracks Window 207
Tools	looping with segments 95
Graphic window menu 237	making into segments 94
Notation window menu 281	multi-tracks 413
Pulse window menu 231	muting 206
Track columns	naming 206
re-ordering 23	pasting 408
resizing 23	Play Quantize 72
Track lengths	Play Shift 73
in List Window 55	record-enabling 205
in Tracks Window 206	recording 33
locking 206	re-ordering with move cursor 22
Track Loop 55	selecting 205
Track Overview 213	selecting in Notation Window 275
block size 216	selector dots 22
Blocks mode 214	separating multis 49
Display modes 214	showing/hiding in Notation Window 21
Phrases mode 214	soloing 206
selecting a time range 216	switching the current track 20
silence size 216	Tracks mode, Track Overview 214
toggle 204	Tracks Window 203
Tracks mode 214	column descriptions 205
working with track blocks 62	cursor display 215
zooming vertically 217	divider 204
Track Select pop-up 19	for generated sequences 107
in Graphic Window 20	info area 205
in List Window 20	Information toggle 212
in Notation Window 21	Instruments column 208
Tracks 62	Mute column 206
about 11	Patch column 88, 209
add new track 20	Record column 205
comments 210	set default location 220
containing multiple Instruments 208	show detailed Track Overview 220
controls for 54	show offset info 220
creating patch event track 421	SMPTE cursor display 215

Solo column 206	in the Instruments Window 83
Strip Chart 205	notes in edit windows 79
Track Overview 213	octaves in Notation Window 280
two windows in one 203	sequence events 97
Tracks Window menu 219	simple transposing of Instruments 298
Trans (Instruments window) 295	to add harmony 82
Transport controls 187	with Nudge 80°
Locator buttons 189	with Transpose command 80
MMC window 376	Transposing Notes
Next/Previous Marker buttons 188	in Notation window 278
Pause button 188	Triangle shape
Play from Counter button 188	in Strip Chart 247
Play from Start button 187	Trigger
Record button 187	in Input Map window 327
Shuttle bar 188	Trigger modes
Transpose	continuous 185
Shifting the Music by Octaves in Notation	from Control Bar 185
View 290	from Input Map 327
Transpose (Select & Modify) 124, 134	gated 185
Transpose (Sequence Event) 104	in Input Map window 327
Transpose Amount	transpose 185
in Strip Chart & Nudge 332	trigger 185
Transpose command 80, 418	Trim Start Time (Select & Modify) 125, 129
and Drum Instruments 82	Tuplets in Step Window 338
example 81	- wp
Transpose cursor 60	U
Transpose maps 83, 295	
Transpose Mode (Input Map window) 326	Undefined Channels 297, 431
Transpose templates 163	Auto-open this dialog when needed 431
Transpose types 134	Remap all matching channels 431
Auto Map 135	Remember remappings to reapply later
Chromatic 134	431
Diatonic 134	Undo
Drum Map 136	and editing commands 405
Interval 134	and recording 406
Invert 135	while loop editing 67
Key/Scale 135	Undo command 405
Manual Map 136	Units (PPQ) 192
Octave Map 135	Units of Measurements 287
summary of 80	Unmake Sequence Event command 415
Transposing	Use Current Instead 312
by dragging 79	Use Factory/GM Names 308, 311
~J	Use Key Signature

in Strip Chart & Nudge 333	edit windows 14
Use Meter 248, 332	files 155
Use Setup Instruments 157, 399	Instruments 293
-	navigation techniques 19
V	online help 16
Value (fader value)	system requirements 3
Show Selected Fader Info 358	Vision Editing Templates file 155
Value (Select & Modify) 122	Vision files 155
Velocity	creating new 397
for notes in Strip Chart 61	stored file objects 156
in Insert Note window 332	what to save 156
Strip Chart 249	Vision Grooves file 156
using faders to control 346	editing 167
Velocity (Select & Modify) 122	Vision Prefs file 155
Velocity (select & Modify) 122 Velocity fader	stored configuration settings 158
for Instruments 298	Vision Setup file 155
Velocity Scale	and new Vision files 397
checkbox 297, 346	items saved 157
example 347	saving custom instruments 299
in Strip Chart 253	voice 289
inserting in List Window 266	
Instruments 297	W
Percent 298	Wait for Note mode 32
using a fader 346	Begin Record toggle 190
Velocity Scale % 346	Waveform Period
Instruments 298	in Strip Chart & Nudge 332
View	Use Meter 248
Graphic window menu 238	What to Open 398
List window menu 272	Wide (Channel Width) 356
Notation window menu 282	Window Background
View/Edit Patch Names 312	in Settings>Appearance 336
Viewing	Window buttons
event durations in List window 273	in Control Bar 196
events in List Window 272	Window Size
Note Grid 221	in QuickTime Movie window menu 391
release velocities in List window	Window specific menus 26
Velocity 273	Windows Specific menus 20 Windows
SMPTE offset 212	accessing all open windows 21
Track Overview 204	closing all 400
Vision	edit 14
basics 11	menus 26
Control Bar 13	navigating 19
	navigamie 10

opening from Control Bar 196 Windows menu 441 Audio Instruments 442 Consoles 351, 444 Control Bar 183, 444 Counter 444 Faders 344, 443 Graphic 233, 442 Input Effect 115, 444 Input Map 325, 443 Instruments 293, 442 List 261, 441 MIDIKeys 171, 443 MMC 375, 445 Names 305, 443 Notation 275, 442 Players & Queue 113, 445 Print Preview 285 Pulse 221, 442 QuickTime Movie 385, 445 Record Monitor 444 Select & Modify 119, 443 **Sequences 197, 441** Settings 445

X

X events in Graphic window 233

Tracks 203, 441

Z

Zoom Back

Graphic window menu 237 Notation window menu 281 Pulse window menu 231

Zoom In buttons 24 Zoom Out buttons 24

Zoom to Fit

Graphic window menu 237 Notation window menu 281 Pulse window menu 231

Zoom to Fit button 24

Zooming 24

in the margin 25 in the Ruler 25 in Track Overview 217 with the Mouse 25 with the mouse 25 with Zoom In buttons 24 with Zoom Out buttons 24 with Zoom to Fit button 24 zooming in the Strip Chart 258